





FgArea: [' 0']
NC11 P2-3
2025-12-31 (Day 126)


fgNum 1 (at_row = 4)

















1 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water_ec']]




Plot [' ECopt']






Plot [['taoc', 'taoc_raw:ro', 'taoc_avg:r-']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]







Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o' , ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o', ' PHO:g-o']]



Plot ET/VN



Plot Fv and fertilizer usage








Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa








Trend plot for P2-3_0














时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:40	136	30.0	0.014	晴	预期@10:40 手动 (未用传感器)
11:30	136	30.0	0.014	晴	预期@11:30 手动 (未用传感器)
12:40	136	30.0	0.014	晴	预期@12:40 手动 (未用传感器)
总计	408.0 (3次)	90.0			建议进液EC: 1820, PH: 6.0







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
11:30	136	30.0	0.014	晴	假设@11:30 未知程序 (未用传感器)
12:20	136	30.0	0.014	晴	假设@12:20 未知程序 (未用传感器)
总计	272.0 (2次)	60.0			建议进液EC: 1760, PH: 6.0





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
11:05	136	30.0	0.014	晴	假设@11:05 未知程序(未用传感器)
12:00	136	30.0	0.014	晴	假设@12:00 未知程序(未用传感器)
13:20	136	30.0	0.014	晴	假设@13:20 未知程序(未用传感器)
总计	408.0 (3次)	90.0			建议进液EC: 1830, PH: 6.0





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
总计	0 (0次)	0			建议进液EC: 1790, PH: 6.0





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:50	136	30.0	0.014	晴	假设@10:50 未知程序(未用传感器)
11:50	136	30.0	0.014	晴	假设@11:50 未知程序(未用传感器)
13:05	136	30.0	0.014	晴	假设@13:05 未知程序(未用传感器)
总计	408.0 (3次)	90.0			建议进液EC: 1740, PH: 6.0

