





FgArea: [ ' 0' ]  
NC11 P2-3  
2026-01-29 (Day 155)


fgNum 1 (at\_row = 4)

















1 (fgArea = NA)








Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water\_ec']]




Plot [ 'ECopt' ]




Plot [['ETcA\_VN', 'ETcA\_ws'], ['ETcB\_VN', 'ETcB\_ws']]




Plot [['ETcAraw:o', 'ETcA']]




Plot [['ETcBraw:o', 'ETcB']]






Plot [['taoc', 'taoc\_raw:ro', 'taoc\_avg:r-']]




Plot [['setVI\_ETcI', 'setVI\_fgRec', 'setVI\_VN', 'sISetVI']]






Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Warning: col ['FRV', 'FVI'] is missing


Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FVOEC:r-o', ' ECO:g-o' ]]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o', ' PH0:g-o' ]]



Plot ET/VN



Plot Fv and fertilizer usage







Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa










Trend plot forP2-3\_0








# FgDaily















时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
11:00	95	20.0	0.01	晴	预期@11:00 手动 (未用传感器)
11:30	95	20.0	0.01	晴	预期@11:30 手动 (未用传感器)
12:45	95	20.0	0.01	晴	预期@12:45 手动 (未用传感器)
总计	285.0 (3次)	60.0			建议进液EC: 1940, PH: 6.0







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:00	95	20.0	0.01	晴	假设@10:00 未知程序 (未用传感器)
10:40	95	20.0	0.01	晴	假设@10:40 未知程序 (未用传感器)
12:00	95	20.0	0.01	晴	假设@12:00 未知程序 (未用传感器)
13:00	95	20.0	0.01	晴	假设@13:00 未知程序 (未用传感器)
总计	380.0 (4次)	80.0			建议进液EC: 1910, PH: 6.0






时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:50	95	20.0	0.01	晴	假设@10:50 未知程序 (未用传感器)
11:20	95	20.0	0.01	晴	假设@11:20 未知程序 (未用传感器)
12:25	95	20.0	0.01	晴	假设@12:25 未知程序 (未用传感器)
13:30	95	20.0	0.01	晴	假设@13:30 未知程序 (未用传感器)
总计	380.0 (4次)	80.0			建议进液EC: 1690, PH: 6.0





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:40	95	20.0	0.01	晴	假设@10:40 未知程序 (未用传感器)
11:10	95	20.0	0.01	晴	假设@11:10 未知程序 (未用传感器)
12:15	95	20.0	0.01	晴	假设@12:15 未知程序 (未用传感器)
13:20	95	20.0	0.01	晴	假设@13:20 未知程序 (未用传感器)
总计	380.0 (4次)	80.0			建议进液EC: 1750, PH: 6.0





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:25	95	20.0	0.01	晴	假设@10:25 未知程序(未用传感器)
11:05	95	20.0	0.01	晴	假设@11:05 未知程序(未用传感器)
12:15	95	20.0	0.01	多云	假设@12:15 未知程序(未用传感器)
总计	285.0 (3次)	60.0			建议进液EC: 1920, PH: 6.0

