





FgArea: [ ' 0' ]  
NC11 P2-3  
2026-03-14 (Day 199)


fgNum 1 (at\_row = 4.0)

















1 (fgArea = NA)








Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water\_ec']]




Plot [ ' ECopt' ]




Plot [['ETcA\_VN', 'ETcA\_ws'], ['ETcB\_VN', 'ETcB\_ws']]




Plot [['ETcAraw:o', 'ETcA']]




Plot [['ETcBraw:o', 'ETcB']]






Plot [['taoc', 'taoc\_raw:ro', 'taoc\_avg:r-']]




Plot [['setVI\_ETcI', 'setVI\_fgRec', 'setVI\_VN', 'sISetVI']]






Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Warning: col ['FRV', 'FVI'] is missing


Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o' , ' ECO:g-o' ]]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o' , ' PHO:g-o' ]]



Plot ET/VN



Plot Fv and fertilizer usage







Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa




Trend plot forP2-3\_0























| 时间    | 灌溉时长(秒)    | 灌溉量(毫升/株) | 灌溉总量(方/次) | 天气 | 注释                    |
|-------|------------|-----------|-----------|----|-----------------------|
| 07:50 | 74         | 20.0      | 0.01      | 多云 | 预期@07:50 手动 (未用传感器)   |
| 10:30 | 74         | 20.0      | 0.01      | 阴  | 预期@10:30 手动 (未用传感器)   |
| 11:50 | 74         | 20.0      | 0.01      | 阴  | 预期@11:50 手动 (未用传感器)   |
| 13:00 | 74         | 20.0      | 0.01      | 阴  | 预期@13:00 手动 (未用传感器)   |
| 14:20 | 74         | 20.0      | 0.01      | 阴  | 预期@14:20 手动 (未用传感器)   |
| 总计    | 370.0 (5次) | 100.0     |           |    | 建议进液EC: 1660, PH: 6.0 |







| 时间    | 灌溉时长(秒)   | 灌溉量(毫升/株) | 灌溉总量(方/次) | 天气 | 注释                    |
|-------|-----------|-----------|-----------|----|-----------------------|
| 07:55 | 74        | 20.0      | 0.01      | 多云 | 假设@07:55 未知程序 (未用传感器) |
| 总计    | 74.0 (1次) | 20.0      |           |    | 建议进液EC: 1860, PH: 6.0 |







| 时间    | 灌溉时长(秒)    | 灌溉量(毫升/株) | 灌溉总量(方/次) | 天气 | 注释                    |
|-------|------------|-----------|-----------|----|-----------------------|
| 07:55 | 74         | 20.0      | 0.01      | 多云 | 假设@07:55 未知程序 (未用传感器) |
| 09:55 | 74         | 20.0      | 0.01      | 阴  | 假设@09:55 未知程序 (未用传感器) |
| 11:05 | 74         | 20.0      | 0.01      | 阴  | 假设@11:05 未知程序 (未用传感器) |
| 12:05 | 74         | 20.0      | 0.01      | 阴  | 假设@12:05 未知程序 (未用传感器) |
| 13:00 | 74         | 20.0      | 0.01      | 晴  | 假设@13:00 未知程序 (未用传感器) |
| 14:05 | 74         | 20.0      | 0.01      | 晴  | 假设@14:05 未知程序 (未用传感器) |
| 总计    | 444.0 (6次) | 120.0     |           |    | 建议进液EC: 1440, PH: 6.0 |





| 时间    | 灌溉时长(秒)    | 灌溉量(毫升/株) | 灌溉总量(方/次) | 天气 | 注释                    |
|-------|------------|-----------|-----------|----|-----------------------|
| 07:55 | 74         | 20.0      | 0.01      | 晴  | 假设@07:55 未知程序 (未用传感器) |
| 10:05 | 74         | 20.0      | 0.01      | 晴  | 假设@10:05 未知程序 (未用传感器) |
| 11:05 | 74         | 20.0      | 0.01      | 晴  | 假设@11:05 未知程序 (未用传感器) |
| 11:55 | 74         | 20.0      | 0.01      | 晴  | 假设@11:55 未知程序 (未用传感器) |
| 12:45 | 74         | 20.0      | 0.01      | 晴  | 假设@12:45 未知程序 (未用传感器) |
| 13:40 | 74         | 20.0      | 0.01      | 晴  | 假设@13:40 未知程序 (未用传感器) |
| 总计    | 444.0 (6次) | 120.0     |           |    | 建议进液EC: 1440, PH: 6.0 |





| 时间    | 灌溉时长(秒)    | 灌溉量(毫升/株) | 灌溉总量(方/次) | 天气 | 注释                    |
|-------|------------|-----------|-----------|----|-----------------------|
| 08:00 | 74         | 20.0      | 0.01      | 晴  | 假设@08:00 未知程序 (未用传感器) |
| 10:45 | 74         | 20.0      | 0.01      | 晴  | 假设@10:45 未知程序 (未用传感器) |
| 11:45 | 74         | 20.0      | 0.01      | 晴  | 假设@11:45 未知程序 (未用传感器) |
| 12:45 | 74         | 20.0      | 0.01      | 晴  | 假设@12:45 未知程序 (未用传感器) |
| 13:45 | 74         | 20.0      | 0.01      | 晴  | 假设@13:45 未知程序 (未用传感器) |
| 总计    | 370.0 (5次) | 100.0     |           |    | 建议进液EC: 1440, PH: 6.0 |

