





FgArea: [' 0']
NC11 P2-3
2026-03-25 (Day 210)


fgNum 1 (at_row = 4)

















1 (fgArea = NA)








Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water_ec']]




Plot [' ECopt']




Plot [['ETcA_VN', 'ETcA_ws'], ['ETcB_VN', 'ETcB_ws']]




Plot [['ETcAraw:o', 'ETcA']]




Plot [['ETcBraw:o', 'ETcB']]






Plot [['taoc', 'taoc_raw:ro', 'taoc_avg:r-']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]







Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o' , ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o' , ' PHO:g-o']]



Plot ET/VN



Plot Fv and fertilizer usage














Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa






Trend plot forP2-3_0











时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:30	74	20.0	0.01	晴	预期@07:30 手动 (未用传感器)
09:00	74	20.0	0.01	晴	预期@09:00 手动 (未用传感器)
10:25	74	20.0	0.01	晴	预期@10:25 手动 (未用传感器)
11:25	74	20.0	0.01	晴	预期@11:25 手动 (未用传感器)
12:15	74	20.0	0.01	晴	预期@12:15 手动 (未用传感器)
13:00	74	20.0	0.01	晴	预期@13:00 手动 (未用传感器)
13:50	74	20.0	0.01	晴	预期@13:50 手动 (未用传感器)
14:50	74	20.0	0.01	晴	预期@14:50 手动 (未用传感器)
总计	592.0 (8次)	160.0			建议进液EC: 1550, PH: 6.0


时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:35	74	20.0	0.01	晴	假设@07:35 未知程序 (未用传感器)
09:35	74	20.0	0.01	晴	假设@09:35 未知程序 (未用传感器)
10:40	74	20.0	0.01	晴	假设@10:40 未知程序 (未用传感器)
11:30	74	20.0	0.01	晴	假设@11:30 未知程序 (未用传感器)
12:20	74	20.0	0.01	晴	假设@12:20 未知程序 (未用传感器)
13:05	74	20.0	0.01	晴	假设@13:05 未知程序 (未用传感器)
13:50	74	20.0	0.01	晴	假设@13:50 未知程序 (未用传感器)
14:50	74	20.0	0.01	晴	假设@14:50 未知程序 (未用传感器)
16:00	74	20.0	0.01	晴	假设@16:00 未知程序 (未用传感器)
总计	666.0 (9次)	180.0			建议进液EC: 1440, PH: 6.0



时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:35	74	20.0	0.01	晴	假设@07:35 未知程序 (未用传感器)
09:30	74	20.0	0.01	阴	假设@09:30 未知程序 (未用传感器)
10:40	74	20.0	0.01	阴	假设@10:40 未知程序 (未用传感器)
11:30	74	20.0	0.01	阴	假设@11:30 未知程序 (未用传感器)
12:15	74	20.0	0.01	阴	假设@12:15 未知程序 (未用传感器)
13:00	74	20.0	0.01	阴	假设@13:00 未知程序 (未用传感器)
13:55	74	20.0	0.01	阴	假设@13:55 未知程序 (未用传感器)
15:10	74	20.0	0.01	阴	假设@15:10 未知程序 (未用传感器)
总计	592.0 (8次)	160.0			建议进液EC: 1530, PH: 6.0



时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:40	74	20.0	0.01	雾	假设@07:40 未知程序 (未用传感器)
09:25	74	20.0	0.01	晴	假设@09:25 未知程序 (未用传感器)
10:25	74	20.0	0.01	晴	假设@10:25 未知程序 (未用传感器)
11:15	74	20.0	0.01	晴	假设@11:15 未知程序 (未用传感器)
12:00	74	20.0	0.01	晴	假设@12:00 未知程序 (未用传感器)
12:45	74	20.0	0.01	晴	假设@12:45 未知程序 (未用传感器)
13:40	74	20.0	0.01	晴	假设@13:40 未知程序 (未用传感器)
14:50	74	20.0	0.01	晴	假设@14:50 未知程序 (未用传感器)
总计	592.0 (8次)	160.0			建议进液EC: 1550, PH: 6.0



时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:40	74	20.0	0.01	晴	假设@07:40 未知程序 (未用传感器)
09:35	74	20.0	0.01	晴	假设@09:35 未知程序 (未用传感器)
10:40	74	20.0	0.01	晴	假设@10:40 未知程序 (未用传感器)
11:30	74	20.0	0.01	多云	假设@11:30 未知程序 (未用传感器)
12:10	74	20.0	0.01	多云	假设@12:10 未知程序 (未用传感器)
12:55	74	20.0	0.01	多云	假设@12:55 未知程序 (未用传感器)
13:35	74	20.0	0.01	多云	假设@13:35 未知程序 (未用传感器)
14:25	74	20.0	0.01	多云	假设@14:25 未知程序 (未用传感器)
总计	592.0 (8次)	160.0			建议进液EC: 1440, PH: 6.0

