





FgArea: [' 0']
NC11 P2-3
2026-04-04 (Day 220)


fgNum 1 (at_row = 4.0)

















1 (fgArea = NA)








Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water_ec']]




Plot [' ECopt']




Plot [['ETcA_VN', 'ETcA_ws'], ['ETcB_VN', 'ETcB_ws']]




Plot [['ETcAraw:o', 'ETcA']]




Plot [['ETcBraw:o', 'ETcB']]






Plot [['taoc', 'taoc_raw:ro', 'taoc_avg:r-']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]






Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Warning: col ['FRV', 'FVI'] is missing


Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o' , ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o', ' PHO:g-o']]



Plot ET/VN



Plot Fv and fertilizer usage








Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa







Trend plot forP2-3_0












时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:05	74	20.0	0.01	晴	预期@07:05 手动 (未用传感器)
08:20	74	20.0	0.01	晴	预期@08:20 手动 (未用传感器)
09:50	74	20.0	0.01	晴	预期@09:50 手动 (未用传感器)
10:50	74	20.0	0.01	晴	预期@10:50 手动 (未用传感器)
11:40	74	20.0	0.01	晴	预期@11:40 手动 (未用传感器)
12:25	74	20.0	0.01	晴	预期@12:25 手动 (未用传感器)
13:05	74	20.0	0.01	晴	预期@13:05 手动 (未用传感器)
13:50	74	20.0	0.01	晴	预期@13:50 手动 (未用传感器)
14:40	74	20.0	0.01	晴	预期@14:40 手动 (未用传感器)
15:50	74	20.0	0.01	晴	预期@15:50 手动 (未用传感器)
总计	740.0 (10次)	200.0			建议进液EC: 1440, PH: 6.0




时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
06:45	77	20.0	0.01	阴	假设@06:45 未知程序 (未用传感器)
08:40	77	20.0	0.01	阴	假设@08:40 未知程序 (未用传感器)
10:30	77	20.0	0.01	阴	假设@10:30 未知程序 (未用传感器)
11:40	77	20.0	0.01	阴	假设@11:40 未知程序 (未用传感器)
12:35	77	20.0	0.01	阴	假设@12:35 未知程序 (未用传感器)
13:25	77	20.0	0.01	阴	假设@13:25 未知程序 (未用传感器)
总计	462.0 (6次)	120.0			建议进液EC: 1820, PH: 6.0



时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:20	77	20.0	0.01	多云	假设@07:20 未知程序 (未用传感器)
09:15	77	20.0	0.01	多云	假设@09:15 未知程序 (未用传感器)
10:15	77	20.0	0.01	晴	假设@10:15 未知程序 (未用传感器)
11:00	77	20.0	0.01	晴	假设@11:00 未知程序 (未用传感器)
11:40	77	20.0	0.01	晴	假设@11:40 未知程序 (未用传感器)
12:20	77	20.0	0.01	晴	假设@12:20 未知程序 (未用传感器)
13:00	77	20.0	0.01	晴	假设@13:00 未知程序 (未用传感器)
13:40	77	20.0	0.01	晴	假设@13:40 未知程序 (未用传感器)
14:50	77	20.0	0.01	晴	假设@14:50 未知程序 (未用传感器)
15:50	77	20.0	0.01	晴	假设@15:50 未知程序 (未用传感器)
总计	770.0 (10次)	200.0			建议进液EC: 1440, PH: 6.0



时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:20	77	20.0	0.01	晴	假设@07:20 未知程序 (未用传感器)
09:10	77	20.0	0.01	晴	假设@09:10 未知程序 (未用传感器)
10:10	77	20.0	0.01	晴	假设@10:10 未知程序 (未用传感器)
10:55	77	20.0	0.01	晴	假设@10:55 未知程序 (未用传感器)
11:40	77	20.0	0.01	晴	假设@11:40 未知程序 (未用传感器)
12:25	77	20.0	0.01	晴	假设@12:25 未知程序 (未用传感器)
13:10	77	20.0	0.01	多云	假设@13:10 未知程序 (未用传感器)
13:55	77	20.0	0.01	多云	假设@13:55 未知程序 (未用传感器)
15:05	77	20.0	0.01	多云	假设@15:05 未知程序 (未用传感器)
总计	693.0 (9次)	180.0			建议进液EC: 1440, PH: 6.0



时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:20	77	20.0	0.01	多云	假设@07:20 未知程序 (未用传感器)
10:10	77	20.0	0.01	阴	假设@10:10 未知程序 (未用传感器)
11:00	77	20.0	0.01	阴	假设@11:00 未知程序 (未用传感器)
11:45	77	20.0	0.01	阴	假设@11:45 未知程序 (未用传感器)
12:25	77	20.0	0.01	多云	假设@12:25 未知程序 (未用传感器)
13:25	77	20.0	0.01	多云	假设@13:25 未知程序 (未用传感器)
总计	462.0 (6次)	120.0			建议进液EC: 1700, PH: 6.0

