





FgArea: [' 0']
NC11 P2-3
2026-04-07 (Day 223)


fgNum 1 (at_row = 4.0)

















1 (fgArea = NA)








Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water_ec']]




Plot [' ECopt']




Plot [['ETcA_VN', 'ETcA_ws'], ['ETcB_VN', 'ETcB_ws']]




Plot [['ETcAraw:o', 'ETcA']]




Plot [['ETcBraw:o', 'ETcB']]






Plot [['taoc', 'taoc_raw:ro', 'taoc_avg:r-']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]






Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Warning: col ['ECC', 'FVIEC'] is missing


Plot [[' FV0EC:r-o', ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o', ' PHO:g-o']]



Plot ET/VN



Plot Fv and fertilizer usage








Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa







Trend plot forP2-3_0


















| 时间 | 灌溉时长(秒) | 灌溉量(毫升/株) | 灌溉总量(方/次) | 天气 | 注释 |
|-------|-------------|-----------|-----------|----|-----------------------|
| 06:40 | 74 | 20.0 | 0.01 | 晴 | 预期@06:40 手动 (未用传感器) |
| 07:55 | 74 | 20.0 | 0.01 | 晴 | 预期@07:55 手动 (未用传感器) |
| 09:30 | 74 | 20.0 | 0.01 | 晴 | 预期@09:30 手动 (未用传感器) |
| 10:30 | 74 | 20.0 | 0.01 | 晴 | 预期@10:30 手动 (未用传感器) |
| 11:15 | 74 | 20.0 | 0.01 | 晴 | 预期@11:15 手动 (未用传感器) |
| 12:00 | 74 | 20.0 | 0.01 | 晴 | 预期@12:00 手动 (未用传感器) |
| 12:40 | 74 | 20.0 | 0.01 | 晴 | 预期@12:40 手动 (未用传感器) |
| 13:20 | 74 | 20.0 | 0.01 | 晴 | 预期@13:20 手动 (未用传感器) |
| 14:05 | 74 | 20.0 | 0.01 | 晴 | 预期@14:05 手动 (未用传感器) |
| 14:55 | 74 | 20.0 | 0.01 | 晴 | 预期@14:55 手动 (未用传感器) |
| 16:00 | 74 | 20.0 | 0.01 | 晴 | 预期@16:00 手动 (未用传感器) |
| 总计 | 814.0 (11次) | 220.0 | | | 建议进液EC: 1490, PH: 6.0 |







| 时间 | 灌溉时长(秒) | 灌溉量(毫升/株) | 灌溉总量(方/次) | 天气 | 注释 |
|-------|------------|-----------|-----------|----|-----------------------|
| 07:10 | 74 | 20.0 | 0.01 | 多云 | 假设@07:10 未知程序 (未用传感器) |
| 09:35 | 74 | 20.0 | 0.01 | 多云 | 假设@09:35 未知程序 (未用传感器) |
| 10:50 | 74 | 20.0 | 0.01 | 晴 | 假设@10:50 未知程序 (未用传感器) |
| 12:25 | 74 | 20.0 | 0.01 | 晴 | 假设@12:25 未知程序 (未用传感器) |
| 14:20 | 74 | 20.0 | 0.01 | 多云 | 假设@14:20 未知程序 (未用传感器) |
| 总计 | 370.0 (5次) | 100.0 | | | 建议进液EC: 1900, PH: 6.0 |






| 时间 | 灌溉时长(秒) | 灌溉量(毫升/株) | 灌溉总量(方/次) | 天气 | 注释 |
|-------|------------|-----------|-----------|----|-----------------------|
| 07:15 | 74 | 20.0 | 0.01 | 晴 | 假设@07:15 未知程序 (未用传感器) |
| 09:00 | 74 | 20.0 | 0.01 | 晴 | 假设@09:00 未知程序 (未用传感器) |
| 10:10 | 74 | 20.0 | 0.01 | 多云 | 假设@10:10 未知程序 (未用传感器) |
| 12:05 | 74 | 20.0 | 0.01 | 多云 | 假设@12:05 未知程序 (未用传感器) |
| 13:25 | 74 | 20.0 | 0.01 | 多云 | 假设@13:25 未知程序 (未用传感器) |
| 15:00 | 74 | 20.0 | 0.01 | 多云 | 假设@15:00 未知程序 (未用传感器) |
| 总计 | 444.0 (6次) | 120.0 | | | 建议进液EC: 1880, PH: 6.0 |





| 时间 | 灌溉时长(秒) | 灌溉量(毫升/株) | 灌溉总量(方/次) | 天气 | 注释 |
|-------|------------|-----------|-----------|----|-----------------------|
| 07:15 | 74 | 20.0 | 0.01 | 晴 | 假设@07:15 未知程序 (未用传感器) |
| 09:15 | 74 | 20.0 | 0.01 | 晴 | 假设@09:15 未知程序 (未用传感器) |
| 10:15 | 74 | 20.0 | 0.01 | 晴 | 假设@10:15 未知程序 (未用传感器) |
| 11:00 | 74 | 20.0 | 0.01 | 晴 | 假设@11:00 未知程序 (未用传感器) |
| 11:40 | 74 | 20.0 | 0.01 | 晴 | 假设@11:40 未知程序 (未用传感器) |
| 12:15 | 74 | 20.0 | 0.01 | 晴 | 假设@12:15 未知程序 (未用传感器) |
| 12:55 | 74 | 20.0 | 0.01 | 晴 | 假设@12:55 未知程序 (未用传感器) |
| 13:40 | 74 | 20.0 | 0.01 | 晴 | 假设@13:40 未知程序 (未用传感器) |
| 14:50 | 74 | 20.0 | 0.01 | 晴 | 假设@14:50 未知程序 (未用传感器) |
| 总计 | 666.0 (9次) | 180.0 | | | 建议进液EC: 1440, PH: 6.0 |



| 时间 | 灌溉时长(秒) | 灌溉量(毫升/株) | 灌溉总量(方/次) | 天气 | 注释 |
|-------|------------|-----------|-----------|----|-----------------------|
| 06:45 | 77 | 20.0 | 0.01 | 阴 | 假设@06:45 未知程序 (未用传感器) |
| 08:40 | 77 | 20.0 | 0.01 | 阴 | 假设@08:40 未知程序 (未用传感器) |
| 10:30 | 77 | 20.0 | 0.01 | 阴 | 假设@10:30 未知程序 (未用传感器) |
| 11:40 | 77 | 20.0 | 0.01 | 阴 | 假设@11:40 未知程序 (未用传感器) |
| 12:35 | 77 | 20.0 | 0.01 | 阴 | 假设@12:35 未知程序 (未用传感器) |
| 13:30 | 77 | 20.0 | 0.01 | 阴 | 假设@13:30 未知程序 (未用传感器) |
| 总计 | 462.0 (6次) | 120.0 | | | 建议进液EC: 1820, PH: 6.0 |

