





FgArea: [ ' 0' ]  
NC11 P2-3  
2026-04-11 (Day 227)


fgNum 1 (at\_row = 4.0)

















1 (fgArea = NA)








Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water\_ec']]




Plot [ ' ECopt' ]




Plot [['ETcA\_VN', 'ETcA\_ws'], ['ETcB\_VN', 'ETcB\_ws']]




Plot [['ETcAraw:o', 'ETcA']]




Plot [['ETcBraw:o', 'ETcB']]







Plot [['taoc', 'taoc\_raw:ro', 'taoc\_avg:r-']]




Plot [['setVI\_ETcI', 'setVI\_fgRec', 'setVI\_VN', 'sISetVI']]




Plot [['FRV:b-o', 'VI\_ws:r-o', 'VI:g-o']]




Plot [['V0\_ws:r-o', 'V0:g-o']]




Plot [['delta\_drain:ro', 'adjV0:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]



Plot [[' FV0EC:r-o', ' ECO:g-o' ]]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]









Plot ET/VN



Plot Fv and fertilizer usage







Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa





Trend plot for P2-3\_0







# FgDaily















时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
06:45	74	20.0	0.01	晴	预期@06:45 手动 (未用传感器)
08:10	74	20.0	0.01	晴	预期@08:10 手动 (未用传感器)
09:40	74	20.0	0.01	晴	预期@09:40 手动 (未用传感器)
10:40	74	20.0	0.01	晴	预期@10:40 手动 (未用传感器)
11:30	74	20.0	0.01	晴	预期@11:30 手动 (未用传感器)
12:10	74	20.0	0.01	晴	预期@12:10 手动 (未用传感器)
12:50	74	20.0	0.01	晴	预期@12:50 手动 (未用传感器)
13:35	74	20.0	0.01	晴	预期@13:35 手动 (未用传感器)
14:25	74	20.0	0.01	晴	预期@14:25 手动 (未用传感器)
15:15	74	20.0	0.01	晴	预期@15:15 手动 (未用传感器)
总计	740.0 (10次)	200.0			建议进液EC: 1550, PH: 6.0






时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:05	74	20.0	0.01	晴	假设@07:05 未知程序 (未用传感器)
09:00	74	20.0	0.01	晴	假设@09:00 未知程序 (未用传感器)
09:55	74	20.0	0.01	晴	假设@09:55 未知程序 (未用传感器)
10:40	74	20.0	0.01	晴	假设@10:40 未知程序 (未用传感器)
11:15	74	20.0	0.01	晴	假设@11:15 未知程序 (未用传感器)
11:50	74	20.0	0.01	晴	假设@11:50 未知程序 (未用传感器)
12:25	74	20.0	0.01	晴	假设@12:25 未知程序 (未用传感器)
13:00	74	20.0	0.01	晴	假设@13:00 未知程序 (未用传感器)
13:35	74	20.0	0.01	晴	假设@13:35 未知程序 (未用传感器)
14:30	74	20.0	0.01	晴	假设@14:30 未知程序 (未用传感器)
15:25	74	20.0	0.01	晴	假设@15:25 未知程序 (未用传感器)
总计	814.0 (11次)	220.0			建议进液EC: 1730, PH: 6.0







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
06:35	77	20.0	0.01	小雨	假设@06:35 未知程序 (未用传感器)
08:00	77	20.0	0.01	大雨	假设@08:00 未知程序 (未用传感器)
总计	154.0 (2次)	40.0			建议进液EC: 1870, PH: 6.0





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:10	74	20.0	0.01	晴	假设@07:10 未知程序 (未用传感器)
09:05	74	20.0	0.01	晴	假设@09:05 未知程序 (未用传感器)
10:00	74	20.0	0.01	晴	假设@10:00 未知程序 (未用传感器)
10:40	74	20.0	0.01	晴	假设@10:40 未知程序 (未用传感器)
11:15	74	20.0	0.01	晴	假设@11:15 未知程序 (未用传感器)
11:45	74	20.0	0.01	晴	假设@11:45 未知程序 (未用传感器)
12:20	74	20.0	0.01	晴	假设@12:20 未知程序 (未用传感器)
13:00	74	20.0	0.01	多云	假设@13:00 未知程序 (未用传感器)
13:40	74	20.0	0.01	多云	假设@13:40 未知程序 (未用传感器)
14:35	74	20.0	0.01	多云	假设@14:35 未知程序 (未用传感器)
15:35	74	20.0	0.01	多云	假设@15:35 未知程序 (未用传感器)
总计	814.0 (11次)	220.0			建议进液EC: 1500, PH: 6.0





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:10	74	20.0	0.01	晴	假设@07:10 未知程序 (未用传感器)
09:10	74	20.0	0.01	晴	假设@09:10 未知程序 (未用传感器)
10:10	74	20.0	0.01	晴	假设@10:10 未知程序 (未用传感器)
10:55	74	20.0	0.01	晴	假设@10:55 未知程序 (未用传感器)
11:35	74	20.0	0.01	晴	假设@11:35 未知程序 (未用传感器)
12:15	74	20.0	0.01	晴	假设@12:15 未知程序 (未用传感器)
12:55	74	20.0	0.01	晴	假设@12:55 未知程序 (未用传感器)
13:35	74	20.0	0.01	晴	假设@13:35 未知程序 (未用传感器)
14:40	74	20.0	0.01	阴	假设@14:40 未知程序 (未用传感器)
15:55	74	20.0	0.01	晴	假设@15:55 未知程序 (未用传感器)
总计	740.0 (10次)	200.0			建议进液EC: 1490, PH: 6.0

