





FgArea: [' 0']
NC11 P2-3
2026-04-13 (Day 229)


fgNum 1 (at_row = 4.0)

















1 (fgArea = NA)








Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water_ec']]




Plot [' ECopt']




Plot [['ETcA_VN', 'ETcA_ws'], ['ETcB_VN', 'ETcB_ws']]




Plot [['ETcAraw:o', 'ETcA']]




Plot [['ETcBraw:o', 'ETcB']]







Plot [['taoc', 'taoc_raw:ro', 'taoc_avg:r-']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]




Plot [['FRV:b-o', 'VI_ws:r-o', 'VI:g-o']]




Plot [['V0_ws:r-o', 'V0:g-o']]




Plot [['delta_drain:ro', 'adjV0:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o', ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o', ' PHO:g-o']]



Plot ET/VN



Plot Fv and fertilizer usage








Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa







Trend plot forP2-3_0

















时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:00	100	30.0	0.014	多云	预期@07:00 手动 (未用传感器)
09:35	100	30.0	0.014	多云	预期@09:35 手动 (未用传感器)
10:55	100	30.0	0.014	多云	预期@10:55 手动 (未用传感器)
12:00	100	30.0	0.014	多云	预期@12:00 手动 (未用传感器)
13:00	100	30.0	0.014	多云	预期@13:00 手动 (未用传感器)
14:05	100	30.0	0.014	多云	预期@14:05 手动 (未用传感器)
总计	600.0 (6次)	180.0			建议进液EC: 1440, PH: 6.0




时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
06:30	71	20.0	0.01	阴	假设@06:30 未知程序 (未用传感器)
07:00	71	20.0	0.01	阴	假设@07:00 未知程序 (未用传感器)
09:30	71	20.0	0.01	阴	假设@09:30 未知程序 (未用传感器)
10:35	71	20.0	0.01	阴	假设@10:35 未知程序 (未用传感器)
11:45	71	20.0	0.01	阴	假设@11:45 未知程序 (未用传感器)
12:40	71	20.0	0.01	阴	假设@12:40 未知程序 (未用传感器)
13:20	71	20.0	0.01	多云	假设@13:20 未知程序 (未用传感器)
14:15	71	20.0	0.01	多云	假设@14:15 未知程序 (未用传感器)
15:05	71	20.0	0.01	多云	假设@15:05 未知程序 (未用传感器)
16:25	71	20.0	0.01	晴	假设@16:25 未知程序 (未用传感器)
总计	710.0 (10次)	200.0			建议进液EC: 1440, PH: 6.0




时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:05	74	20.0	0.01	晴	假设@07:05 未知程序 (未用传感器)
09:15	74	20.0	0.01	晴	假设@09:15 未知程序 (未用传感器)
10:10	74	20.0	0.01	晴	假设@10:10 未知程序 (未用传感器)
10:55	74	20.0	0.01	晴	假设@10:55 未知程序 (未用传感器)
11:30	74	20.0	0.01	晴	假设@11:30 未知程序 (未用传感器)
12:05	74	20.0	0.01	晴	假设@12:05 未知程序 (未用传感器)
12:40	74	20.0	0.01	晴	假设@12:40 未知程序 (未用传感器)
13:15	74	20.0	0.01	晴	假设@13:15 未知程序 (未用传感器)
14:00	74	20.0	0.01	晴	假设@14:00 未知程序 (未用传感器)
14:55	74	20.0	0.01	晴	假设@14:55 未知程序 (未用传感器)
15:55	74	20.0	0.01	晴	假设@15:55 未知程序 (未用传感器)
总计	814.0 (11次)	220.0			建议进液EC: 1550, PH: 6.0



时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:05	74	20.0	0.01	晴	假设@07:05 未知程序 (未用传感器)
09:00	74	20.0	0.01	晴	假设@09:00 未知程序 (未用传感器)
09:55	74	20.0	0.01	晴	假设@09:55 未知程序 (未用传感器)
10:40	74	20.0	0.01	晴	假设@10:40 未知程序 (未用传感器)
11:15	74	20.0	0.01	晴	假设@11:15 未知程序 (未用传感器)
11:50	74	20.0	0.01	晴	假设@11:50 未知程序 (未用传感器)
12:25	74	20.0	0.01	晴	假设@12:25 未知程序 (未用传感器)
13:00	74	20.0	0.01	晴	假设@13:00 未知程序 (未用传感器)
13:35	74	20.0	0.01	晴	假设@13:35 未知程序 (未用传感器)
14:30	74	20.0	0.01	晴	假设@14:30 未知程序 (未用传感器)
15:25	74	20.0	0.01	晴	假设@15:25 未知程序 (未用传感器)
16:55	74	20.0	0.01	晴	假设@16:55 未知程序 (未用传感器)
总计	888.0 (12次)	240.0			建议进液EC: 1730, PH: 6.0





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
06:35	77	20.0	0.01	小雨	假设@06:35 未知程序 (未用传感器)
08:00	77	20.0	0.01	大雨	假设@08:00 未知程序 (未用传感器)
总计	154.0 (2次)	40.0			建议进液EC: 1870, PH: 6.0

