





FgArea: [ ' 0' ]  
NC11 P2-3  
2025-12-04 (Day 99)


fgNum 1 (at\_row = 4)

















1 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water\_ec']]




Plot [ ' ECopt' ]






Plot [['taoc', 'taoc\_raw:ro', 'taoc\_avg:r-']]




Plot [['setVI\_ETcI', 'setVI\_fgRec', 'setVI\_VN', 'sISetVI']]







Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FVOEC:r-o', ' ECO:g-o' ]]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o', ' PHO:g-o' ]]



Plot ET/VN




Plot Fv and fertilizer usage













Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa




Trend plot for P2-3\_0






















时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:35	95	20.0	0.01	晴	预期@08:35 手动 (未用传感器)
09:10	95	20.0	0.01	晴	预期@09:10 手动 (未用传感器)
09:45	95	20.0	0.01	晴	预期@09:45 手动 (未用传感器)
10:20	95	20.0	0.01	晴	预期@10:20 手动 (未用传感器)
10:55	95	20.0	0.01	晴	预期@10:55 手动 (未用传感器)
11:30	95	20.0	0.01	晴	预期@11:30 手动 (未用传感器)
12:25	95	20.0	0.01	晴	预期@12:25 手动 (未用传感器)
13:20	95	20.0	0.01	晴	预期@13:20 手动 (未用传感器)
14:20	95	20.0	0.01	晴	预期@14:20 手动 (未用传感器)
总计	855.0 (9次)	180.0			建议进液EC: 1770, PH: 6.0







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:00	150	30.0	0.014	晴	假设@10:00 未知程序 (未用传感器)
10:45	150	30.0	0.014	晴	假设@10:45 未知程序 (未用传感器)
11:25	150	30.0	0.014	晴	假设@11:25 未知程序 (未用传感器)
12:05	150	30.0	0.014	晴	假设@12:05 未知程序 (未用传感器)
13:20	150	30.0	0.014	晴	假设@13:20 未知程序 (未用传感器)
总计	750.0 (5次)	150.0			建议进液EC: 1800, PH: 6.0







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:50	150	30.0	0.014	晴	假设@09:50 未知程序 (未用传感器)
10:35	150	30.0	0.014	晴	假设@10:35 未知程序 (未用传感器)
11:20	150	30.0	0.014	晴	假设@11:20 未知程序 (未用传感器)
12:05	150	30.0	0.014	晴	假设@12:05 未知程序 (未用传感器)
总计	600.0 (4次)	120.0			建议进液EC: 1870, PH: 6.0





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:35	150	30.0	0.014	多云	假设@09:35 未知程序 (未用传感器)
10:30	150	30.0	0.014	多云	假设@10:30 未知程序 (未用传感器)
11:25	150	30.0	0.014	晴	假设@11:25 未知程序 (未用传感器)
12:20	150	30.0	0.014	晴	假设@12:20 未知程序 (未用传感器)
总计	600.0 (4次)	120.0			建议进液EC: 1930, PH: 6.0





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:55	150	30.0	0.014	阴	假设@10:55 未知程序(未用传感器)
11:35	150	30.0	0.014	阴	假设@11:35 未知程序(未用传感器)
12:15	150	30.0	0.014	多云	假设@12:15 未知程序(未用传感器)
总计	450.0 (3次)	90.0			建议进液EC: 1870, PH: 6.0

