





FgArea: [' 0']
NC11 P2-4
2025-12-13 (Day 108)


fgNum 1 (at_row = 49)

















1 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water_ec']]




Plot [' ECopt']






Plot [['taoc', 'taoc_raw:ro', 'taoc_avg:r-']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]







Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot ['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']




Plot [[' FV0EC:r-o' , ' ECO:g-o']]







Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]



Plot ET/VN




Plot Fv and fertilizer usage














Trend plot forP2-4_0






FgDaily












时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:40	95	20.0	0.132	多云	预期@10:40 手动 (未用传感器)
11:25	95	20.0	0.132	晴	预期@11:25 手动 (未用传感器)
12:40	95	20.0	0.132	晴	预期@12:40 手动 (未用传感器)
13:50	95	20.0	0.132	晴	预期@13:50 手动 (未用传感器)
总计	380.0 (4次)	80.0			建议进液EC: 1970, PH: 6.0







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
总计	0 (0次)	0			建议进液EC: 1940, PH: 6.0




时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:10	95	20.0	0.132	晴	假设@10:10 未知程序 (未用传感器)
11:00	95	20.0	0.132	晴	假设@11:00 未知程序 (未用传感器)
11:50	95	20.0	0.132	晴	假设@11:50 未知程序 (未用传感器)
13:00	95	20.0	0.132	多云	假设@13:00 未知程序 (未用传感器)
总计	380.0 (4次)	80.0			建议进液EC: 1940, PH: 6.0





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
11:25	95	20.0	0.132	阴	假设@11:25 未知程序 (未用传感器)
总计	95.0 (1次)	20.0			建议进液EC: 1960, PH: 6.0



时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:55	95	20.0	0.132	晴	假设@09:55 未知程序 (未用传感器)
10:45	95	20.0	0.132	晴	假设@10:45 未知程序 (未用传感器)
11:55	95	20.0	0.132	晴	假设@11:55 未知程序 (未用传感器)
13:05	95	20.0	0.132	晴	假设@13:05 未知程序 (未用传感器)
总计	380.0 (4次)	80.0			建议进液EC: 1930, PH: 6.0

