





FgArea: [ ' 0' ]  
NC11 P2-4  
2026-03-21 (Day 206)


fgNum 1 (at\_row = 49.0)

















1 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water\_ec']]





Plot [ ' ECopt' ]




P2-4\_0: M\_1




Plot [['ETcA\_VN', 'ETcA\_ws'], ['ETcB\_VN', 'ETcB\_ws']]




Plot [['ETcAraw:o', 'ETcA']]




Plot [['ETcBraw:o', 'ETcB']]






Plot [['taoc', 'taoc\_raw:ro', 'taoc\_avg:r-']]




Plot [['setVI\_ETcl', 'setVI\_fgRec', 'setVI\_VN', 'sISetVI']]







Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [['FV0EC:r-o', 'ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o', ' PHO:g-o' ]]



Plot ET/VN




Plot Fv and fertilizer usage







Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa





Trend plot for P2-4\_0







# FgDaily
















时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:30	71	20.0	0.132	晴	预期@07:30 手动 (未用传感器)
08:50	71	20.0	0.132	晴	预期@08:50 手动 (未用传感器)
10:25	71	20.0	0.132	多云	预期@10:25 手动 (未用传感器)
11:30	71	20.0	0.132	多云	预期@11:30 手动 (未用传感器)
12:25	71	20.0	0.132	多云	预期@12:25 手动 (未用传感器)
13:15	71	20.0	0.132	多云	预期@13:15 手动 (未用传感器)
14:15	71	20.0	0.132	晴	预期@14:15 手动 (未用传感器)
总计	497.0 (7次)	140.0			建议进液EC: 1500, PH: 6.0






时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:40	71	20.0	0.132	多云	假设@07:40 未知程序 (未用传感器)
08:45	71	20.0	0.132	晴	假设@08:45 未知程序 (未用传感器)
09:50	71	20.0	0.132	晴	假设@09:50 未知程序 (未用传感器)
10:45	71	20.0	0.132	晴	假设@10:45 未知程序 (未用传感器)
11:35	71	20.0	0.132	晴	假设@11:35 未知程序 (未用传感器)
12:20	71	20.0	0.132	晴	假设@12:20 未知程序 (未用传感器)
13:00	71	20.0	0.132	晴	假设@13:00 未知程序 (未用传感器)
13:40	71	20.0	0.132	晴	假设@13:40 未知程序 (未用传感器)
14:25	71	20.0	0.132	晴	假设@14:25 未知程序 (未用传感器)
15:15	71	20.0	0.132	晴	假设@15:15 未知程序 (未用传感器)
16:10	71	20.0	0.132	晴	假设@16:10 未知程序 (未用传感器)
总计	781.0 (11次)	220.0			建议进液EC: 1470, PH: 6.0










时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:45	71	20.0	0.132	多云	假设@07:45 未知程序 (未用传感器)
08:55	71	20.0	0.132	晴	假设@08:55 未知程序 (未用传感器)
09:55	71	20.0	0.132	晴	假设@09:55 未知程序 (未用传感器)
10:45	71	20.0	0.132	晴	假设@10:45 未知程序 (未用传感器)
11:30	71	20.0	0.132	晴	假设@11:30 未知程序 (未用传感器)
12:15	71	20.0	0.132	晴	假设@12:15 未知程序 (未用传感器)
12:55	71	20.0	0.132	晴	假设@12:55 未知程序 (未用传感器)
13:40	71	20.0	0.132	晴	假设@13:40 未知程序 (未用传感器)
14:25	71	20.0	0.132	晴	假设@14:25 未知程序 (未用传感器)
15:15	71	20.0	0.132	晴	假设@15:15 未知程序 (未用传感器)
16:10	71	20.0	0.132	晴	假设@16:10 未知程序 (未用传感器)
总计	781.0 (11次)	220.0			建议进液EC: 1480, PH: 6.0








时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:45	71	20.0	0.132	晴	假设@07:45 未知程序 (未用传感器)
09:00	71	20.0	0.132	晴	假设@09:00 未知程序 (未用传感器)
10:05	71	20.0	0.132	晴	假设@10:05 未知程序 (未用传感器)
10:55	71	20.0	0.132	晴	假设@10:55 未知程序 (未用传感器)
11:45	71	20.0	0.132	晴	假设@11:45 未知程序 (未用传感器)
12:30	71	20.0	0.132	晴	假设@12:30 未知程序 (未用传感器)
13:15	71	20.0	0.132	晴	假设@13:15 未知程序 (未用传感器)
14:00	71	20.0	0.132	晴	假设@14:00 未知程序 (未用传感器)
14:45	71	20.0	0.132	晴	假设@14:45 未知程序 (未用传感器)
15:35	71	20.0	0.132	晴	假设@15:35 未知程序 (未用传感器)
总计	710.0 (10次)	200.0			建议进液EC: 1500, PH: 6.0







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:45	74	20.0	0.132	多云	假设@07:45 未知程序 (未用传感器)
09:10	74	20.0	0.132	阴	假设@09:10 未知程序 (未用传感器)
10:25	74	20.0	0.132	阴	假设@10:25 未知程序 (未用传感器)
11:30	74	20.0	0.132	阴	假设@11:30 未知程序 (未用传感器)
12:35	74	20.0	0.132	阴	假设@12:35 未知程序 (未用传感器)
13:45	74	20.0	0.132	阴	假设@13:45 未知程序 (未用传感器)
总计	444.0 (6次)	120.0			建议进液EC: 1490, PH: 6.0

