





FgArea: [ ' 0' ]  
NC11 P2-4  
2026-03-23 (Day 208)


fgNum 1 (at\_row = 49.0)

















1 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water\_ec']]





Plot [ ' ECopt' ]




P2-4\_0: M\_1




Plot [['ETcA\_VN', 'ETcA\_ws'], ['ETcB\_VN', 'ETcB\_ws']]




Plot [['ETcAraw:o', 'ETcA']]




Plot [['ETcBraw:o', 'ETcB']]






Plot [['taoc', 'taoc\_raw:ro', 'taoc\_avg:r-']]




Plot [['setVI\_ETcl', 'setVI\_fgRec', 'setVI\_VN', 'sISetVI']]







Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o', ' ECO:g-o' ]]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o', ' PH0:g-o' ]]



Plot ET/VN



Plot Fv and fertilizer usage






Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa











Trend plot for P2-4\_0







d


















时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:15	71	20.0	0.132	晴	预期@07:15 手动 (未用传感器)
08:35	71	20.0	0.132	晴	预期@08:35 手动 (未用传感器)
10:10	71	20.0	0.132	多云	预期@10:10 手动 (未用传感器)
11:15	71	20.0	0.132	多云	预期@11:15 手动 (未用传感器)
12:10	71	20.0	0.132	多云	预期@12:10 手动 (未用传感器)
13:00	71	20.0	0.132	多云	预期@13:00 手动 (未用传感器)
13:55	71	20.0	0.132	多云	预期@13:55 手动 (未用传感器)
15:00	71	20.0	0.132	多云	预期@15:00 手动 (未用传感器)
总计	568.0 (8次)	160.0			建议进液EC: 1520, PH: 6.0





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:40	71	20.0	0.132	雾	假设@07:40 未知程序 (未用传感器)
08:45	71	20.0	0.132	晴	假设@08:45 未知程序 (未用传感器)
09:45	71	20.0	0.132	晴	假设@09:45 未知程序 (未用传感器)
10:35	71	20.0	0.132	晴	假设@10:35 未知程序 (未用传感器)
11:20	71	20.0	0.132	晴	假设@11:20 未知程序 (未用传感器)
12:05	71	20.0	0.132	晴	假设@12:05 未知程序 (未用传感器)
12:45	71	20.0	0.132	晴	假设@12:45 未知程序 (未用传感器)
13:25	71	20.0	0.132	晴	假设@13:25 未知程序 (未用传感器)
14:10	71	20.0	0.132	晴	假设@14:10 未知程序 (未用传感器)
15:00	71	20.0	0.132	晴	假设@15:00 未知程序 (未用传感器)
15:55	71	20.0	0.132	晴	假设@15:55 未知程序 (未用传感器)
总计	781.0 (11次)	220.0			建议进液EC: 1470, PH: 6.0








时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:40	71	20.0	0.132	晴	假设@07:40 未知程序 (未用传感器)
08:50	71	20.0	0.132	晴	假设@08:50 未知程序 (未用传感器)
09:55	71	20.0	0.132	晴	假设@09:55 未知程序 (未用传感器)
10:50	71	20.0	0.132	晴	假设@10:50 未知程序 (未用传感器)
11:35	71	20.0	0.132	多云	假设@11:35 未知程序 (未用传感器)
12:15	71	20.0	0.132	多云	假设@12:15 未知程序 (未用传感器)
12:55	71	20.0	0.132	多云	假设@12:55 未知程序 (未用传感器)
13:35	71	20.0	0.132	多云	假设@13:35 未知程序 (未用传感器)
14:15	71	20.0	0.132	多云	假设@14:15 未知程序 (未用传感器)
15:05	71	20.0	0.132	晴	假设@15:05 未知程序 (未用传感器)
总计	710.0 (10次)	200.0			建议进液EC: 1500, PH: 6.0








时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:40	71	20.0	0.132	多云	假设@07:40 未知程序 (未用传感器)
08:45	71	20.0	0.132	晴	假设@08:45 未知程序 (未用传感器)
09:50	71	20.0	0.132	晴	假设@09:50 未知程序 (未用传感器)
10:45	71	20.0	0.132	晴	假设@10:45 未知程序 (未用传感器)
11:35	71	20.0	0.132	晴	假设@11:35 未知程序 (未用传感器)
12:20	71	20.0	0.132	晴	假设@12:20 未知程序 (未用传感器)
13:00	71	20.0	0.132	晴	假设@13:00 未知程序 (未用传感器)
13:40	71	20.0	0.132	晴	假设@13:40 未知程序 (未用传感器)
14:25	71	20.0	0.132	晴	假设@14:25 未知程序 (未用传感器)
15:15	71	20.0	0.132	晴	假设@15:15 未知程序 (未用传感器)
总计	710.0 (10次)	200.0			建议进液EC: 1470, PH: 6.0







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:45	71	20.0	0.132	多云	假设@07:45 未知程序 (未用传感器)
08:55	71	20.0	0.132	晴	假设@08:55 未知程序 (未用传感器)
09:55	71	20.0	0.132	晴	假设@09:55 未知程序 (未用传感器)
10:45	71	20.0	0.132	晴	假设@10:45 未知程序 (未用传感器)
11:30	71	20.0	0.132	晴	假设@11:30 未知程序 (未用传感器)
12:15	71	20.0	0.132	晴	假设@12:15 未知程序 (未用传感器)
12:55	71	20.0	0.132	晴	假设@12:55 未知程序 (未用传感器)
13:40	71	20.0	0.132	晴	假设@13:40 未知程序 (未用传感器)
14:25	71	20.0	0.132	晴	假设@14:25 未知程序 (未用传感器)
15:15	71	20.0	0.132	晴	假设@15:15 未知程序 (未用传感器)
16:10	71	20.0	0.132	晴	假设@16:10 未知程序 (未用传感器)
总计	781.0 (11次)	220.0			建议进液EC: 1480, PH: 6.0

