





FgArea: [' 0']
NC11 P2-4
2026-03-30 (Day 215)


fgNum 1 (at_row = 49)

















1 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water_ec']]





Plot [' ECopt ']




P2-4_0: M_1




Plot [['ETcA_VN', 'ETcA_ws'], ['ETcB_VN', 'ETcB_ws']]




Plot [['ETcAraw:o', 'ETcA']]




Plot [['ETcBraw:o', 'ETcB']]






Plot [['taoc', 'taoc_raw:ro', 'taoc_avg:r-']]




Plot [['setVI_ETcl', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]







Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o' , ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o' , ' PHO:g-o']]



Plot ET/VN



Plot Fv and fertilizer usage








Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa







Trend plot for P2-4_0














时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
06:50	74	20.0	0.132	晴	预期@06:50 手动 (未用传感器)
08:15	74	20.0	0.132	晴	预期@08:15 手动 (未用传感器)
09:55	74	20.0	0.132	晴	预期@09:55 手动 (未用传感器)
11:00	74	20.0	0.132	晴	预期@11:00 手动 (未用传感器)
11:55	74	20.0	0.132	晴	预期@11:55 手动 (未用传感器)
12:45	74	20.0	0.132	晴	预期@12:45 手动 (未用传感器)
13:40	74	20.0	0.132	晴	预期@13:40 手动 (未用传感器)
14:40	74	20.0	0.132	晴	预期@14:40 手动 (未用传感器)
总计	592.0 (8次)	160.0			建议进液EC: 1450, PH: 6.0





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
06:55	74	20.0	0.132	阴	假设@06:55 未知程序 (未用传感器)
07:25	74	20.0	0.132	阴	假设@07:25 未知程序 (未用传感器)
11:10	74	20.0	0.132	小雨	假设@11:10 未知程序 (未用传感器)
12:55	74	20.0	0.132	小雨	假设@12:55 未知程序 (未用传感器)
14:00	74	20.0	0.132	阴	假设@14:00 未知程序 (未用传感器)
15:30	74	20.0	0.132	阴	假设@15:30 未知程序 (未用传感器)
总计	444.0 (6次)	120.0			建议进液EC: 1550, PH: 6.0







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:25	74	20.0	0.132	晴	假设@07:25 未知程序 (未用传感器)
08:25	74	20.0	0.132	晴	假设@08:25 未知程序 (未用传感器)
09:25	74	20.0	0.132	晴	假设@09:25 未知程序 (未用传感器)
10:15	74	20.0	0.132	晴	假设@10:15 未知程序 (未用传感器)
10:55	74	20.0	0.132	晴	假设@10:55 未知程序 (未用传感器)
11:35	74	20.0	0.132	晴	假设@11:35 未知程序 (未用传感器)
12:10	74	20.0	0.132	晴	假设@12:10 未知程序 (未用传感器)
12:45	74	20.0	0.132	晴	假设@12:45 未知程序 (未用传感器)
13:20	74	20.0	0.132	晴	假设@13:20 未知程序 (未用传感器)
13:55	74	20.0	0.132	晴	假设@13:55 未知程序 (未用传感器)
14:35	74	20.0	0.132	晴	假设@14:35 未知程序 (未用传感器)
15:20	74	20.0	0.132	晴	假设@15:20 未知程序 (未用传感器)
16:10	74	20.0	0.132	晴	假设@16:10 未知程序 (未用传感器)
总计	962.0 (13次)	260.0			建议进液EC: 1550, PH: 6.0






时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:30	71	20.0	0.132	多云	假设@07:30 未知程序 (未用传感器)
08:25	71	20.0	0.132	晴	假设@08:25 未知程序 (未用传感器)
09:25	71	20.0	0.132	晴	假设@09:25 未知程序 (未用传感器)
10:10	71	20.0	0.132	晴	假设@10:10 未知程序 (未用传感器)
10:55	71	20.0	0.132	晴	假设@10:55 未知程序 (未用传感器)
11:35	71	20.0	0.132	晴	假设@11:35 未知程序 (未用传感器)
12:15	71	20.0	0.132	晴	假设@12:15 未知程序 (未用传感器)
12:50	71	20.0	0.132	晴	假设@12:50 未知程序 (未用传感器)
13:25	71	20.0	0.132	晴	假设@13:25 未知程序 (未用传感器)
14:00	71	20.0	0.132	晴	假设@14:00 未知程序 (未用传感器)
14:40	71	20.0	0.132	晴	假设@14:40 未知程序 (未用传感器)
15:20	71	20.0	0.132	晴	假设@15:20 未知程序 (未用传感器)
16:10	71	20.0	0.132	晴	假设@16:10 未知程序 (未用传感器)
总计	923.0 (13次)	260.0			建议进液EC: 1490, PH: 6.0







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:30	71	20.0	0.132	晴	假设@07:30 未知程序 (未用传感器)
08:35	71	20.0	0.132	多云	假设@08:35 未知程序 (未用传感器)
09:35	71	20.0	0.132	多云	假设@09:35 未知程序 (未用传感器)
10:25	71	20.0	0.132	多云	假设@10:25 未知程序 (未用传感器)
11:10	71	20.0	0.132	晴	假设@11:10 未知程序 (未用传感器)
11:50	71	20.0	0.132	晴	假设@11:50 未知程序 (未用传感器)
12:30	71	20.0	0.132	晴	假设@12:30 未知程序 (未用传感器)
13:15	71	20.0	0.132	晴	假设@13:15 未知程序 (未用传感器)
13:55	71	20.0	0.132	晴	假设@13:55 未知程序 (未用传感器)
14:35	71	20.0	0.132	晴	假设@14:35 未知程序 (未用传感器)
15:20	71	20.0	0.132	晴	假设@15:20 未知程序 (未用传感器)
16:05	71	20.0	0.132	晴	假设@16:05 未知程序 (未用传感器)
总计	852.0 (12次)	240.0			建议进液EC: 1500, PH: 6.0

