





FgArea: [' 0']
NC11 P2-4
2025-09-18 (Day 22)














1 (fgArea = NA)






Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water_ec']]




Plot [' ECopt ']






Plot [['taoc', 'taoc_raw:ro', 'taoc_avg:r-']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]







Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [['FVOEC:r-o', 'ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [['FVOPH:r-o', 'PHO:g-o']]



Plot ET/VN



Plot Fv and fertilizer usage






Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa





Trend plot forP2-4_0






FgDaily













时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:35	300	150.0	0.99	晴	预期@09:35 手动 (未用传感器)
10:35	300	150.0	0.99	晴	预期@10:35 手动 (未用传感器)
12:00	300	150.0	0.99	晴	预期@12:00 手动 (未用传感器)
13:30	300	150.0	0.99	晴	预期@13:30 手动 (未用传感器)
15:10	300	150.0	0.99	晴	预期@15:10 手动 (未用传感器)
总计	1500.0 (5次)	750.0			建议进液EC: 1900, PH: 6.5







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:50	300	150.0	0.99	阴	假设@09:50 未知程序 (未用传感器)
11:35	300	150.0	0.99	阴	假设@11:35 未知程序 (未用传感器)
12:50	300	150.0	0.99	阴	假设@12:50 未知程序 (未用传感器)
14:05	300	150.0	0.99	多云	假设@14:05 未知程序 (未用传感器)
总计	1200.0 (4次)	600.0			建议进液EC: 1930, PH: 6.5






时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:50	300	150.0	0.99	多云	假设@09:50 未知程序(未用传感器)
11:55	300	150.0	0.99	多云	假设@11:55 未知程序(未用传感器)
14:15	300	150.0	0.99	晴	假设@14:15 未知程序(未用传感器)
总计	900.0 (3次)	450.0			建议进液EC: 2000, PH: 6.5





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:50	300	150.0	0.99	晴	假设@09:50 未知程序 (未用传感器)
10:55	300	150.0	0.99	晴	假设@10:55 未知程序 (未用传感器)
总计	600.0 (2次)	300.0			建议进液EC: 2090, PH: 6.5



时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:50	300	150.0	0.99	晴	假设@09:50 未知程序 (未用传感器)
10:50	300	150.0	0.99	晴	假设@10:50 未知程序 (未用传感器)
12:00	300	150.0	0.99	晴	假设@12:00 未知程序 (未用传感器)
13:20	300	150.0	0.99	晴	假设@13:20 未知程序 (未用传感器)
14:50	300	150.0	0.99	晴	假设@14:50 未知程序 (未用传感器)
总计	1500.0 (5次)	750.0			建议进液EC: 2310, PH: 6.5

