





FgArea: [ ' 0' ]  
NC11 P2-4  
2025-09-22 (Day 26)














1 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water\_ec']]




Plot [' ECopt ']






Plot [['taoc', 'taoc\_raw:ro', 'taoc\_avg:r-']]




Plot [['setVI\_ETcI', 'setVI\_fgRec', 'setVI\_VN', 'sISetVI']]







Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FVOEC:r-o', ' ECO:g-o' ]]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o', ' PHO:g-o' ]]



Plot ET/VN



Plot Fv and fertilizer usage






Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa





Trend plot forP2-4\_0







# FgDaily


















时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:00	300	150.0	0.99	多云	预期@09:00 手动 (未用传感器)
10:00	300	150.0	0.99	多云	预期@10:00 手动 (未用传感器)
11:30	300	150.0	0.99	多云	预期@11:30 手动 (未用传感器)
12:55	300	150.0	0.99	多云	预期@12:55 手动 (未用传感器)
14:20	300	150.0	0.99	多云	预期@14:20 手动 (未用传感器)
总计	1500.0 (5次)	750.0			建议进液EC: 2280, PH: 6.5







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:55	300	150.0	0.99	晴	假设@09:55 未知程序 (未用传感器)
10:55	300	150.0	0.99	晴	假设@10:55 未知程序 (未用传感器)
12:20	300	150.0	0.99	晴	假设@12:20 未知程序 (未用传感器)
13:55	300	150.0	0.99	晴	假设@13:55 未知程序 (未用传感器)
总计	1200.0 (4次)	600.0			建议进液EC: 2160, PH: 6.5







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:55	300	150.0	0.99	晴	假设@09:55 未知程序 (未用传感器)
10:55	300	150.0	0.99	晴	假设@10:55 未知程序 (未用传感器)
12:20	300	150.0	0.99	晴	假设@12:20 未知程序 (未用传感器)
13:45	300	150.0	0.99	晴	假设@13:45 未知程序 (未用传感器)
总计	1200.0 (4次)	600.0			建议进液EC: 2010, PH: 6.5





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:55	300	150.0	0.99	阴	假设@09:55 未知程序(未用传感器)
11:40	300	150.0	0.99	阴	假设@11:40 未知程序(未用传感器)
13:15	300	150.0	0.99	阴	假设@13:15 未知程序(未用传感器)
总计	900.0 (3次)	450.0			建议进液EC: 1950, PH: 6.5





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:50	300	150.0	0.99	晴	假设@09:50 未知程序 (未用传感器)
10:45	300	150.0	0.99	晴	假设@10:45 未知程序 (未用传感器)
11:45	300	150.0	0.99	晴	假设@11:45 未知程序 (未用传感器)
12:50	300	150.0	0.99	晴	假设@12:50 未知程序 (未用传感器)
13:55	300	150.0	0.99	晴	假设@13:55 未知程序 (未用传感器)
总计	1500.0 (5次)	750.0			建议进液EC: 1900, PH: 6.5

