





FgArea: [' 0']
NC11 P2-4
2025-10-09 (Day 43)














1 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water_ec']]




Plot [' ECopt ']






Plot [['taoc', 'taoc_raw:ro', 'taoc_avg:r-']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]




Warning: col ['setVI_fgRec'] is missing




Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FVOEC:r-o', ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o', ' PHO:g-o']]



Plot ET/VN



Plot Fv and fertilizer usage














Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa







Trend plot forP2-4_0















时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:15	300	150.0	0.99	小雨	预期@10:15 手动 (未用传感器)
11:40	300	150.0	0.99	小雨	预期@11:40 手动 (未用传感器)
13:45	300	150.0	0.99	阴	预期@13:45 手动 (未用传感器)
总计	900.0 (3次)	450.0			建议进液EC: 2000, PH: 6.5







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
总计	0 (0次)	0			建议进液EC: 2070, PH: 6.5







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:10	300	150.0	0.99	晴	假设@10:10 未知程序 (未用传感器)
13:05	300	150.0	0.99	晴	假设@13:05 未知程序 (未用传感器)
总计	600.0 (2次)	300.0			建议进液EC: 2040, PH: 6.5





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:10	300	150.0	0.99	多云	假设@10:10 未知程序 (未用传感器)
总计	300.0 (1次)	150.0			建议进液EC: 2060, PH: 6.5





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:10	300	150.0	0.99	阴	假设@10:10 未知程序 (未用传感器)
总计	300.0 (1次)	150.0			建议进液EC: 1940, PH: 6.5

