





FgArea: [' 0' ]  
NC11 P2-4  
2025-10-16 (Day 50)














1 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water\_ec']]




Plot [' ECopt ']






Plot [['taoc', 'taoc\_raw:ro', 'taoc\_avg:r-']]




Plot [['setVI\_ETcI', 'setVI\_fgRec', 'setVI\_VN', 'sISetVI']]







Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FVOEC:r-o', ' ECO:g-o' ]]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o', ' PHO:g-o' ]]



Plot ET/VN



Plot Fv and fertilizer usage







Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa










Trend plot forP2-4\_0







# FgDaily
















时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:25	80	40.0	0.264	小雨	预期@08:25 手动 (未用传感器)
08:55	80	40.0	0.264	小雨	预期@08:55 手动 (未用传感器)
09:25	80	40.0	0.264	多云	预期@09:25 手动 (未用传感器)
10:05	80	40.0	0.264	小雨	预期@10:05 手动 (未用传感器)
10:55	80	40.0	0.264	小雨	预期@10:55 手动 (未用传感器)
11:40	80	40.0	0.264	小雨	预期@11:40 手动 (未用传感器)
12:20	80	40.0	0.264	多云	预期@12:20 手动 (未用传感器)
13:00	80	40.0	0.264	多云	预期@13:00 手动 (未用传感器)
13:45	80	40.0	0.264	多云	预期@13:45 手动 (未用传感器)
14:30	80	40.0	0.264	多云	预期@14:30 手动 (未用传感器)
15:20	80	40.0	0.264	多云	预期@15:20 手动 (未用传感器)
总计	880.0 (11次)	440.0			建议进液EC: 2170, PH: 6.5






时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:20	80	40.0	0.264	阴	假设@10:20 未知程序 (未用传感器)
12:25	80	40.0	0.264	阴	假设@12:25 未知程序 (未用传感器)
12:55	80	40.0	0.264	阴	假设@12:55 未知程序 (未用传感器)
13:25	80	40.0	0.264	阴	假设@13:25 未知程序 (未用传感器)
总计	320.0 (4次)	160.0			建议进液EC: 2020, PH: 6.5






时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:25	80	40.0	0.264	晴	假设@08:25 未知程序 (未用传感器)
09:00	80	40.0	0.264	晴	假设@09:00 未知程序 (未用传感器)
09:30	80	40.0	0.264	晴	假设@09:30 未知程序 (未用传感器)
10:10	80	40.0	0.264	晴	假设@10:10 未知程序 (未用传感器)
10:55	80	40.0	0.264	晴	假设@10:55 未知程序 (未用传感器)
11:35	80	40.0	0.264	晴	假设@11:35 未知程序 (未用传感器)
12:10	80	40.0	0.264	晴	假设@12:10 未知程序 (未用传感器)
12:45	80	40.0	0.264	晴	假设@12:45 未知程序 (未用传感器)
13:15	80	40.0	0.264	晴	假设@13:15 未知程序 (未用传感器)
13:50	80	40.0	0.264	晴	假设@13:50 未知程序 (未用传感器)
14:30	80	40.0	0.264	晴	假设@14:30 未知程序 (未用传感器)
15:25	80	40.0	0.264	晴	假设@15:25 未知程序 (未用传感器)
总计	960.0 (12次)	480.0			建议进液EC: 2240, PH: 6.5





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:05	80	40.0	0.264	雾	假设@08:05 未知程序 (未用传感器)
08:35	80	40.0	0.264	雾	假设@08:35 未知程序 (未用传感器)
09:05	80	40.0	0.264	晴	假设@09:05 未知程序 (未用传感器)
10:00	80	40.0	0.264	晴	假设@10:00 未知程序 (未用传感器)
10:40	80	40.0	0.264	晴	假设@10:40 未知程序 (未用传感器)
11:10	80	40.0	0.264	晴	假设@11:10 未知程序 (未用传感器)
11:40	80	40.0	0.264	晴	假设@11:40 未知程序 (未用传感器)
12:10	80	40.0	0.264	晴	假设@12:10 未知程序 (未用传感器)
12:40	80	40.0	0.264	晴	假设@12:40 未知程序 (未用传感器)
13:10	80	40.0	0.264	晴	假设@13:10 未知程序 (未用传感器)
13:40	80	40.0	0.264	晴	假设@13:40 未知程序 (未用传感器)
14:15	80	40.0	0.264	晴	假设@14:15 未知程序 (未用传感器)
14:45	80	40.0	0.264	晴	假设@14:45 未知程序 (未用传感器)
15:25	80	40.0	0.264	晴	假设@15:25 未知程序 (未用传感器)
总计	1120.0 (14次)	560.0			建议进液EC: 2040, PH: 6.5





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:05	80	40.0	0.264	阴	假设@09:05 未知程序 (未用传感器)
09:50	80	40.0	0.264	阴	假设@09:50 未知程序 (未用传感器)
10:35	80	40.0	0.264	阴	假设@10:35 未知程序 (未用传感器)
11:20	80	40.0	0.264	阴	假设@11:20 未知程序 (未用传感器)
12:40	80	40.0	0.264	阴	假设@12:40 未知程序 (未用传感器)
14:10	80	40.0	0.264	阴	假设@14:10 未知程序 (未用传感器)
总计	480.0 (6次)	240.0			建议进液EC: 2250, PH: 6.5

