





FgArea: [' 0']
NC11 P2-4
2025-10-18 (Day 52)














1 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water_ec']]




Plot [' ECopt ']






Plot [['taoc', 'taoc_raw:ro', 'taoc_avg:r-']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]







Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FVOEC:r-o', ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o', ' PHO:g-o']]



Plot ET/VN



Plot Fv and fertilizer usage














Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa






Trend plot forP2-4_0













| 时间 | 灌溉时长(秒) | 灌溉量(毫升/株) | 灌溉总量(方/次) | 天气 | 注释 |
|-------|-------------|-----------|-----------|----|-----------------------|
| 08:40 | 80 | 40.0 | 0.264 | 晴 | 预期@08:40 手动 (未用传感器) |
| 09:10 | 80 | 40.0 | 0.264 | 晴 | 预期@09:10 手动 (未用传感器) |
| 09:40 | 80 | 40.0 | 0.264 | 晴 | 预期@09:40 手动 (未用传感器) |
| 10:10 | 80 | 40.0 | 0.264 | 晴 | 预期@10:10 手动 (未用传感器) |
| 10:55 | 80 | 40.0 | 0.264 | 晴 | 预期@10:55 手动 (未用传感器) |
| 11:35 | 80 | 40.0 | 0.264 | 晴 | 预期@11:35 手动 (未用传感器) |
| 12:15 | 80 | 40.0 | 0.264 | 晴 | 预期@12:15 手动 (未用传感器) |
| 12:55 | 80 | 40.0 | 0.264 | 晴 | 预期@12:55 手动 (未用传感器) |
| 13:35 | 80 | 40.0 | 0.264 | 晴 | 预期@13:35 手动 (未用传感器) |
| 14:15 | 80 | 40.0 | 0.264 | 晴 | 预期@14:15 手动 (未用传感器) |
| 15:00 | 80 | 40.0 | 0.264 | 晴 | 预期@15:00 手动 (未用传感器) |
| 总计 | 880.0 (11次) | 440.0 | | | 建议进液EC: 2260, PH: 6.5 |







| 时间 | 灌溉时长(秒) | 灌溉量(毫升/株) | 灌溉总量(方/次) | 天气 | 注释 |
|-------|------------|-----------|-----------|----|-----------------------|
| 11:35 | 80 | 40.0 | 0.264 | 阴 | 假设@11:35 未知程序 (未用传感器) |
| 12:30 | 80 | 40.0 | 0.264 | 阴 | 假设@12:30 未知程序 (未用传感器) |
| 13:00 | 80 | 40.0 | 0.264 | 阴 | 假设@13:00 未知程序 (未用传感器) |
| 13:30 | 80 | 40.0 | 0.264 | 阴 | 假设@13:30 未知程序 (未用传感器) |
| 14:20 | 80 | 40.0 | 0.264 | 阴 | 假设@14:20 未知程序 (未用传感器) |
| 总计 | 400.0 (5次) | 200.0 | | | 建议进液EC: 2280, PH: 6.5 |






| 时间 | 灌溉时长(秒) | 灌溉量(毫升/株) | 灌溉总量(方/次) | 天气 | 注释 |
|-------|------------|-----------|-----------|----|-----------------------|
| 11:20 | 80 | 40.0 | 0.264 | 阴 | 假设@11:20 未知程序(未用传感器) |
| 13:40 | 80 | 40.0 | 0.264 | 多云 | 假设@13:40 未知程序(未用传感器) |
| 14:15 | 80 | 40.0 | 0.264 | 多云 | 假设@14:15 未知程序(未用传感器) |
| 总计 | 240.0 (3次) | 120.0 | | | 建议进液EC: 2290, PH: 6.5 |





| 时间 | 灌溉时长(秒) | 灌溉量(毫升/株) | 灌溉总量(方/次) | 天气 | 注释 |
|-------|------------|-----------|-----------|----|-----------------------|
| 10:20 | 80 | 40.0 | 0.264 | 阴 | 假设@10:20 未知程序 (未用传感器) |
| 12:20 | 80 | 40.0 | 0.264 | 阴 | 假设@12:20 未知程序 (未用传感器) |
| 12:55 | 80 | 40.0 | 0.264 | 阴 | 假设@12:55 未知程序 (未用传感器) |
| 13:25 | 80 | 40.0 | 0.264 | 阴 | 假设@13:25 未知程序 (未用传感器) |
| 总计 | 320.0 (4次) | 160.0 | | | 建议进液EC: 2020, PH: 6.5 |



| 时间 | 灌溉时长(秒) | 灌溉量(毫升/株) | 灌溉总量(方/次) | 天气 | 注释 |
|-------|-------------|-----------|-----------|----|-----------------------|
| 08:25 | 80 | 40.0 | 0.264 | 晴 | 假设@08:25 未知程序 (未用传感器) |
| 09:00 | 80 | 40.0 | 0.264 | 晴 | 假设@09:00 未知程序 (未用传感器) |
| 09:30 | 80 | 40.0 | 0.264 | 晴 | 假设@09:30 未知程序 (未用传感器) |
| 10:10 | 80 | 40.0 | 0.264 | 晴 | 假设@10:10 未知程序 (未用传感器) |
| 10:55 | 80 | 40.0 | 0.264 | 晴 | 假设@10:55 未知程序 (未用传感器) |
| 11:35 | 80 | 40.0 | 0.264 | 晴 | 假设@11:35 未知程序 (未用传感器) |
| 12:10 | 80 | 40.0 | 0.264 | 晴 | 假设@12:10 未知程序 (未用传感器) |
| 12:45 | 80 | 40.0 | 0.264 | 晴 | 假设@12:45 未知程序 (未用传感器) |
| 13:15 | 80 | 40.0 | 0.264 | 晴 | 假设@13:15 未知程序 (未用传感器) |
| 13:50 | 80 | 40.0 | 0.264 | 晴 | 假设@13:50 未知程序 (未用传感器) |
| 14:30 | 80 | 40.0 | 0.264 | 晴 | 假设@14:30 未知程序 (未用传感器) |
| 15:25 | 80 | 40.0 | 0.264 | 晴 | 假设@15:25 未知程序 (未用传感器) |
| 总计 | 960.0 (12次) | 480.0 | | | 建议进液EC: 2240, PH: 6.5 |

