





FgArea: [' 0']
NC11 P2-4
2025-10-21 (Day 55)














1 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water_ec']]




Plot [' ECopt ']






Plot [['taoc', 'taoc_raw:ro', 'taoc_avg:r-']]




Plot [['setVI_ETcl', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]






Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Warning: col ['FRV', 'FVI'] is missing


Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o', ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o' , ' PHO:g-o']]



Plot ET/VN



Plot Fv and fertilizer usage













Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa



Trend plot forP2-4_0



P2-4_0



0

10


20




30

40


50

d







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:35	60	30.0	0.198	晴	预期@08:35 手动 (未用传感器)
09:20	60	30.0	0.198	晴	预期@09:20 手动 (未用传感器)
10:05	60	30.0	0.198	晴	预期@10:05 手动 (未用传感器)
10:45	60	30.0	0.198	晴	预期@10:45 手动 (未用传感器)
11:45	60	30.0	0.198	晴	预期@11:45 手动 (未用传感器)
12:55	60	30.0	0.198	晴	预期@12:55 手动 (未用传感器)
14:10	60	30.0	0.198	晴	预期@14:10 手动 (未用传感器)
总计	420.0 (7次)	210.0			建议进液EC: 2350, PH: 6.5




时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:20	80	40.0	0.264	晴	假设@08:20 未知程序 (未用传感器)
08:55	80	40.0	0.264	晴	假设@08:55 未知程序 (未用传感器)
09:30	80	40.0	0.264	晴	假设@09:30 未知程序 (未用传感器)
10:20	80	40.0	0.264	晴	假设@10:20 未知程序 (未用传感器)
11:05	80	40.0	0.264	晴	假设@11:05 未知程序 (未用传感器)
11:45	80	40.0	0.264	晴	假设@11:45 未知程序 (未用传感器)
12:25	80	40.0	0.264	晴	假设@12:25 未知程序 (未用传感器)
13:05	80	40.0	0.264	晴	假设@13:05 未知程序 (未用传感器)
13:45	80	40.0	0.264	晴	假设@13:45 未知程序 (未用传感器)
14:35	80	40.0	0.264	晴	假设@14:35 未知程序 (未用传感器)
总计	800.0 (10次)	400.0			建议进液EC: 2280, PH: 6.5






时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:15	80	40.0	0.264	多云	假设@09:15 未知程序 (未用传感器)
09:50	80	40.0	0.264	多云	假设@09:50 未知程序 (未用传感器)
10:20	80	40.0	0.264	晴	假设@10:20 未知程序 (未用传感器)
10:50	80	40.0	0.264	晴	假设@10:50 未知程序 (未用传感器)
11:20	80	40.0	0.264	多云	假设@11:20 未知程序 (未用传感器)
12:00	80	40.0	0.264	多云	假设@12:00 未知程序 (未用传感器)
12:50	80	40.0	0.264	多云	假设@12:50 未知程序 (未用传感器)
13:35	80	40.0	0.264	晴	假设@13:35 未知程序 (未用传感器)
14:25	80	40.0	0.264	晴	假设@14:25 未知程序 (未用传感器)
总计	720.0 (9次)	360.0			建议进液EC: 2360, PH: 6.5



时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:10	80	40.0	0.264	晴	假设@09:10 未知程序 (未用传感器)
09:40	80	40.0	0.264	晴	假设@09:40 未知程序 (未用传感器)
10:10	80	40.0	0.264	晴	假设@10:10 未知程序 (未用传感器)
10:40	80	40.0	0.264	晴	假设@10:40 未知程序 (未用传感器)
11:10	80	40.0	0.264	晴	假设@11:10 未知程序 (未用传感器)
11:40	80	40.0	0.264	晴	假设@11:40 未知程序 (未用传感器)
12:10	80	40.0	0.264	晴	假设@12:10 未知程序 (未用传感器)
12:45	80	40.0	0.264	晴	假设@12:45 未知程序 (未用传感器)
13:20	80	40.0	0.264	晴	假设@13:20 未知程序 (未用传感器)
13:55	80	40.0	0.264	晴	假设@13:55 未知程序 (未用传感器)
14:35	80	40.0	0.264	晴	假设@14:35 未知程序 (未用传感器)
总计	880.0 (11次)	440.0			建议进液EC: 2270, PH: 6.5



时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
11:35	80	40.0	0.264	阴	假设@11:35 未知程序 (未用传感器)
12:30	80	40.0	0.264	阴	假设@12:30 未知程序 (未用传感器)
13:00	80	40.0	0.264	阴	假设@13:00 未知程序 (未用传感器)
13:30	80	40.0	0.264	阴	假设@13:30 未知程序 (未用传感器)
14:20	80	40.0	0.264	阴	假设@14:20 未知程序 (未用传感器)
总计	400.0 (5次)	200.0			建议进液EC: 2280, PH: 6.5

