





FgArea: [' 0']
NC11 P2-4
2025-11-10 (Day 75)














1 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water_ec']]




Plot [' ECopt ']






Plot [['taoc', 'taoc_raw:ro', 'taoc_avg:r-']]




Plot [['setVI_ETcl', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]







Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FVOEC:r-o', ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o' , ' PHO:g-o']]



Plot ET/VN



Plot Fv and fertilizer usage







Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa











Trend plot forP2-4_0







FgDaily














时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:45	80	40.0	0.264	晴	预期@08:45 手动(未用传感器)
09:15	80	40.0	0.264	晴	预期@09:15 手动(未用传感器)
09:45	80	40.0	0.264	晴	预期@09:45 手动(未用传感器)
10:15	80	40.0	0.264	晴	预期@10:15 手动(未用传感器)
10:45	80	40.0	0.264	晴	预期@10:45 手动(未用传感器)
11:15	80	40.0	0.264	晴	预期@11:15 手动(未用传感器)
11:45	80	40.0	0.264	晴	预期@11:45 手动(未用传感器)
12:15	80	40.0	0.264	晴	预期@12:15 手动(未用传感器)
12:45	80	40.0	0.264	晴	预期@12:45 手动(未用传感器)
13:15	80	40.0	0.264	晴	预期@13:15 手动(未用传感器)
13:45	80	40.0	0.264	晴	预期@13:45 手动(未用传感器)
14:15	80	40.0	0.264	晴	预期@14:15 手动(未用传感器)
14:45	80	40.0	0.264	晴	预期@14:45 手动(未用传感器)
15:15	80	40.0	0.264	晴	预期@15:15 手动(未用传感器)
总计	1120.0 (14次)	560.0			建议进液EC: 2170, PH: 6.0





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:55	80	40.0	0.264	晴	假设@08:55 未知程序 (未用传感器)
09:25	80	40.0	0.264	晴	假设@09:25 未知程序 (未用传感器)
09:55	80	40.0	0.264	晴	假设@09:55 未知程序 (未用传感器)
10:25	80	40.0	0.264	晴	假设@10:25 未知程序 (未用传感器)
10:55	80	40.0	0.264	晴	假设@10:55 未知程序 (未用传感器)
11:25	80	40.0	0.264	晴	假设@11:25 未知程序 (未用传感器)
11:55	80	40.0	0.264	晴	假设@11:55 未知程序 (未用传感器)
12:25	80	40.0	0.264	晴	假设@12:25 未知程序 (未用传感器)
12:55	80	40.0	0.264	晴	假设@12:55 未知程序 (未用传感器)
13:25	80	40.0	0.264	晴	假设@13:25 未知程序 (未用传感器)
13:55	80	40.0	0.264	晴	假设@13:55 未知程序 (未用传感器)
14:25	80	40.0	0.264	晴	假设@14:25 未知程序 (未用传感器)
总计	960.0 (12次)	480.0			建议进液EC: 2140, PH: 6.0






时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:35	80	40.0	0.264	晴	假设@09:35 未知程序 (未用传感器)
10:05	80	40.0	0.264	晴	假设@10:05 未知程序 (未用传感器)
10:35	80	40.0	0.264	晴	假设@10:35 未知程序 (未用传感器)
11:05	80	40.0	0.264	晴	假设@11:05 未知程序 (未用传感器)
11:35	80	40.0	0.264	晴	假设@11:35 未知程序 (未用传感器)
12:05	80	40.0	0.264	晴	假设@12:05 未知程序 (未用传感器)
12:35	80	40.0	0.264	晴	假设@12:35 未知程序 (未用传感器)
13:05	80	40.0	0.264	晴	假设@13:05 未知程序 (未用传感器)
13:35	80	40.0	0.264	晴	假设@13:35 未知程序 (未用传感器)
14:05	80	40.0	0.264	晴	假设@14:05 未知程序 (未用传感器)
14:35	80	40.0	0.264	晴	假设@14:35 未知程序 (未用传感器)
总计	880.0 (11次)	440.0			建议进液EC: 2120, PH: 6.0





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:45	80	40.0	0.264	阴	假设@10:45 未知程序 (未用传感器)
11:45	80	40.0	0.264	阴	假设@11:45 未知程序 (未用传感器)
12:50	80	40.0	0.264	阴	假设@12:50 未知程序 (未用传感器)
14:20	80	40.0	0.264	阴	假设@14:20 未知程序 (未用传感器)
总计	320.0 (4次)	160.0			建议进液EC: 2010, PH: 6.5



时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:40	80	40.0	0.264	多云	假设@09:40 未知程序 (未用传感器)
10:10	80	40.0	0.264	阴	假设@10:10 未知程序 (未用传感器)
10:40	80	40.0	0.264	阴	假设@10:40 未知程序 (未用传感器)
11:10	80	40.0	0.264	阴	假设@11:10 未知程序 (未用传感器)
11:40	80	40.0	0.264	阴	假设@11:40 未知程序 (未用传感器)
12:10	80	40.0	0.264	阴	假设@12:10 未知程序 (未用传感器)
12:50	80	40.0	0.264	阴	假设@12:50 未知程序 (未用传感器)
13:25	80	40.0	0.264	阴	假设@13:25 未知程序 (未用传感器)
14:00	80	40.0	0.264	阴	假设@14:00 未知程序 (未用传感器)
14:55	80	40.0	0.264	阴	假设@14:55 未知程序 (未用传感器)
总计	800.0 (10次)	400.0			建议进液EC: 2110, PH: 6.5

