




FgArea: [' 0']
NC11 P2-4
2025-11-16 (Day 81)


fgNum 1 (at_row = 49)














1 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water_ec']]




Plot [' ECopt ']






Plot [['taoc', 'taoc_raw:ro', 'taoc_avg:r-']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]







Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FVOEC:r-o' , ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o', ' PHO:g-o']]



Plot ET/VN



Plot Fv and fertilizer usage














Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa






Trend plot forP2-4_0












时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:40	80	40.0	0.264	晴	预期@08:40 手动(未用传感器)
09:10	80	40.0	0.264	晴	预期@09:10 手动(未用传感器)
09:40	80	40.0	0.264	晴	预期@09:40 手动(未用传感器)
10:10	80	40.0	0.264	晴	预期@10:10 手动(未用传感器)
10:40	80	40.0	0.264	晴	预期@10:40 手动(未用传感器)
11:10	80	40.0	0.264	晴	预期@11:10 手动(未用传感器)
11:40	80	40.0	0.264	晴	预期@11:40 手动(未用传感器)
12:10	80	40.0	0.264	晴	预期@12:10 手动(未用传感器)
12:40	80	40.0	0.264	晴	预期@12:40 手动(未用传感器)
13:10	80	40.0	0.264	晴	预期@13:10 手动(未用传感器)
13:40	80	40.0	0.264	晴	预期@13:40 手动(未用传感器)
14:10	80	40.0	0.264	晴	预期@14:10 手动(未用传感器)
14:40	80	40.0	0.264	晴	预期@14:40 手动(未用传感器)
总计	1040.0 (13次)	520.0			建议进液EC: 2090, PH: 6.0




时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:45	80	40.0	0.264	雾	假设@08:45 未知程序 (未用传感器)
09:15	80	40.0	0.264	晴	假设@09:15 未知程序 (未用传感器)
09:45	80	40.0	0.264	晴	假设@09:45 未知程序 (未用传感器)
10:15	80	40.0	0.264	晴	假设@10:15 未知程序 (未用传感器)
10:45	80	40.0	0.264	晴	假设@10:45 未知程序 (未用传感器)
11:15	80	40.0	0.264	晴	假设@11:15 未知程序 (未用传感器)
11:45	80	40.0	0.264	晴	假设@11:45 未知程序 (未用传感器)
12:15	80	40.0	0.264	晴	假设@12:15 未知程序 (未用传感器)
12:45	80	40.0	0.264	晴	假设@12:45 未知程序 (未用传感器)
13:15	80	40.0	0.264	晴	假设@13:15 未知程序 (未用传感器)
13:45	80	40.0	0.264	晴	假设@13:45 未知程序 (未用传感器)
14:20	80	40.0	0.264	晴	假设@14:20 未知程序 (未用传感器)
总计	960.0 (12次)	480.0			建议进液EC: 2090, PH: 6.0



时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:50	80	40.0	0.264	多云	假设@08:50 未知程序 (未用传感器)
09:20	80	40.0	0.264	晴	假设@09:20 未知程序 (未用传感器)
09:50	80	40.0	0.264	晴	假设@09:50 未知程序 (未用传感器)
10:20	80	40.0	0.264	晴	假设@10:20 未知程序 (未用传感器)
10:50	80	40.0	0.264	晴	假设@10:50 未知程序 (未用传感器)
11:20	80	40.0	0.264	晴	假设@11:20 未知程序 (未用传感器)
11:50	80	40.0	0.264	晴	假设@11:50 未知程序 (未用传感器)
12:20	80	40.0	0.264	晴	假设@12:20 未知程序 (未用传感器)
12:50	80	40.0	0.264	晴	假设@12:50 未知程序 (未用传感器)
13:20	80	40.0	0.264	晴	假设@13:20 未知程序 (未用传感器)
13:50	80	40.0	0.264	晴	假设@13:50 未知程序 (未用传感器)
14:20	80	40.0	0.264	晴	假设@14:20 未知程序 (未用传感器)
总计	960.0 (12次)	480.0			建议进液EC: 2100, PH: 6.0



时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:55	80	40.0	0.264	雾	假设@08:55 未知程序 (未用传感器)
09:25	80	40.0	0.264	晴	假设@09:25 未知程序 (未用传感器)
09:55	80	40.0	0.264	晴	假设@09:55 未知程序 (未用传感器)
10:25	80	40.0	0.264	晴	假设@10:25 未知程序 (未用传感器)
10:55	80	40.0	0.264	晴	假设@10:55 未知程序 (未用传感器)
11:25	80	40.0	0.264	晴	假设@11:25 未知程序 (未用传感器)
11:55	80	40.0	0.264	晴	假设@11:55 未知程序 (未用传感器)
12:25	80	40.0	0.264	晴	假设@12:25 未知程序 (未用传感器)
12:55	80	40.0	0.264	晴	假设@12:55 未知程序 (未用传感器)
13:25	80	40.0	0.264	晴	假设@13:25 未知程序 (未用传感器)
13:55	80	40.0	0.264	晴	假设@13:55 未知程序 (未用传感器)
14:25	80	40.0	0.264	晴	假设@14:25 未知程序 (未用传感器)
总计	960.0 (12次)	480.0			建议进液EC: 2120, PH: 6.0



时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:15	80	40.0	0.264	雾	假设@09:15 未知程序 (未用传感器)
09:45	80	40.0	0.264	雾	假设@09:45 未知程序 (未用传感器)
10:15	80	40.0	0.264	霾	假设@10:15 未知程序 (未用传感器)
10:45	80	40.0	0.264	霾	假设@10:45 未知程序 (未用传感器)
11:15	80	40.0	0.264	晴	假设@11:15 未知程序 (未用传感器)
11:45	80	40.0	0.264	晴	假设@11:45 未知程序 (未用传感器)
12:15	80	40.0	0.264	晴	假设@12:15 未知程序 (未用传感器)
12:45	80	40.0	0.264	晴	假设@12:45 未知程序 (未用传感器)
13:15	80	40.0	0.264	晴	假设@13:15 未知程序 (未用传感器)
13:45	80	40.0	0.264	晴	假设@13:45 未知程序 (未用传感器)
14:15	80	40.0	0.264	晴	假设@14:15 未知程序 (未用传感器)
14:45	80	40.0	0.264	晴	假设@14:45 未知程序 (未用传感器)
总计	960.0 (12次)	480.0			建议进液EC: 2160, PH: 6.0

