





FgArea: [ ' 0' ]  
NC11 P2-4  
2025-12-03 (Day 98)


fgNum 1 (at\_row = 49)

















1 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water\_ec']]




Plot [ ' ECopt' ]






Plot [['taoc', 'taoc\_raw:ro', 'taoc\_avg:r-']]




Plot [['setVI\_ETcI', 'setVI\_fgRec', 'setVI\_VN', 'sISetVI']]






Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Warning: col ['FRV', 'FVI'] is missing


Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o' , ' ECO:g-o' ]]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o', ' PH0:g-o' ]]



Plot ET/VN



Plot Fv and fertilizer usage













Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa





Trend plot forP2-4\_0























时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:25	95	20.0	0.132	晴	预期@08:25 手动 (未用传感器)
09:05	95	20.0	0.132	晴	预期@09:05 手动 (未用传感器)
09:45	95	20.0	0.132	晴	预期@09:45 手动 (未用传感器)
10:25	95	20.0	0.132	晴	预期@10:25 手动 (未用传感器)
11:05	95	20.0	0.132	晴	预期@11:05 手动 (未用传感器)
11:55	95	20.0	0.132	晴	预期@11:55 手动 (未用传感器)
13:05	95	20.0	0.132	晴	预期@13:05 手动 (未用传感器)
14:20	95	20.0	0.132	晴	预期@14:20 手动 (未用传感器)
总计	760.0 (8次)	160.0			建议进液EC: 1920, PH: 6.0







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:25	100	20.0	0.132	晴	假设@08:25 未知程序 (未用传感器)
09:10	100	20.0	0.132	晴	假设@09:10 未知程序 (未用传感器)
09:55	100	20.0	0.132	晴	假设@09:55 未知程序 (未用传感器)
10:40	100	20.0	0.132	晴	假设@10:40 未知程序 (未用传感器)
11:25	100	20.0	0.132	晴	假设@11:25 未知程序 (未用传感器)
12:10	100	20.0	0.132	晴	假设@12:10 未知程序 (未用传感器)
13:30	100	20.0	0.132	晴	假设@13:30 未知程序 (未用传感器)
总计	700.0 (7次)	140.0			建议进液EC: 1930, PH: 6.0







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:20	95	20.0	0.132	多云	假设@08:20 未知程序 (未用传感器)
09:05	95	20.0	0.132	多云	假设@09:05 未知程序 (未用传感器)
09:50	95	20.0	0.132	多云	假设@09:50 未知程序 (未用传感器)
10:35	95	20.0	0.132	多云	假设@10:35 未知程序 (未用传感器)
11:20	95	20.0	0.132	晴	假设@11:20 未知程序 (未用传感器)
12:05	95	20.0	0.132	晴	假设@12:05 未知程序 (未用传感器)
总计	570.0 (6次)	120.0			建议进液EC: 1920, PH: 6.0





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:30	95	20.0	0.132	阴	假设@08:30 未知程序 (未用传感器)
09:20	95	20.0	0.132	阴	假设@09:20 未知程序 (未用传感器)
10:45	95	20.0	0.132	阴	假设@10:45 未知程序 (未用传感器)
11:30	95	20.0	0.132	阴	假设@11:30 未知程序 (未用传感器)
12:10	95	20.0	0.132	多云	假设@12:10 未知程序 (未用传感器)
13:35	95	20.0	0.132	多云	假设@13:35 未知程序 (未用传感器)
总计	570.0 (6次)	120.0			建议进液EC: 1900, PH: 6.0





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:15	95	20.0	0.132	晴	假设@08:15 未知程序 (未用传感器)
08:55	95	20.0	0.132	晴	假设@08:55 未知程序 (未用传感器)
09:35	95	20.0	0.132	晴	假设@09:35 未知程序 (未用传感器)
10:15	95	20.0	0.132	晴	假设@10:15 未知程序 (未用传感器)
10:55	95	20.0	0.132	晴	假设@10:55 未知程序 (未用传感器)
11:35	95	20.0	0.132	晴	假设@11:35 未知程序 (未用传感器)
12:35	95	20.0	0.132	晴	假设@12:35 未知程序 (未用传感器)
13:40	95	20.0	0.132	晴	假设@13:40 未知程序 (未用传感器)
总计	760.0 (8次)	160.0			建议进液EC: 1890, PH: 6.0

