





FgArea: [' 0']
NC11 P2-5
2025-12-07 (Day 102)


fgNum 1 (at_row = 45)

















1 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water_ec']]




Plot [' ECopt']






Plot [['taoc', 'taoc_raw:ro', 'taoc_avg:r-']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]






Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Warning: col ['FRV', 'FVI'] is missing


Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o', ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o', ' PH0:g-o']]



Plot ET/VN



Plot Fv and fertilizer usage








Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa








Trend plot forP2-5_0















时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:20	100	20.0	0.133	晴	预期@08:20 手动 (未用传感器)
09:00	100	20.0	0.133	晴	预期@09:00 手动 (未用传感器)
09:40	100	20.0	0.133	晴	预期@09:40 手动 (未用传感器)
10:20	100	20.0	0.133	晴	预期@10:20 手动 (未用传感器)
11:00	100	20.0	0.133	晴	预期@11:00 手动 (未用传感器)
11:40	100	20.0	0.133	晴	预期@11:40 手动 (未用传感器)
12:45	100	20.0	0.133	晴	预期@12:45 手动 (未用传感器)
13:55	100	20.0	0.133	晴	预期@13:55 手动 (未用传感器)
总计	800.0 (8次)	160.0			建议进液EC: 1840, PH: 6.0







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:35	95	20.0	0.133	晴	假设@08:35 未知程序 (未用传感器)
09:15	95	20.0	0.133	晴	假设@09:15 未知程序 (未用传感器)
11:00	95	20.0	0.133	晴	假设@11:00 未知程序 (未用传感器)
11:30	95	20.0	0.133	晴	假设@11:30 未知程序 (未用传感器)
12:00	95	20.0	0.133	晴	假设@12:00 未知程序 (未用传感器)
12:30	95	20.0	0.133	晴	假设@12:30 未知程序 (未用传感器)
13:15	95	20.0	0.133	晴	假设@13:15 未知程序 (未用传感器)
14:05	95	20.0	0.133	晴	假设@14:05 未知程序 (未用传感器)
总计	760.0 (8次)	160.0			建议进液EC: 1900, PH: 6.0







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:00	95	20.0	0.133	多云	假设@09:00 未知程序 (未用传感器)
09:45	95	20.0	0.133	多云	假设@09:45 未知程序 (未用传感器)
10:50	95	20.0	0.133	阴	假设@10:50 未知程序 (未用传感器)
11:30	95	20.0	0.133	多云	假设@11:30 未知程序 (未用传感器)
12:10	95	20.0	0.133	多云	假设@12:10 未知程序 (未用传感器)
12:50	95	20.0	0.133	多云	假设@12:50 未知程序 (未用传感器)
总计	570.0 (6次)	120.0			建议进液EC: 1840, PH: 6.0






时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:45	95	20.0	0.133	晴	假设@08:45 未知程序 (未用传感器)
09:25	95	20.0	0.133	晴	假设@09:25 未知程序 (未用传感器)
10:00	95	20.0	0.133	晴	假设@10:00 未知程序 (未用传感器)
10:35	95	20.0	0.133	晴	假设@10:35 未知程序 (未用传感器)
11:10	95	20.0	0.133	晴	假设@11:10 未知程序 (未用传感器)
11:45	95	20.0	0.133	晴	假设@11:45 未知程序 (未用传感器)
13:25	95	20.0	0.133	晴	假设@13:25 未知程序 (未用传感器)
14:35	95	20.0	0.133	晴	假设@14:35 未知程序 (未用传感器)
总计	760.0 (8次)	160.0			建议进液EC: 1850, PH: 6.0







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:40	150	30.0	0.2	晴	假设@09:40 未知程序 (未用传感器)
10:25	150	30.0	0.2	晴	假设@10:25 未知程序 (未用传感器)
11:10	150	30.0	0.2	晴	假设@11:10 未知程序 (未用传感器)
11:55	150	30.0	0.2	晴	假设@11:55 未知程序 (未用传感器)
14:00	150	30.0	0.2	晴	假设@14:00 未知程序 (未用传感器)
总计	750.0 (5次)	150.0			建议进液EC: 1860, PH: 6.0

