





FgArea: [' 0']
NC11 P2-5
2026-03-11 (Day 196)


fgNum 1 (at_row = 45.0)

















1 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water_ec']]





Plot [' ECopt']




P2-5_0: M_1




Plot [['ETcA_VN', 'ETcA_ws'], ['ETcB_VN', 'ETcB_ws']]




Plot [['ETcAraw:o', 'ETcA']]




Plot [['ETcBraw:o', 'ETcB']]






Plot [['taoc', 'taoc_raw:ro', 'taoc_avg:r-']]




Plot [['setVI_ETcl', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]







Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o', ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o' , ' PHO:g-o']]



Plot ET/VN



Plot Fv and fertilizer usage







Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa





Trend plot forP2-5_0







FgDaily














时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:55	71	20.0	0.133	晴	预期@07:55 手动 (未用传感器)
09:25	71	20.0	0.133	晴	预期@09:25 手动 (未用传感器)
11:00	71	20.0	0.133	晴	预期@11:00 手动 (未用传感器)
12:10	71	20.0	0.133	晴	预期@12:10 手动 (未用传感器)
13:20	71	20.0	0.133	晴	预期@13:20 手动 (未用传感器)
14:40	71	20.0	0.133	晴	预期@14:40 手动 (未用传感器)
总计	426.0 (6次)	120.0			建议进液EC: 1500, PH: 6.0

时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:00	71	20.0	0.133	晴	假设@08:00 未知程序 (未用传感器)
10:20	71	20.0	0.133	晴	假设@10:20 未知程序 (未用传感器)
11:35	71	20.0	0.133	晴	假设@11:35 未知程序 (未用传感器)
12:35	71	20.0	0.133	晴	假设@12:35 未知程序 (未用传感器)
13:30	71	20.0	0.133	晴	假设@13:30 未知程序 (未用传感器)
14:30	71	20.0	0.133	晴	假设@14:30 未知程序 (未用传感器)
总计	426.0 (6次)	120.0			建议进液EC: 1520, PH: 6.0





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:00	71	20.0	0.133	晴	假设@08:00 未知程序 (未用传感器)
09:55	71	20.0	0.133	晴	假设@09:55 未知程序 (未用传感器)
11:00	71	20.0	0.133	晴	假设@11:00 未知程序 (未用传感器)
11:55	71	20.0	0.133	晴	假设@11:55 未知程序 (未用传感器)
12:40	71	20.0	0.133	晴	假设@12:40 未知程序 (未用传感器)
13:25	71	20.0	0.133	晴	假设@13:25 未知程序 (未用传感器)
14:15	71	20.0	0.133	晴	假设@14:15 未知程序 (未用传感器)
总计	497.0 (7次)	140.0			建议进液EC: 1560, PH: 6.0





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:00	71	20.0	0.133	雾	假设@08:00 未知程序 (未用传感器)
10:00	71	20.0	0.133	阴	假设@10:00 未知程序 (未用传感器)
11:05	71	20.0	0.133	晴	假设@11:05 未知程序 (未用传感器)
12:00	71	20.0	0.133	晴	假设@12:00 未知程序 (未用传感器)
12:45	71	20.0	0.133	晴	假设@12:45 未知程序 (未用传感器)
13:25	71	20.0	0.133	晴	假设@13:25 未知程序 (未用传感器)
14:15	71	20.0	0.133	晴	假设@14:15 未知程序 (未用传感器)
总计	497.0 (7次)	140.0			建议进液EC: 1520, PH: 6.0





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:05	77	20.0	0.133	雾	假设@08:05 未知程序 (未用传感器)
10:30	77	20.0	0.133	晴	假设@10:30 未知程序 (未用传感器)
11:25	77	20.0	0.133	晴	假设@11:25 未知程序 (未用传感器)
12:15	77	20.0	0.133	晴	假设@12:15 未知程序 (未用传感器)
13:00	77	20.0	0.133	晴	假设@13:00 未知程序 (未用传感器)
13:45	77	20.0	0.133	晴	假设@13:45 未知程序 (未用传感器)
14:40	77	20.0	0.133	多云	假设@14:40 未知程序 (未用传感器)
总计	539.0 (7次)	140.0			建议进液EC: 1500, PH: 6.0

