





FgArea: [' 0' ]  
NC11 P2-5  
2026-03-25 (Day 210)


fgNum 1 (at\_row = 45)

















1 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water\_ec']]





Plot [ ' ECopt' ]




P2-5\_0: M\_1




Plot [['ETcA\_VN', 'ETcA\_ws'], ['ETcB\_VN', 'ETcB\_ws']]




Plot [['ETcAraw:o', 'ETcA']]




Plot [['ETcBraw:o', 'ETcB']]






Plot [['taoc', 'taoc\_raw:ro', 'taoc\_avg:r-']]




Plot [['setVI\_ETcl', 'setVI\_fgRec', 'setVI\_VN', 'sISetVI']]







Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FVOEC:r-o', ' ECO:g-o' ]]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o', ' PHO:g-o' ]]



Plot ET/VN



Plot Fv and fertilizer usage







Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa




Trend plot forP2-5\_0























时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:00	74	20.0	0.133	晴	预期@07:00 手动 (未用传感器)
08:15	74	20.0	0.133	晴	预期@08:15 手动 (未用传感器)
09:55	74	20.0	0.133	晴	预期@09:55 手动 (未用传感器)
11:00	74	20.0	0.133	晴	预期@11:00 手动 (未用传感器)
11:55	74	20.0	0.133	晴	预期@11:55 手动 (未用传感器)
12:40	74	20.0	0.133	晴	预期@12:40 手动 (未用传感器)
13:30	74	20.0	0.133	晴	预期@13:30 手动 (未用传感器)
14:25	74	20.0	0.133	晴	预期@14:25 手动 (未用传感器)
15:40	74	20.0	0.133	晴	预期@15:40 手动 (未用传感器)
总计	666.0 (9次)	180.0			建议进液EC: 1500, PH: 6.0






时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:20	74	20.0	0.133	晴	假设@07:20 未知程序 (未用传感器)
09:00	74	20.0	0.133	晴	假设@09:00 未知程序 (未用传感器)
10:30	74	20.0	0.133	晴	假设@10:30 未知程序 (未用传感器)
11:30	74	20.0	0.133	晴	假设@11:30 未知程序 (未用传感器)
12:20	74	20.0	0.133	晴	假设@12:20 未知程序 (未用传感器)
13:05	74	20.0	0.133	晴	假设@13:05 未知程序 (未用传感器)
13:50	74	20.0	0.133	晴	假设@13:50 未知程序 (未用传感器)
14:40	74	20.0	0.133	晴	假设@14:40 未知程序 (未用传感器)
15:35	74	20.0	0.133	晴	假设@15:35 未知程序 (未用传感器)
总计	666.0 (9次)	180.0			建议进液EC: 1480, PH: 6.0









时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:05	74	20.0	0.133	晴	假设@07:05 未知程序 (未用传感器)
08:50	74	20.0	0.133	晴	假设@08:50 未知程序 (未用传感器)
10:25	74	20.0	0.133	阴	假设@10:25 未知程序 (未用传感器)
11:25	74	20.0	0.133	阴	假设@11:25 未知程序 (未用传感器)
12:10	74	20.0	0.133	阴	假设@12:10 未知程序 (未用传感器)
12:55	74	20.0	0.133	阴	假设@12:55 未知程序 (未用传感器)
13:50	74	20.0	0.133	阴	假设@13:50 未知程序 (未用传感器)
14:50	74	20.0	0.133	阴	假设@14:50 未知程序 (未用传感器)
总计	592.0 (8次)	160.0			建议进液EC: 1550, PH: 6.0








时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:10	74	20.0	0.133	雾	假设@07:10 未知程序 (未用传感器)
08:50	74	20.0	0.133	晴	假设@08:50 未知程序 (未用传感器)
10:15	74	20.0	0.133	晴	假设@10:15 未知程序 (未用传感器)
11:20	74	20.0	0.133	晴	假设@11:20 未知程序 (未用传感器)
12:05	74	20.0	0.133	晴	假设@12:05 未知程序 (未用传感器)
12:55	74	20.0	0.133	晴	假设@12:55 未知程序 (未用传感器)
13:55	74	20.0	0.133	晴	假设@13:55 未知程序 (未用传感器)
15:05	74	20.0	0.133	晴	假设@15:05 未知程序 (未用传感器)
总计	592.0 (8次)	160.0			建议进液EC: 1520, PH: 6.0







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:20	74	20.0	0.133	晴	假设@07:20 未知程序 (未用传感器)
09:15	74	20.0	0.133	晴	假设@09:15 未知程序 (未用传感器)
10:45	74	20.0	0.133	晴	假设@10:45 未知程序 (未用传感器)
11:40	74	20.0	0.133	多云	假设@11:40 未知程序 (未用传感器)
12:20	74	20.0	0.133	多云	假设@12:20 未知程序 (未用传感器)
13:15	74	20.0	0.133	多云	假设@13:15 未知程序 (未用传感器)
13:55	74	20.0	0.133	多云	假设@13:55 未知程序 (未用传感器)
14:50	74	20.0	0.133	多云	假设@14:50 未知程序 (未用传感器)
总计	592.0 (8次)	160.0			建议进液EC: 1470, PH: 6.0

