





FgArea: [' 0']
NC11 P2-5
2026-03-28 (Day 213)


fgNum 1 (at_row = 45)
















1 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water_ec']]





Plot [' ECopt']




P2-5_0: M_1




Plot [['ETcA_VN', 'ETcA_ws'], ['ETcB_VN', 'ETcB_ws']]




Plot [['ETcAraw:o', 'ETcA']]




Plot [['ETcBraw:o', 'ETcB']]






Plot [['taoc', 'taoc_raw:ro', 'taoc_avg:r-']]




Plot [['setVI_ETcl', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]







Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]



Plot [[' FVOEC:r-o', ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]




Warning: col ['PHC', 'FVIPH'] is missing

PHI





Plot [[' FVOPH:r-o', ' PHO:g-o']]



Plot ET/VN



Plot Fv and fertilizer usage







Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa





Trend plot for P2-5_0






FgDaily












时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
06:55	74	20.0	0.133	晴	预期@06:55 手动 (未用传感器)
08:05	74	20.0	0.133	晴	预期@08:05 手动 (未用传感器)
09:50	74	20.0	0.133	晴	预期@09:50 手动 (未用传感器)
10:55	74	20.0	0.133	晴	预期@10:55 手动 (未用传感器)
11:45	74	20.0	0.133	晴	预期@11:45 手动 (未用传感器)
12:30	74	20.0	0.133	晴	预期@12:30 手动 (未用传感器)
13:15	74	20.0	0.133	晴	预期@13:15 手动 (未用传感器)
14:05	74	20.0	0.133	晴	预期@14:05 手动 (未用传感器)
15:05	74	20.0	0.133	多云	预期@15:05 手动 (未用传感器)
总计	666.0 (9次)	180.0			建议进液EC: 1590, PH: 6.0





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:00	74	20.0	0.133	多云	假设@07:00 未知程序 (未用传感器)
08:35	74	20.0	0.133	晴	假设@08:35 未知程序 (未用传感器)
09:55	74	20.0	0.133	晴	假设@09:55 未知程序 (未用传感器)
10:50	74	20.0	0.133	晴	假设@10:50 未知程序 (未用传感器)
11:35	74	20.0	0.133	晴	假设@11:35 未知程序 (未用传感器)
12:05	74	20.0	0.133	晴	假设@12:05 未知程序 (未用传感器)
12:40	74	20.0	0.133	晴	假设@12:40 未知程序 (未用传感器)
13:10	74	20.0	0.133	晴	假设@13:10 未知程序 (未用传感器)
13:45	74	20.0	0.133	晴	假设@13:45 未知程序 (未用传感器)
14:25	74	20.0	0.133	晴	假设@14:25 未知程序 (未用传感器)
15:15	74	20.0	0.133	晴	假设@15:15 未知程序 (未用传感器)
总计	814.0 (11次)	220.0			建议进液EC: 1480, PH: 6.0






时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:00	74	20.0	0.133	晴	假设@07:00 未知程序 (未用传感器)
08:30	74	20.0	0.133	多云	假设@08:30 未知程序 (未用传感器)
10:05	74	20.0	0.133	多云	假设@10:05 未知程序 (未用传感器)
11:00	74	20.0	0.133	晴	假设@11:00 未知程序 (未用传感器)
11:40	74	20.0	0.133	晴	假设@11:40 未知程序 (未用传感器)
12:20	74	20.0	0.133	晴	假设@12:20 未知程序 (未用传感器)
13:00	74	20.0	0.133	晴	假设@13:00 未知程序 (未用传感器)
13:40	74	20.0	0.133	晴	假设@13:40 未知程序 (未用传感器)
14:25	74	20.0	0.133	晴	假设@14:25 未知程序 (未用传感器)
15:30	74	20.0	0.133	晴	假设@15:30 未知程序 (未用传感器)
总计	740.0 (10次)	200.0			建议进液EC: 1520, PH: 6.0





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:00	74	20.0	0.133	雾	假设@07:00 未知程序 (未用传感器)
07:30	74	20.0	0.133	雾	假设@07:30 未知程序 (未用传感器)
09:25	74	20.0	0.133	阴	假设@09:25 未知程序 (未用传感器)
10:30	74	20.0	0.133	晴	假设@10:30 未知程序 (未用传感器)
11:15	74	20.0	0.133	晴	假设@11:15 未知程序 (未用传感器)
11:50	74	20.0	0.133	晴	假设@11:50 未知程序 (未用传感器)
12:20	74	20.0	0.133	晴	假设@12:20 未知程序 (未用传感器)
12:55	74	20.0	0.133	晴	假设@12:55 未知程序 (未用传感器)
13:25	74	20.0	0.133	晴	假设@13:25 未知程序 (未用传感器)
14:05	74	20.0	0.133	晴	假设@14:05 未知程序 (未用传感器)
15:05	74	20.0	0.133	晴	假设@15:05 未知程序 (未用传感器)
16:15	74	20.0	0.133	晴	假设@16:15 未知程序 (未用传感器)
总计	888.0 (12次)	240.0			建议进液EC: 1500, PH: 6.0



时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:20	74	20.0	0.133	晴	假设@07:20 未知程序 (未用传感器)
09:00	74	20.0	0.133	晴	假设@09:00 未知程序 (未用传感器)
10:30	74	20.0	0.133	晴	假设@10:30 未知程序 (未用传感器)
11:30	74	20.0	0.133	晴	假设@11:30 未知程序 (未用传感器)
12:20	74	20.0	0.133	晴	假设@12:20 未知程序 (未用传感器)
13:05	74	20.0	0.133	晴	假设@13:05 未知程序 (未用传感器)
13:50	74	20.0	0.133	晴	假设@13:50 未知程序 (未用传感器)
14:40	74	20.0	0.133	晴	假设@14:40 未知程序 (未用传感器)
15:35	74	20.0	0.133	晴	假设@15:35 未知程序 (未用传感器)
总计	666.0 (9次)	180.0			建议进液EC: 1480, PH: 6.0

