





FgArea: [' 0']
NC11 P2-5
2026-04-04 (Day 220)


fgNum 1 (at_row = 45.0)

















1 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water_ec']]





Plot [' ECopt']




P2-5_0: M_1




Plot [['ETcA_VN', 'ETcA_ws'], ['ETcB_VN', 'ETcB_ws']]




Plot [['ETcAraw:o', 'ETcA']]




Plot [['ETcBraw:o', 'ETcB']]






Plot [['taoc', 'taoc_raw:ro', 'taoc_avg:r-']]




Plot [['setVI_ETcl', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]







Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o', ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o', ' PHO:g-o']]



Plot ET/VN



Plot Fv and fertilizer usage








Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa







Trend plot for P2-5_0












时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
06:45	71	20.0	0.133	晴	预期@06:45 手动 (未用传感器)
07:50	71	20.0	0.133	晴	预期@07:50 手动 (未用传感器)
09:40	71	20.0	0.133	晴	预期@09:40 手动 (未用传感器)
10:45	71	20.0	0.133	晴	预期@10:45 手动 (未用传感器)
11:40	71	20.0	0.133	晴	预期@11:40 手动 (未用传感器)
12:25	71	20.0	0.133	晴	预期@12:25 手动 (未用传感器)
13:10	71	20.0	0.133	晴	预期@13:10 手动 (未用传感器)
14:00	71	20.0	0.133	晴	预期@14:00 手动 (未用传感器)
15:00	71	20.0	0.133	晴	预期@15:00 手动 (未用传感器)
总计	639.0 (9次)	180.0			建议进液EC: 1500, PH: 6.0





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
06:45	74	20.0	0.133	阴	假设@06:45 未知程序 (未用传感器)
07:50	74	20.0	0.133	阴	假设@07:50 未知程序 (未用传感器)
10:30	74	20.0	0.133	阴	假设@10:30 未知程序 (未用传感器)
11:45	74	20.0	0.133	阴	假设@11:45 未知程序 (未用传感器)
12:40	74	20.0	0.133	阴	假设@12:40 未知程序 (未用传感器)
13:35	74	20.0	0.133	阴	假设@13:35 未知程序 (未用传感器)
总计	444.0 (6次)	120.0			建议进液EC: 1780, PH: 6.0






时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:20	74	20.0	0.133	多云	假设@07:20 未知程序 (未用传感器)
08:50	74	20.0	0.133	晴	假设@08:50 未知程序 (未用传感器)
10:20	74	20.0	0.133	晴	假设@10:20 未知程序 (未用传感器)
11:15	74	20.0	0.133	晴	假设@11:15 未知程序 (未用传感器)
12:00	74	20.0	0.133	晴	假设@12:00 未知程序 (未用传感器)
12:35	74	20.0	0.133	晴	假设@12:35 未知程序 (未用传感器)
13:10	74	20.0	0.133	晴	假设@13:10 未知程序 (未用传感器)
13:45	74	20.0	0.133	晴	假设@13:45 未知程序 (未用传感器)
14:45	74	20.0	0.133	晴	假设@14:45 未知程序 (未用传感器)
15:55	74	20.0	0.133	晴	假设@15:55 未知程序 (未用传感器)
总计	740.0 (10次)	200.0			建议进液EC: 1500, PH: 6.0





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
06:50	74	20.0	0.133	晴	假设@06:50 未知程序 (未用传感器)
08:10	74	20.0	0.133	晴	假设@08:10 未知程序 (未用传感器)
09:50	74	20.0	0.133	晴	假设@09:50 未知程序 (未用传感器)
10:50	74	20.0	0.133	晴	假设@10:50 未知程序 (未用传感器)
11:45	74	20.0	0.133	晴	假设@11:45 未知程序 (未用传感器)
12:30	74	20.0	0.133	晴	假设@12:30 未知程序 (未用传感器)
13:10	74	20.0	0.133	多云	假设@13:10 未知程序 (未用传感器)
13:50	74	20.0	0.133	多云	假设@13:50 未知程序 (未用传感器)
14:40	74	20.0	0.133	多云	假设@14:40 未知程序 (未用传感器)
15:55	74	20.0	0.133	多云	假设@15:55 未知程序 (未用传感器)
总计	740.0 (10次)	200.0			建议进液EC: 1470, PH: 6.0



时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:20	74	20.0	0.133	多云	假设@07:20 未知程序 (未用传感器)
09:25	74	20.0	0.133	阴	假设@09:25 未知程序 (未用传感器)
10:50	74	20.0	0.133	阴	假设@10:50 未知程序 (未用传感器)
11:40	74	20.0	0.133	阴	假设@11:40 未知程序 (未用传感器)
12:25	74	20.0	0.133	多云	假设@12:25 未知程序 (未用传感器)
13:40	74	20.0	0.133	多云	假设@13:40 未知程序 (未用传感器)
15:55	74	20.0	0.133	多云	假设@15:55 未知程序 (未用传感器)
总计	518.0 (7次)	140.0			建议进液EC: 1650, PH: 6.0

