





FgArea: [ ' 0' ]  
NC11 P2-5  
2025-09-21 (Day 25)














1 (fgArea = NA)






Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water\_ec']]




Plot [' ECopt ']






Plot [['taoc', 'taoc\_raw:ro', 'taoc\_avg:r-']]




Plot [['setVI\_ETcI', 'setVI\_fgRec', 'setVI\_VN', 'sISetVI']]







Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FVOEC:r-o', ' ECO:g-o' ]]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o', ' PHO:g-o' ]]



Plot ET/VN



Plot Fv and fertilizer usage













Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa




Trend plot forP2-5\_0























时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:50	300	150.0	0.999	晴	预期@08:50 手动 (未用传感器)
09:50	300	150.0	0.999	多云	预期@09:50 手动 (未用传感器)
11:20	300	150.0	0.999	多云	预期@11:20 手动 (未用传感器)
12:40	300	150.0	0.999	多云	预期@12:40 手动 (未用传感器)
14:00	300	150.0	0.999	多云	预期@14:00 手动 (未用传感器)
15:30	300	150.0	0.999	多云	预期@15:30 手动 (未用传感器)
总计	1800.0 (6次)	900.0			建议进液EC: 2220, PH: 6.5







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:55	300	150.0	0.999	晴	假设@09:55 未知程序 (未用传感器)
10:55	300	150.0	0.999	晴	假设@10:55 未知程序 (未用传感器)
12:00	300	150.0	0.999	晴	假设@12:00 未知程序 (未用传感器)
13:20	300	150.0	0.999	晴	假设@13:20 未知程序 (未用传感器)
14:40	300	150.0	0.999	晴	假设@14:40 未知程序 (未用传感器)
总计	1500.0 (5次)	750.0			建议进液EC: 2060, PH: 6.5







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:55	300	150.0	0.999	阴	假设@09:55 未知程序(未用传感器)
11:55	300	150.0	0.999	阴	假设@11:55 未知程序(未用传感器)
13:25	300	150.0	0.999	阴	假设@13:25 未知程序(未用传感器)
总计	900.0 (3次)	450.0			建议进液EC: 2080, PH: 6.5





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:50	300	150.0	0.999	晴	假设@09:50 未知程序 (未用传感器)
11:00	300	150.0	0.999	晴	假设@11:00 未知程序 (未用传感器)
12:15	300	150.0	0.999	晴	假设@12:15 未知程序 (未用传感器)
13:25	300	150.0	0.999	晴	假设@13:25 未知程序 (未用传感器)
总计	1200.0 (4次)	600.0			建议进液EC: 2060, PH: 6.5





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:50	300	150.0	0.999	阴	假设@09:50 未知程序 (未用传感器)
11:45	300	150.0	0.999	阴	假设@11:45 未知程序 (未用传感器)
13:05	300	150.0	0.999	阴	假设@13:05 未知程序 (未用传感器)
15:00	300	150.0	0.999	多云	假设@15:00 未知程序 (未用传感器)
总计	1200.0 (4次)	600.0			建议进液EC: 2050, PH: 6.5

