





FgArea: [' 0']
NC11 P2-5
2025-10-07 (Day 41)














1 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water_ec']]




Plot [' ECopt ']





Plot [['taoc', 'taoc_raw:ro', 'taoc_avg:r-']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]







Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FVOEC:r-o', ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o', ' PHO:g-o']]



Plot ET/VN



Plot Fv and fertilizer usage








Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa







Trend plot for P2-5_0















时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:10	300	150.0	0.999	多云	预期@10:10 手动 (未用传感器)
11:30	300	150.0	0.999	多云	预期@11:30 手动 (未用传感器)
13:30	300	150.0	0.999	多云	预期@13:30 手动 (未用传感器)
总计	900.0 (3次)	450.0			建议进液EC: 2000, PH: 6.5







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:10	300	150.0	0.999	多云	假设@10:10 未知程序 (未用传感器)
12:55	300	150.0	0.999	多云	假设@12:55 未知程序 (未用传感器)
总计	600.0 (2次)	300.0			建议进液EC: 2070, PH: 6.5







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:10	300	150.0	0.999	阴	假设@10:10 未知程序 (未用传感器)
总计	300.0 (1次)	150.0			建议进液EC: 2060, PH: 6.5





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:10	300	150.0	0.999	晴	假设@10:10 未知程序 (未用传感器)
12:10	300	150.0	0.999	多云	假设@12:10 未知程序 (未用传感器)
总计	600.0 (2次)	300.0			建议进液EC: 2160, PH: 6.5





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:05	300	150.0	0.999	晴	假设@10:05 未知程序(未用传感器)
11:35	300	150.0	0.999	晴	假设@11:35 未知程序(未用传感器)
13:15	300	150.0	0.999	晴	假设@13:15 未知程序(未用传感器)
总计	900.0 (3次)	450.0			建议进液EC: 2200, PH: 6.5

