





FgArea: [ ' 0' ]  
NC11 P2-5  
2025-12-04 (Day 99)


fgNum 1 (at\_row = 45)

















1 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water\_ec']]




Plot [ ' ECopt' ]









Plot [['taoc', 'taoc\_raw:ro', 'taoc\_avg:r-']]




Plot [['setVI\_ETcI', 'setVI\_fgRec', 'setVI\_VN', 'sISetVI']]







Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o', ' ECO:g-o' ]]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o', ' PHO:g-o' ]]




Plot ET/VN






Plot Fv and fertilizer usage







Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa




Trend plot forP2-5\_0








# FgDaily


















时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:15	143	30.0	0.2	晴	预期@09:15 手动 (未用传感器)
10:00	143	30.0	0.2	晴	预期@10:00 手动 (未用传感器)
10:45	143	30.0	0.2	晴	预期@10:45 手动 (未用传感器)
11:25	143	30.0	0.2	晴	预期@11:25 手动 (未用传感器)
12:30	143	30.0	0.2	晴	预期@12:30 手动 (未用传感器)
13:45	143	30.0	0.2	晴	预期@13:45 手动 (未用传感器)
总计	858.0 (6次)	180.0			建议进液EC: 1850, PH: 6.0






时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:40	150	30.0	0.2	晴	假设@09:40 未知程序 (未用传感器)
10:25	150	30.0	0.2	晴	假设@10:25 未知程序 (未用传感器)
11:10	150	30.0	0.2	晴	假设@11:10 未知程序 (未用传感器)
11:55	150	30.0	0.2	晴	假设@11:55 未知程序 (未用传感器)
14:00	150	30.0	0.2	晴	假设@14:00 未知程序 (未用传感器)
总计	750.0 (5次)	150.0			建议进液EC: 1860, PH: 6.0









时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:40	150	30.0	0.2	晴	假设@09:40 未知程序 (未用传感器)
10:25	150	30.0	0.2	晴	假设@10:25 未知程序 (未用传感器)
11:10	150	30.0	0.2	晴	假设@11:10 未知程序 (未用传感器)
11:55	150	30.0	0.2	晴	假设@11:55 未知程序 (未用传感器)
总计	600.0 (4次)	120.0			建议进液EC: 1920, PH: 6.0








时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:15	150	30.0	0.2	多云	假设@09:15 未知程序 (未用传感器)
10:15	150	30.0	0.2	多云	假设@10:15 未知程序 (未用传感器)
11:15	150	30.0	0.2	晴	假设@11:15 未知程序 (未用传感器)
12:15	150	30.0	0.2	晴	假设@12:15 未知程序 (未用传感器)
总计	600.0 (4次)	120.0			建议进液EC: 1870, PH: 6.0







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:45	150	30.0	0.2	阴	假设@10:45 未知程序 (未用传感器)
11:30	150	30.0	0.2	阴	假设@11:30 未知程序 (未用传感器)
12:10	150	30.0	0.2	多云	假设@12:10 未知程序 (未用传感器)
13:40	150	30.0	0.2	多云	假设@13:40 未知程序 (未用传感器)
总计	600.0 (4次)	120.0			建议进液EC: 1860, PH: 6.0

