





FgArea: [' 0']
NC11 P2-6
2025-12-07 (Day 102)


fgNum 1 (at_row = 49)

















1 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water_ec']]




Plot [' ECopt']






Plot [['taoc', 'taoc_raw:ro', 'taoc_avg:r-']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]







Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o' , ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o', ' PHO:g-o']]



Plot ET/VN



Plot Fv and fertilizer usage














Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa







Trend plot forP2-6_0














时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:20	100	20.0	0.133	晴	预期@08:20 手动 (未用传感器)
08:55	100	20.0	0.133	晴	预期@08:55 手动 (未用传感器)
09:30	100	20.0	0.133	晴	预期@09:30 手动 (未用传感器)
10:05	100	20.0	0.133	晴	预期@10:05 手动 (未用传感器)
10:35	100	20.0	0.133	晴	预期@10:35 手动 (未用传感器)
11:05	100	20.0	0.133	晴	预期@11:05 手动 (未用传感器)
12:00	100	20.0	0.133	晴	预期@12:00 手动 (未用传感器)
12:55	100	20.0	0.133	晴	预期@12:55 手动 (未用传感器)
13:50	100	20.0	0.133	晴	预期@13:50 手动 (未用传感器)
总计	900.0 (9次)	180.0			建议进液EC: 1830, PH: 6.0





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:20	100	20.0	0.133	晴	假设@08:20 未知程序 (未用传感器)
09:00	100	20.0	0.133	晴	假设@09:00 未知程序 (未用传感器)
10:50	100	20.0	0.133	晴	假设@10:50 未知程序 (未用传感器)
11:20	100	20.0	0.133	晴	假设@11:20 未知程序 (未用传感器)
11:50	100	20.0	0.133	晴	假设@11:50 未知程序 (未用传感器)
12:20	100	20.0	0.133	晴	假设@12:20 未知程序 (未用传感器)
13:10	100	20.0	0.133	晴	假设@13:10 未知程序 (未用传感器)
总计	700.0 (7次)	140.0			建议进液EC: 1830, PH: 6.0







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:55	100	20.0	0.133	晴	假设@08:55 未知程序 (未用传感器)
09:35	100	20.0	0.133	多云	假设@09:35 未知程序 (未用传感器)
10:40	100	20.0	0.133	阴	假设@10:40 未知程序 (未用传感器)
11:15	100	20.0	0.133	多云	假设@11:15 未知程序 (未用传感器)
11:50	100	20.0	0.133	多云	假设@11:50 未知程序 (未用传感器)
12:25	100	20.0	0.133	多云	假设@12:25 未知程序 (未用传感器)
总计	600.0 (6次)	120.0			建议进液EC: 1780, PH: 6.0






时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:45	100	20.0	0.133	晴	假设@08:45 未知程序 (未用传感器)
09:25	100	20.0	0.133	晴	假设@09:25 未知程序 (未用传感器)
10:00	100	20.0	0.133	晴	假设@10:00 未知程序 (未用传感器)
10:35	100	20.0	0.133	晴	假设@10:35 未知程序 (未用传感器)
11:10	100	20.0	0.133	晴	假设@11:10 未知程序 (未用传感器)
11:45	100	20.0	0.133	晴	假设@11:45 未知程序 (未用传感器)
12:45	100	20.0	0.133	晴	假设@12:45 未知程序 (未用传感器)
总计	700.0 (7次)	140.0			建议进液EC: 1800, PH: 6.0







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:20	100	20.0	0.133	晴	假设@08:20 未知程序 (未用传感器)
09:00	100	20.0	0.133	晴	假设@09:00 未知程序 (未用传感器)
09:40	100	20.0	0.133	晴	假设@09:40 未知程序 (未用传感器)
10:20	100	20.0	0.133	晴	假设@10:20 未知程序 (未用传感器)
11:00	100	20.0	0.133	晴	假设@11:00 未知程序 (未用传感器)
11:40	100	20.0	0.133	晴	假设@11:40 未知程序 (未用传感器)
12:35	100	20.0	0.133	晴	假设@12:35 未知程序 (未用传感器)
13:50	100	20.0	0.133	晴	假设@13:50 未知程序 (未用传感器)
总计	800.0 (8次)	160.0			建议进液EC: 1800, PH: 6.0

