





FgArea: [ ' 0' ]  
NC11 P2-6  
2026-03-28 (Day 213)


fgNum 1 (at\_row = 49)

















1 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water\_ec']]





Plot [ ' ECopt' ]




P2-6\_0: M\_1




Plot [['ETcA\_VN', 'ETcA\_ws'], ['ETcB\_VN', 'ETcB\_ws']]




Plot [['ETcAraw:o', 'ETcA']]




Plot [['ETcBraw:o', 'ETcB']]






Plot [['taoc', 'taoc\_raw:ro', 'taoc\_avg:r-']]




Plot [['setVI\_ETcI', 'setVI\_fgRec', 'setVI\_VN', 'sISetVI']]







Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o' , ' ECO:g-o' ]]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o', ' PH0:g-o' ]]



Plot ET/VN



Plot Fv and fertilizer usage







Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa











Trend plot for P2-6\_0







# FgDaily

















时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
06:55	74	20.0	0.133	晴	预期@06:55 手动 (未用传感器)
08:20	74	20.0	0.133	晴	预期@08:20 手动 (未用传感器)
10:05	74	20.0	0.133	晴	预期@10:05 手动 (未用传感器)
11:15	74	20.0	0.133	晴	预期@11:15 手动 (未用传感器)
12:15	74	20.0	0.133	晴	预期@12:15 手动 (未用传感器)
13:10	74	20.0	0.133	晴	预期@13:10 手动 (未用传感器)
14:10	74	20.0	0.133	晴	预期@14:10 手动 (未用传感器)
15:25	74	20.0	0.133	多云	预期@15:25 手动 (未用传感器)
总计	592.0 (8次)	160.0			建议进液EC: 1480, PH: 6.0






时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:30	74	20.0	0.133	多云	假设@07:30 未知程序 (未用传感器)
08:35	74	20.0	0.133	晴	假设@08:35 未知程序 (未用传感器)
09:40	74	20.0	0.133	晴	假设@09:40 未知程序 (未用传感器)
10:35	74	20.0	0.133	晴	假设@10:35 未知程序 (未用传感器)
11:25	74	20.0	0.133	晴	假设@11:25 未知程序 (未用传感器)
12:10	74	20.0	0.133	晴	假设@12:10 未知程序 (未用传感器)
12:55	74	20.0	0.133	晴	假设@12:55 未知程序 (未用传感器)
13:40	74	20.0	0.133	晴	假设@13:40 未知程序 (未用传感器)
14:25	74	20.0	0.133	晴	假设@14:25 未知程序 (未用传感器)
15:15	74	20.0	0.133	晴	假设@15:15 未知程序 (未用传感器)
16:20	74	20.0	0.133	晴	假设@16:20 未知程序 (未用传感器)
总计	814.0 (11次)	220.0			建议进液EC: 1440, PH: 6.0









时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:30	74	20.0	0.133	晴	假设@07:30 未知程序 (未用传感器)
08:40	74	20.0	0.133	多云	假设@08:40 未知程序 (未用传感器)
09:50	74	20.0	0.133	多云	假设@09:50 未知程序 (未用传感器)
10:45	74	20.0	0.133	多云	假设@10:45 未知程序 (未用传感器)
11:40	74	20.0	0.133	晴	假设@11:40 未知程序 (未用传感器)
12:30	74	20.0	0.133	晴	假设@12:30 未知程序 (未用传感器)
13:20	74	20.0	0.133	晴	假设@13:20 未知程序 (未用传感器)
14:05	74	20.0	0.133	晴	假设@14:05 未知程序 (未用传感器)
14:55	74	20.0	0.133	晴	假设@14:55 未知程序 (未用传感器)
15:50	74	20.0	0.133	晴	假设@15:50 未知程序 (未用传感器)
总计	740.0 (10次)	200.0			建议进液EC: 1440, PH: 6.0








时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:00	74	20.0	0.133	雾	假设@07:00 未知程序 (未用传感器)
07:55	74	20.0	0.133	雾	假设@07:55 未知程序 (未用传感器)
09:20	74	20.0	0.133	阴	假设@09:20 未知程序 (未用传感器)
10:15	74	20.0	0.133	晴	假设@10:15 未知程序 (未用传感器)
11:05	74	20.0	0.133	晴	假设@11:05 未知程序 (未用传感器)
11:50	74	20.0	0.133	晴	假设@11:50 未知程序 (未用传感器)
12:35	74	20.0	0.133	晴	假设@12:35 未知程序 (未用传感器)
13:20	74	20.0	0.133	晴	假设@13:20 未知程序 (未用传感器)
14:05	74	20.0	0.133	晴	假设@14:05 未知程序 (未用传感器)
14:50	74	20.0	0.133	晴	假设@14:50 未知程序 (未用传感器)
15:40	74	20.0	0.133	晴	假设@15:40 未知程序 (未用传感器)
总计	814.0 (11次)	220.0			建议进液EC: 1440, PH: 6.0







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:35	74	20.0	0.133	晴	假设@07:35 未知程序 (未用传感器)
08:55	74	20.0	0.133	晴	假设@08:55 未知程序 (未用传感器)
10:10	74	20.0	0.133	晴	假设@10:10 未知程序 (未用传感器)
11:10	74	20.0	0.133	晴	假设@11:10 未知程序 (未用传感器)
12:00	74	20.0	0.133	晴	假设@12:00 未知程序 (未用传感器)
12:55	74	20.0	0.133	晴	假设@12:55 未知程序 (未用传感器)
13:40	74	20.0	0.133	晴	假设@13:40 未知程序 (未用传感器)
14:30	74	20.0	0.133	晴	假设@14:30 未知程序 (未用传感器)
15:25	74	20.0	0.133	晴	假设@15:25 未知程序 (未用传感器)
总计	666.0 (9次)	180.0			建议进液EC: 1440, PH: 6.0



