





FgArea: [ ' 0' ]  
NC11 P2-6  
2026-04-11 (Day 227)


fgNum 1 (at\_row = 49.0)

















1 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water\_ec']]





Plot [ ' ECopt' ]




P2-6\_0: M\_1




Plot [['ETcA\_VN', 'ETcA\_ws'], ['ETcB\_VN', 'ETcB\_ws']]




Plot [['ETcAraw:o', 'ETcA']]




Plot [['ETcBraw:o', 'ETcB']]







Plot [['taoc', 'taoc\_raw:ro', 'taoc\_avg:r-']]




Plot [['setVI\_ETcI', 'setVI\_fgRec', 'setVI\_VN', 'sISetVI']]




Plot [['FRV:b-o', 'VI\_ws:r-o', 'VI:g-o']]




Plot [['V0\_ws:r-o', 'V0:g-o']]




Plot [['delta\_drain:ro', 'adjV0:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o', ' ECO:g-o' ]]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o', ' PH0:g-o' ]]



Plot ET/VN




Plot Fv and fertilizer usage







Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa





Trend plot for P2-6\_0







# FgDaily

















时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
06:30	74	20.0	0.133	晴	预期@06:30 手动 (未用传感器)
08:00	74	20.0	0.133	晴	预期@08:00 手动 (未用传感器)
09:50	74	20.0	0.133	晴	预期@09:50 手动 (未用传感器)
11:00	74	20.0	0.133	晴	预期@11:00 手动 (未用传感器)
12:00	74	20.0	0.133	晴	预期@12:00 手动 (未用传感器)
12:55	74	20.0	0.133	晴	预期@12:55 手动 (未用传感器)
13:55	74	20.0	0.133	晴	预期@13:55 手动 (未用传感器)
15:00	74	20.0	0.133	晴	预期@15:00 手动 (未用传感器)
总计	592.0 (8次)	160.0			建议进液EC: 1530, PH: 6.0






时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:05	74	20.0	0.133	晴	假设@07:05 未知程序 (未用传感器)
08:10	74	20.0	0.133	晴	假设@08:10 未知程序 (未用传感器)
09:15	74	20.0	0.133	晴	假设@09:15 未知程序 (未用传感器)
10:10	74	20.0	0.133	晴	假设@10:10 未知程序 (未用传感器)
10:55	74	20.0	0.133	晴	假设@10:55 未知程序 (未用传感器)
11:45	74	20.0	0.133	晴	假设@11:45 未知程序 (未用传感器)
12:45	74	20.0	0.133	晴	假设@12:45 未知程序 (未用传感器)
13:40	74	20.0	0.133	晴	假设@13:40 未知程序 (未用传感器)
14:35	74	20.0	0.133	晴	假设@14:35 未知程序 (未用传感器)
15:40	74	20.0	0.133	晴	假设@15:40 未知程序 (未用传感器)
16:50	74	20.0	0.133	晴	假设@16:50 未知程序 (未用传感器)
总计	814.0 (11次)	220.0			建议进液EC: 1660, PH: 6.0










时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:05	74	20.0	0.133	大雨	假设@07:05 未知程序 (未用传感器)
08:55	74	20.0	0.133	大雨	假设@08:55 未知程序 (未用传感器)
11:10	74	20.0	0.133	小雨	假设@11:10 未知程序 (未用传感器)
13:15	74	20.0	0.133	小雨	假设@13:15 未知程序 (未用传感器)
15:35	74	20.0	0.133	阴	假设@15:35 未知程序 (未用传感器)
总计	370.0 (5次)	100.0			建议进液EC: 1790, PH: 6.0








时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:10	74	20.0	0.133	晴	假设@07:10 未知程序 (未用传感器)
08:00	74	20.0	0.133	晴	假设@08:00 未知程序 (未用传感器)
09:05	74	20.0	0.133	晴	假设@09:05 未知程序 (未用传感器)
09:55	74	20.0	0.133	晴	假设@09:55 未知程序 (未用传感器)
10:45	74	20.0	0.133	晴	假设@10:45 未知程序 (未用传感器)
11:30	74	20.0	0.133	晴	假设@11:30 未知程序 (未用传感器)
12:15	74	20.0	0.133	晴	假设@12:15 未知程序 (未用传感器)
13:00	74	20.0	0.133	多云	假设@13:00 未知程序 (未用传感器)
13:45	74	20.0	0.133	多云	假设@13:45 未知程序 (未用传感器)
14:30	74	20.0	0.133	多云	假设@14:30 未知程序 (未用传感器)
15:20	74	20.0	0.133	多云	假设@15:20 未知程序 (未用传感器)
16:20	74	20.0	0.133	晴	假设@16:20 未知程序 (未用传感器)
总计	888.0 (12次)	240.0			建议进液EC: 1500, PH: 6.0







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:10	74	20.0	0.133	晴	假设@07:10 未知程序 (未用传感器)
08:10	74	20.0	0.133	晴	假设@08:10 未知程序 (未用传感器)
09:15	74	20.0	0.133	晴	假设@09:15 未知程序 (未用传感器)
10:05	74	20.0	0.133	晴	假设@10:05 未知程序 (未用传感器)
10:50	74	20.0	0.133	晴	假设@10:50 未知程序 (未用传感器)
11:30	74	20.0	0.133	晴	假设@11:30 未知程序 (未用传感器)
12:10	74	20.0	0.133	晴	假设@12:10 未知程序 (未用传感器)
12:50	74	20.0	0.133	晴	假设@12:50 未知程序 (未用传感器)
13:30	74	20.0	0.133	晴	假设@13:30 未知程序 (未用传感器)
14:10	74	20.0	0.133	阴	假设@14:10 未知程序 (未用传感器)
14:55	74	20.0	0.133	阴	假设@14:55 未知程序 (未用传感器)
15:45	74	20.0	0.133	晴	假设@15:45 未知程序 (未用传感器)
总计	888.0 (12次)	240.0			建议进液EC: 1530, PH: 6.0



