





FgArea: [ ' 0' ]  
NC11 P2-6  
2026-04-13 (Day 229)


fgNum 1 (at\_row = 49.0)

















1 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water\_ec']]





Plot [ ' ECopt' ]




P2-6\_0: M\_1




Plot [['ETcA\_VN', 'ETcA\_ws'], ['ETcB\_VN', 'ETcB\_ws']]




Plot [['ETcAraw:o', 'ETcA']]




Plot [['ETcBraw:o', 'ETcB']]







Plot [['taoc', 'taoc\_raw:ro', 'taoc\_avg:r-']]




Plot [['setVI\_ETcI', 'setVI\_fgRec', 'setVI\_VN', 'sISetVI']]




Plot [['FRV:b-o', 'VI\_ws:r-o', 'VI:g-o']]




Plot [['V0\_ws:r-o', 'V0:g-o']]




Plot [['delta\_drain:ro', 'adjV0:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o', ' ECO:g-o' ]]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o' , ' PH0:g-o' ]]



Plot ET/VN



Plot Fv and fertilizer usage







Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa










Trend plot for P2-6\_0







# FgDaily

















时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
06:30	65	20.0	0.133	多云	预期@06:30 手动 (未用传感器)
07:50	65	20.0	0.133	多云	预期@07:50 手动 (未用传感器)
09:45	65	20.0	0.133	多云	预期@09:45 手动 (未用传感器)
10:55	65	20.0	0.133	多云	预期@10:55 手动 (未用传感器)
11:55	65	20.0	0.133	多云	预期@11:55 手动 (未用传感器)
12:50	65	20.0	0.133	多云	预期@12:50 手动 (未用传感器)
13:50	65	20.0	0.133	多云	预期@13:50 手动 (未用传感器)
14:55	65	20.0	0.133	多云	预期@14:55 手动 (未用传感器)
总计	520.0 (8次)	160.0			建议进液EC: 1440, PH: 6.0





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
06:30	71	20.0	0.133	阴	假设@06:30 未知程序 (未用传感器)
07:15	71	20.0	0.133	阴	假设@07:15 未知程序 (未用传感器)
09:20	71	20.0	0.133	阴	假设@09:20 未知程序 (未用传感器)
10:20	71	20.0	0.133	阴	假设@10:20 未知程序 (未用传感器)
11:20	71	20.0	0.133	阴	假设@11:20 未知程序 (未用传感器)
12:20	71	20.0	0.133	阴	假设@12:20 未知程序 (未用传感器)
13:05	71	20.0	0.133	多云	假设@13:05 未知程序 (未用传感器)
13:50	71	20.0	0.133	多云	假设@13:50 未知程序 (未用传感器)
14:35	71	20.0	0.133	多云	假设@14:35 未知程序 (未用传感器)
15:25	71	20.0	0.133	多云	假设@15:25 未知程序 (未用传感器)
16:30	71	20.0	0.133	晴	假设@16:30 未知程序 (未用传感器)
总计	781.0 (11次)	220.0			建议进液EC: 1440, PH: 6.0









时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:05	71	20.0	0.133	晴	假设@07:05 未知程序 (未用传感器)
08:20	71	20.0	0.133	晴	假设@08:20 未知程序 (未用传感器)
09:25	71	20.0	0.133	晴	假设@09:25 未知程序 (未用传感器)
10:20	71	20.0	0.133	晴	假设@10:20 未知程序 (未用传感器)
11:05	71	20.0	0.133	晴	假设@11:05 未知程序 (未用传感器)
11:45	71	20.0	0.133	晴	假设@11:45 未知程序 (未用传感器)
12:30	71	20.0	0.133	晴	假设@12:30 未知程序 (未用传感器)
13:10	71	20.0	0.133	晴	假设@13:10 未知程序 (未用传感器)
13:50	71	20.0	0.133	晴	假设@13:50 未知程序 (未用传感器)
14:35	71	20.0	0.133	晴	假设@14:35 未知程序 (未用传感器)
15:20	71	20.0	0.133	晴	假设@15:20 未知程序 (未用传感器)
16:10	71	20.0	0.133	晴	假设@16:10 未知程序 (未用传感器)
总计	852.0 (12次)	240.0			建议进液EC: 1530, PH: 6.0








时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:05	74	20.0	0.133	晴	假设@07:05 未知程序 (未用传感器)
08:10	74	20.0	0.133	晴	假设@08:10 未知程序 (未用传感器)
09:15	74	20.0	0.133	晴	假设@09:15 未知程序 (未用传感器)
10:10	74	20.0	0.133	晴	假设@10:10 未知程序 (未用传感器)
10:55	74	20.0	0.133	晴	假设@10:55 未知程序 (未用传感器)
11:45	74	20.0	0.133	晴	假设@11:45 未知程序 (未用传感器)
12:45	74	20.0	0.133	晴	假设@12:45 未知程序 (未用传感器)
13:40	74	20.0	0.133	晴	假设@13:40 未知程序 (未用传感器)
14:35	74	20.0	0.133	晴	假设@14:35 未知程序 (未用传感器)
15:35	74	20.0	0.133	晴	假设@15:35 未知程序 (未用传感器)
16:45	74	20.0	0.133	晴	假设@16:45 未知程序 (未用传感器)
总计	814.0 (11次)	220.0			建议进液EC: 1660, PH: 6.0







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:05	74	20.0	0.133	大雨	假设@07:05 未知程序 (未用传感器)
08:55	74	20.0	0.133	大雨	假设@08:55 未知程序 (未用传感器)
11:10	74	20.0	0.133	小雨	假设@11:10 未知程序 (未用传感器)
13:15	74	20.0	0.133	小雨	假设@13:15 未知程序 (未用传感器)
15:35	74	20.0	0.133	阴	假设@15:35 未知程序 (未用传感器)
总计	370.0 (5次)	100.0			建议进液EC: 1790, PH: 6.0

