





FgArea: [' 0']
NC11 P2-6
2025-11-10 (Day 75)














1 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water_ec']]




Plot [' ECopt ']






Plot [['taoc', 'taoc_raw:ro', 'taoc_avg:r-']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]







Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o' , ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o', ' PHO:g-o']]



Plot ET/VN



Plot Fv and fertilizer usage







Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa





Trend plot forP2-6_0







FgDaily














时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:25	80	40.0	0.266	晴	预期@08:25 手动 (未用传感器)
08:55	80	40.0	0.266	晴	预期@08:55 手动 (未用传感器)
09:25	80	40.0	0.266	晴	预期@09:25 手动 (未用传感器)
09:55	80	40.0	0.266	晴	预期@09:55 手动 (未用传感器)
10:40	80	40.0	0.266	晴	预期@10:40 手动 (未用传感器)
11:15	80	40.0	0.266	晴	预期@11:15 手动 (未用传感器)
11:50	80	40.0	0.266	晴	预期@11:50 手动 (未用传感器)
12:25	80	40.0	0.266	晴	预期@12:25 手动 (未用传感器)
13:00	80	40.0	0.266	晴	预期@13:00 手动 (未用传感器)
13:35	80	40.0	0.266	晴	预期@13:35 手动 (未用传感器)
14:10	80	40.0	0.266	晴	预期@14:10 手动 (未用传感器)
总计	880.0 (11次)	440.0			建议进液EC: 2100, PH: 6.0







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:30	80	40.0	0.266	晴	假设@08:30 未知程序 (未用传感器)
09:00	80	40.0	0.266	晴	假设@09:00 未知程序 (未用传感器)
09:30	80	40.0	0.266	晴	假设@09:30 未知程序 (未用传感器)
10:20	80	40.0	0.266	晴	假设@10:20 未知程序 (未用传感器)
10:55	80	40.0	0.266	晴	假设@10:55 未知程序 (未用传感器)
11:30	80	40.0	0.266	晴	假设@11:30 未知程序 (未用传感器)
12:00	80	40.0	0.266	晴	假设@12:00 未知程序 (未用传感器)
12:35	80	40.0	0.266	晴	假设@12:35 未知程序 (未用传感器)
13:10	80	40.0	0.266	晴	假设@13:10 未知程序 (未用传感器)
14:00	80	40.0	0.266	晴	假设@14:00 未知程序 (未用传感器)
总计	800.0 (10次)	400.0			建议进液EC: 2130, PH: 6.0





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:00	80	40.0	0.266	晴	假设@09:00 未知程序 (未用传感器)
09:30	80	40.0	0.266	晴	假设@09:30 未知程序 (未用传感器)
10:00	80	40.0	0.266	晴	假设@10:00 未知程序 (未用传感器)
10:40	80	40.0	0.266	晴	假设@10:40 未知程序 (未用传感器)
11:20	80	40.0	0.266	晴	假设@11:20 未知程序 (未用传感器)
11:55	80	40.0	0.266	晴	假设@11:55 未知程序 (未用传感器)
12:30	80	40.0	0.266	晴	假设@12:30 未知程序 (未用传感器)
13:05	80	40.0	0.266	晴	假设@13:05 未知程序 (未用传感器)
13:55	80	40.0	0.266	晴	假设@13:55 未知程序 (未用传感器)
总计	720.0 (9次)	360.0			建议进液EC: 2100, PH: 6.0





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:45	80	40.0	0.266	阴	假设@10:45 未知程序(未用传感器)
12:45	80	40.0	0.266	阴	假设@12:45 未知程序(未用传感器)
13:15	80	40.0	0.266	阴	假设@13:15 未知程序(未用传感器)
总计	240.0 (3次)	120.0			建议进液EC: 1940, PH: 6.5





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:15	80	40.0	0.266	多云	假设@09:15 未知程序 (未用传感器)
09:50	80	40.0	0.266	多云	假设@09:50 未知程序 (未用传感器)
10:25	80	40.0	0.266	阴	假设@10:25 未知程序 (未用传感器)
10:55	80	40.0	0.266	阴	假设@10:55 未知程序 (未用传感器)
11:45	80	40.0	0.266	阴	假设@11:45 未知程序 (未用传感器)
12:30	80	40.0	0.266	阴	假设@12:30 未知程序 (未用传感器)
13:15	80	40.0	0.266	阴	假设@13:15 未知程序 (未用传感器)
14:05	80	40.0	0.266	阴	假设@14:05 未知程序 (未用传感器)
总计	640.0 (8次)	320.0			建议进液EC: 2010, PH: 6.5

