





FgArea: [ ' 0' ]  
NC11 P2-6  
2025-12-04 (Day 99)


fgNum 1 (at\_row = 49)

















1 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water\_ec']]




Plot [ ' ECopt' ]






Plot [['taoc', 'taoc\_raw:ro', 'taoc\_avg:r-']]




Plot [['setVI\_ETcI', 'setVI\_fgRec', 'setVI\_VN', 'sISetVI']]







Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o' , ' ECO:g-o' ]]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o', ' PHO:g-o' ]]



Plot ET/VN



Plot Fv and fertilizer usage













Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa




Trend plot for P2-6\_0






















时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:25	100	20.0	0.133	晴	预期@08:25 手动 (未用传感器)
09:00	100	20.0	0.133	晴	预期@09:00 手动 (未用传感器)
09:35	100	20.0	0.133	晴	预期@09:35 手动 (未用传感器)
10:05	100	20.0	0.133	晴	预期@10:05 手动 (未用传感器)
10:35	100	20.0	0.133	晴	预期@10:35 手动 (未用传感器)
11:05	100	20.0	0.133	晴	预期@11:05 手动 (未用传感器)
12:00	100	20.0	0.133	晴	预期@12:00 手动 (未用传感器)
12:55	100	20.0	0.133	晴	预期@12:55 手动 (未用传感器)
13:55	100	20.0	0.133	晴	预期@13:55 手动 (未用传感器)
总计	900.0 (9次)	180.0			建议进液EC: 1800, PH: 6.0







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:20	100	20.0	0.133	晴	假设@08:20 未知程序 (未用传感器)
09:00	100	20.0	0.133	晴	假设@09:00 未知程序 (未用传感器)
09:40	100	20.0	0.133	晴	假设@09:40 未知程序 (未用传感器)
10:20	100	20.0	0.133	晴	假设@10:20 未知程序 (未用传感器)
11:00	100	20.0	0.133	晴	假设@11:00 未知程序 (未用传感器)
11:40	100	20.0	0.133	晴	假设@11:40 未知程序 (未用传感器)
12:35	100	20.0	0.133	晴	假设@12:35 未知程序 (未用传感器)
13:50	100	20.0	0.133	晴	假设@13:50 未知程序 (未用传感器)
总计	800.0 (8次)	160.0			建议进液EC: 1800, PH: 6.0









时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:10	143	30.0	0.2	晴	假设@09:10 未知程序 (未用传感器)
10:00	143	30.0	0.2	晴	假设@10:00 未知程序 (未用传感器)
10:50	143	30.0	0.2	晴	假设@10:50 未知程序 (未用传感器)
11:40	143	30.0	0.2	晴	假设@11:40 未知程序 (未用传感器)
12:55	143	30.0	0.2	晴	假设@12:55 未知程序 (未用传感器)
总计	715.0 (5次)	150.0			建议进液EC: 1850, PH: 6.0









时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:05	143	30.0	0.2	多云	假设@09:05 未知程序 (未用传感器)
10:00	143	30.0	0.2	多云	假设@10:00 未知程序 (未用传感器)
10:50	143	30.0	0.2	多云	假设@10:50 未知程序 (未用传感器)
11:40	143	30.0	0.2	晴	假设@11:40 未知程序 (未用传感器)
总计	572.0 (4次)	120.0			建议进液EC: 1820, PH: 6.0







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:45	143	30.0	0.2	阴	假设@10:45 未知程序 (未用传感器)
11:30	143	30.0	0.2	阴	假设@11:30 未知程序 (未用传感器)
12:10	143	30.0	0.2	多云	假设@12:10 未知程序 (未用传感器)
12:50	143	30.0	0.2	多云	假设@12:50 未知程序 (未用传感器)
总计	572.0 (4次)	120.0			建议进液EC: 1850, PH: 6.0

