





FgArea: [ ' 0' ]  
NC11 P2-7  
2026-01-15 (Day 141)


fgNum 1 (at\_row = 44)

















1 (fgArea = NA)








Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water\_ec']]




Plot [ ' ECopt' ]




Plot [['ETcA\_VN', 'ETcA\_ws'], ['ETcB\_VN', 'ETcB\_ws']]




Plot [['ETcAraw:o', 'ETcA']]




Plot [['ETcBraw:o', 'ETcB']]






Plot [['taoc', 'taoc\_raw:ro', 'taoc\_avg:r-']]




Plot [['setVI\_ETcI', 'setVI\_fgRec', 'setVI\_VN', 'sISetVI']]







Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o' , ' ECO:g-o' ]]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o' , ' PHO:g-o' ]]



Plot ET/VN



Plot Fv and fertilizer usage







Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa




Trend plot for P2-7\_0























时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:30	45	10.0	0.067	晴	预期@08:30 手动 (未用传感器)
09:25	45	10.0	0.067	晴	预期@09:25 手动 (未用传感器)
10:25	45	10.0	0.067	晴	预期@10:25 手动 (未用传感器)
11:25	45	10.0	0.067	晴	预期@11:25 手动 (未用传感器)
12:15	45	10.0	0.067	晴	预期@12:15 手动 (未用传感器)
13:05	45	10.0	0.067	晴	预期@13:05 手动 (未用传感器)
14:05	45	10.0	0.067	晴	预期@14:05 手动 (未用传感器)
总计	315.0 (7次)	70.0			建议进液EC: 1910, PH: 6.0






时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:30	45	10.0	0.067	晴	假设@08:30 未知程序 (未用传感器)
10:25	45	10.0	0.067	晴	假设@10:25 未知程序 (未用传感器)
10:55	45	10.0	0.067	晴	假设@10:55 未知程序 (未用传感器)
11:40	45	10.0	0.067	晴	假设@11:40 未知程序 (未用传感器)
12:35	45	10.0	0.067	晴	假设@12:35 未知程序 (未用传感器)
13:40	45	10.0	0.067	阴	假设@13:40 未知程序 (未用传感器)
总计	270.0 (6次)	60.0			建议进液EC: 1920, PH: 6.0








时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:30	45	10.0	0.067	多云	假设@08:30 未知程序 (未用传感器)
09:10	45	10.0	0.067	晴	假设@09:10 未知程序 (未用传感器)
09:50	45	10.0	0.067	晴	假设@09:50 未知程序 (未用传感器)
10:55	45	10.0	0.067	晴	假设@10:55 未知程序 (未用传感器)
11:50	45	10.0	0.067	晴	假设@11:50 未知程序 (未用传感器)
12:35	45	10.0	0.067	晴	假设@12:35 未知程序 (未用传感器)
13:35	45	10.0	0.067	晴	假设@13:35 未知程序 (未用传感器)
总计	315.0 (7次)	70.0			建议进液EC: 1980, PH: 6.0








时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:30	45	10.0	0.067	多云	假设@08:30 未知程序 (未用传感器)
09:10	45	10.0	0.067	多云	假设@09:10 未知程序 (未用传感器)
09:40	45	10.0	0.067	多云	假设@09:40 未知程序 (未用传感器)
10:50	45	10.0	0.067	多云	假设@10:50 未知程序 (未用传感器)
11:40	45	10.0	0.067	晴	假设@11:40 未知程序 (未用传感器)
12:35	45	10.0	0.067	晴	假设@12:35 未知程序 (未用传感器)
13:40	45	10.0	0.067	晴	假设@13:40 未知程序 (未用传感器)
总计	315.0 (7次)	70.0			建议进液EC: 1860, PH: 6.0







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:30	45	10.0	0.067	多云	假设@08:30 未知程序 (未用传感器)
09:15	45	10.0	0.067	晴	假设@09:15 未知程序 (未用传感器)
10:10	45	10.0	0.067	晴	假设@10:10 未知程序 (未用传感器)
11:15	45	10.0	0.067	晴	假设@11:15 未知程序 (未用传感器)
12:00	45	10.0	0.067	晴	假设@12:00 未知程序 (未用传感器)
12:45	45	10.0	0.067	晴	假设@12:45 未知程序 (未用传感器)
13:25	45	10.0	0.067	晴	假设@13:25 未知程序 (未用传感器)
14:15	45	10.0	0.067	晴	假设@14:15 未知程序 (未用传感器)
总计	360.0 (8次)	80.0			建议进液EC: 1880, PH: 6.0



