





FgArea: [' 0']
NC11 P2-7
2026-03-24 (Day 209)


fgNum 1 (at_row = 44)

















1 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water_ec']]





Plot [' ECopt']




P2-7_0: M_1




Plot [['ETcA_VN', 'ETcA_ws'], ['ETcB_VN', 'ETcB_ws']]




Plot [['ETcAraw:o', 'ETcA']]




Plot [['ETcBraw:o', 'ETcB']]






Plot [['taoc', 'taoc_raw:ro', 'taoc_avg:r-']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]







Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o', ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o' , ' PH0:g-o']]



Plot ET/VN



Plot Fv and fertilizer usage














Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa







Trend plot for P2-7_0














时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:00	71	20.0	0.133	晴	预期@07:00 手动 (未用传感器)
07:35	71	20.0	0.133	晴	预期@07:35 手动 (未用传感器)
09:25	71	20.0	0.133	晴	预期@09:25 手动 (未用传感器)
10:30	71	20.0	0.133	晴	预期@10:30 手动 (未用传感器)
11:20	71	20.0	0.133	晴	预期@11:20 手动 (未用传感器)
12:05	71	20.0	0.133	晴	预期@12:05 手动 (未用传感器)
12:45	71	20.0	0.133	晴	预期@12:45 手动 (未用传感器)
13:30	71	20.0	0.133	晴	预期@13:30 手动 (未用传感器)
14:20	71	20.0	0.133	晴	预期@14:20 手动 (未用传感器)
15:15	71	20.0	0.133	晴	预期@15:15 手动 (未用传感器)
总计	710.0 (10次)	200.0			建议进液EC: 1440, PH: 6.0





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:05	71	20.0	0.133	晴	假设@07:05 未知程序 (未用传感器)
08:30	71	20.0	0.133	晴	假设@08:30 未知程序 (未用传感器)
10:00	71	20.0	0.133	阴	假设@10:00 未知程序 (未用传感器)
10:55	71	20.0	0.133	阴	假设@10:55 未知程序 (未用传感器)
11:45	71	20.0	0.133	阴	假设@11:45 未知程序 (未用传感器)
12:20	71	20.0	0.133	阴	假设@12:20 未知程序 (未用传感器)
13:00	71	20.0	0.133	阴	假设@13:00 未知程序 (未用传感器)
13:50	71	20.0	0.133	阴	假设@13:50 未知程序 (未用传感器)
14:35	71	20.0	0.133	阴	假设@14:35 未知程序 (未用传感器)
15:35	71	20.0	0.133	阴	假设@15:35 未知程序 (未用传感器)
总计	710.0 (10次)	200.0			建议进液EC: 1440, PH: 6.0







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:10	71	20.0	0.133	雾	假设@07:10 未知程序 (未用传感器)
08:25	71	20.0	0.133	晴	假设@08:25 未知程序 (未用传感器)
09:50	71	20.0	0.133	晴	假设@09:50 未知程序 (未用传感器)
10:45	71	20.0	0.133	晴	假设@10:45 未知程序 (未用传感器)
11:30	71	20.0	0.133	晴	假设@11:30 未知程序 (未用传感器)
12:15	71	20.0	0.133	晴	假设@12:15 未知程序 (未用传感器)
12:55	71	20.0	0.133	晴	假设@12:55 未知程序 (未用传感器)
13:40	71	20.0	0.133	晴	假设@13:40 未知程序 (未用传感器)
14:30	71	20.0	0.133	晴	假设@14:30 未知程序 (未用传感器)
15:35	71	20.0	0.133	晴	假设@15:35 未知程序 (未用传感器)
总计	710.0 (10次)	200.0			建议进液EC: 1440, PH: 6.0








时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:10	71	20.0	0.133	晴	假设@07:10 未知程序 (未用传感器)
08:50	71	20.0	0.133	晴	假设@08:50 未知程序 (未用传感器)
10:15	71	20.0	0.133	晴	假设@10:15 未知程序 (未用传感器)
11:05	71	20.0	0.133	多云	假设@11:05 未知程序 (未用传感器)
11:50	71	20.0	0.133	多云	假设@11:50 未知程序 (未用传感器)
12:30	71	20.0	0.133	多云	假设@12:30 未知程序 (未用传感器)
13:05	71	20.0	0.133	多云	假设@13:05 未知程序 (未用传感器)
13:45	71	20.0	0.133	多云	假设@13:45 未知程序 (未用传感器)
14:30	71	20.0	0.133	多云	假设@14:30 未知程序 (未用传感器)
15:45	71	20.0	0.133	晴	假设@15:45 未知程序 (未用传感器)
总计	710.0 (10次)	200.0			建议进液EC: 1470, PH: 6.0





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:10	71	20.0	0.133	多云	假设@07:10 未知程序 (未用传感器)
08:45	71	20.0	0.133	晴	假设@08:45 未知程序 (未用传感器)
10:05	71	20.0	0.133	晴	假设@10:05 未知程序 (未用传感器)
11:05	71	20.0	0.133	晴	假设@11:05 未知程序 (未用传感器)
11:55	71	20.0	0.133	晴	假设@11:55 未知程序 (未用传感器)
12:35	71	20.0	0.133	晴	假设@12:35 未知程序 (未用传感器)
13:15	71	20.0	0.133	晴	假设@13:15 未知程序 (未用传感器)
14:00	71	20.0	0.133	晴	假设@14:00 未知程序 (未用传感器)
14:50	71	20.0	0.133	晴	假设@14:50 未知程序 (未用传感器)
总计	639.0 (9次)	180.0			建议进液EC: 1440, PH: 6.0

