





FgArea: [' 0']
NC11 P2-7
2026-04-01 (Day 217)


fgNum 1 (at_row = 44)

















1 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water_ec']]





Plot [' ECopt']




P2-7_0: M_1




Plot [['ETcA_VN', 'ETcA_ws'], ['ETcB_VN', 'ETcB_ws']]




Plot [['ETcAraw:o', 'ETcA']]




Plot [['ETcBraw:o', 'ETcB']]






Plot [['taoc', 'taoc_raw:ro', 'taoc_avg:r-']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]







Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o', ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o', ' PH0:g-o']]



Plot ET/VN










Plot Fv and fertilizer usage






Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa









0 25 50 75 100 125 150 175 200


d









时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
06:50	71	20.0	0.133	晴	预期@06:50 手动 (未用传感器)
07:25	71	20.0	0.133	晴	预期@07:25 手动 (未用传感器)
09:15	71	20.0	0.133	晴	预期@09:15 手动 (未用传感器)
10:20	71	20.0	0.133	晴	预期@10:20 手动 (未用传感器)
11:10	71	20.0	0.133	晴	预期@11:10 手动 (未用传感器)
11:55	71	20.0	0.133	晴	预期@11:55 手动 (未用传感器)
12:40	71	20.0	0.133	晴	预期@12:40 手动 (未用传感器)
13:20	71	20.0	0.133	晴	预期@13:20 手动 (未用传感器)
14:05	71	20.0	0.133	晴	预期@14:05 手动 (未用传感器)
15:00	71	20.0	0.133	晴	预期@15:00 手动 (未用传感器)
16:15	71	20.0	0.133	晴	预期@16:15 手动 (未用传感器)
总计	781.0 (11次)	220.0			建议进液EC: 1440, PH: 6.0





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
06:50	71	20.0	0.133	晴	假设@06:50 未知程序 (未用传感器)
08:35	71	20.0	0.133	多云	假设@08:35 未知程序 (未用传感器)
10:15	71	20.0	0.133	阴	假设@10:15 未知程序 (未用传感器)
11:00	71	20.0	0.133	阴	假设@11:00 未知程序 (未用传感器)
11:40	71	20.0	0.133	阴	假设@11:40 未知程序 (未用传感器)
12:20	71	20.0	0.133	多云	假设@12:20 未知程序 (未用传感器)
13:10	71	20.0	0.133	多云	假设@13:10 未知程序 (未用传感器)
14:30	71	20.0	0.133	多云	假设@14:30 未知程序 (未用传感器)
16:20	71	20.0	0.133	多云	假设@16:20 未知程序 (未用传感器)
总计	639.0 (9次)	180.0			建议进液EC: 1440, PH: 6.0







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
06:55	71	20.0	0.133	雾	假设@06:55 未知程序 (未用传感器)
08:25	71	20.0	0.133	雾	假设@08:25 未知程序 (未用传感器)
09:40	71	20.0	0.133	多云	假设@09:40 未知程序 (未用传感器)
10:30	71	20.0	0.133	多云	假设@10:30 未知程序 (未用传感器)
11:10	71	20.0	0.133	晴	假设@11:10 未知程序 (未用传感器)
11:45	71	20.0	0.133	晴	假设@11:45 未知程序 (未用传感器)
12:20	71	20.0	0.133	晴	假设@12:20 未知程序 (未用传感器)
12:50	71	20.0	0.133	晴	假设@12:50 未知程序 (未用传感器)
13:25	71	20.0	0.133	晴	假设@13:25 未知程序 (未用传感器)
14:00	71	20.0	0.133	晴	假设@14:00 未知程序 (未用传感器)
14:40	71	20.0	0.133	晴	假设@14:40 未知程序 (未用传感器)
15:25	71	20.0	0.133	晴	假设@15:25 未知程序 (未用传感器)
总计	852.0 (12次)	240.0			建议进液EC: 1490, PH: 6.0





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
06:05	71	20.0	0.133	阴	假设@06:05 未知程序 (未用传感器)
06:35	71	20.0	0.133	阴	假设@06:35 未知程序 (未用传感器)
09:50	71	20.0	0.133	阴	假设@09:50 未知程序 (未用传感器)
12:35	71	20.0	0.133	小雨	假设@12:35 未知程序 (未用传感器)
13:45	71	20.0	0.133	阴	假设@13:45 未知程序 (未用传感器)
15:30	71	20.0	0.133	阴	假设@15:30 未知程序 (未用传感器)
总计	426.0 (6次)	120.0			建议进液EC: 1730, PH: 6.0





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
06:55	71	20.0	0.133	晴	假设@06:55 未知程序 (未用传感器)
08:15	71	20.0	0.133	晴	假设@08:15 未知程序 (未用传感器)
09:35	71	20.0	0.133	晴	假设@09:35 未知程序 (未用传感器)
10:25	71	20.0	0.133	晴	假设@10:25 未知程序 (未用传感器)
11:05	71	20.0	0.133	晴	假设@11:05 未知程序 (未用传感器)
11:40	71	20.0	0.133	晴	假设@11:40 未知程序 (未用传感器)
12:10	71	20.0	0.133	晴	假设@12:10 未知程序 (未用传感器)
12:40	71	20.0	0.133	晴	假设@12:40 未知程序 (未用传感器)
13:10	71	20.0	0.133	晴	假设@13:10 未知程序 (未用传感器)
13:40	71	20.0	0.133	晴	假设@13:40 未知程序 (未用传感器)
14:10	71	20.0	0.133	晴	假设@14:10 未知程序 (未用传感器)
14:45	71	20.0	0.133	晴	假设@14:45 未知程序 (未用传感器)
15:30	71	20.0	0.133	晴	假设@15:30 未知程序 (未用传感器)
16:50	71	20.0	0.133	晴	假设@16:50 未知程序 (未用传感器)
总计	994.0 (14次)	280.0			建议进液EC: 1500, PH: 6.0

