





FgArea: [ ' 0' ]  
NC11 P2-7  
2026-04-02 (Day 218)


fgNum 1 (at\_row = 44)

















1 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water\_ec']]





Plot [ ' ECopt' ]




P2-7\_0: M\_1




Plot [['ETcA\_VN', 'ETcA\_ws'], ['ETcB\_VN', 'ETcB\_ws']]




Plot [['ETcAraw:o', 'ETcA']]




Plot [['ETcBraw:o', 'ETcB']]






Plot [['taoc', 'taoc\_raw:ro', 'taoc\_avg:r-']]




Plot [['setVI\_ETcI', 'setVI\_fgRec', 'setVI\_VN', 'sISetVI']]







Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]



Plot [[' FV0EC:r-o' , ' ECO:g-o' ]]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]




Warning: col ['PHC', 'FVIPH'] is missing





Plot [[' FVOPH:r-o', ' PHO:g-o' ]]



Plot ET/VN



Plot Fv and fertilizer usage







Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa




Trend plot forP2-7\_0























时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
06:45	71	20.0	0.133	多云	预期@06:45 手动 (未用传感器)
07:15	71	20.0	0.133	多云	预期@07:15 手动 (未用传感器)
09:10	71	20.0	0.133	多云	预期@09:10 手动 (未用传感器)
10:15	71	20.0	0.133	多云	预期@10:15 手动 (未用传感器)
11:00	71	20.0	0.133	晴	预期@11:00 手动 (未用传感器)
11:45	71	20.0	0.133	晴	预期@11:45 手动 (未用传感器)
12:25	71	20.0	0.133	晴	预期@12:25 手动 (未用传感器)
13:05	71	20.0	0.133	晴	预期@13:05 手动 (未用传感器)
13:45	71	20.0	0.133	晴	预期@13:45 手动 (未用传感器)
14:35	71	20.0	0.133	晴	预期@14:35 手动 (未用传感器)
15:30	71	20.0	0.133	晴	预期@15:30 手动 (未用传感器)
总计	781.0 (11次)	220.0			建议进液EC: 1440, PH: 6.0






时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
06:50	71	20.0	0.133	晴	假设@06:50 未知程序 (未用传感器)
08:10	71	20.0	0.133	晴	假设@08:10 未知程序 (未用传感器)
09:30	71	20.0	0.133	晴	假设@09:30 未知程序 (未用传感器)
10:20	71	20.0	0.133	晴	假设@10:20 未知程序 (未用传感器)
11:00	71	20.0	0.133	晴	假设@11:00 未知程序 (未用传感器)
11:40	71	20.0	0.133	晴	假设@11:40 未知程序 (未用传感器)
12:15	71	20.0	0.133	晴	假设@12:15 未知程序 (未用传感器)
12:45	71	20.0	0.133	晴	假设@12:45 未知程序 (未用传感器)
13:20	71	20.0	0.133	多云	假设@13:20 未知程序 (未用传感器)
14:00	71	20.0	0.133	多云	假设@14:00 未知程序 (未用传感器)
14:40	71	20.0	0.133	多云	假设@14:40 未知程序 (未用传感器)
15:30	71	20.0	0.133	多云	假设@15:30 未知程序 (未用传感器)
总计	852.0 (12次)	240.0			建议进液EC: 1440, PH: 6.0










时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
06:50	71	20.0	0.133	晴	假设@06:50 未知程序 (未用传感器)
08:35	71	20.0	0.133	多云	假设@08:35 未知程序 (未用传感器)
10:15	71	20.0	0.133	阴	假设@10:15 未知程序 (未用传感器)
11:00	71	20.0	0.133	阴	假设@11:00 未知程序 (未用传感器)
11:40	71	20.0	0.133	阴	假设@11:40 未知程序 (未用传感器)
12:20	71	20.0	0.133	多云	假设@12:20 未知程序 (未用传感器)
13:10	71	20.0	0.133	多云	假设@13:10 未知程序 (未用传感器)
14:30	71	20.0	0.133	多云	假设@14:30 未知程序 (未用传感器)
16:20	71	20.0	0.133	多云	假设@16:20 未知程序 (未用传感器)
总计	639.0 (9次)	180.0			建议进液EC: 1440, PH: 6.0









时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
06:55	71	20.0	0.133	雾	假设@06:55 未知程序 (未用传感器)
08:25	71	20.0	0.133	雾	假设@08:25 未知程序 (未用传感器)
09:40	71	20.0	0.133	多云	假设@09:40 未知程序 (未用传感器)
10:30	71	20.0	0.133	多云	假设@10:30 未知程序 (未用传感器)
11:10	71	20.0	0.133	晴	假设@11:10 未知程序 (未用传感器)
11:45	71	20.0	0.133	晴	假设@11:45 未知程序 (未用传感器)
12:20	71	20.0	0.133	晴	假设@12:20 未知程序 (未用传感器)
12:50	71	20.0	0.133	晴	假设@12:50 未知程序 (未用传感器)
13:25	71	20.0	0.133	晴	假设@13:25 未知程序 (未用传感器)
14:00	71	20.0	0.133	晴	假设@14:00 未知程序 (未用传感器)
14:40	71	20.0	0.133	晴	假设@14:40 未知程序 (未用传感器)
15:25	71	20.0	0.133	晴	假设@15:25 未知程序 (未用传感器)
总计	852.0 (12次)	240.0			建议进液EC: 1490, PH: 6.0







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
06:05	71	20.0	0.133	阴	假设@06:05 未知程序 (未用传感器)
06:35	71	20.0	0.133	阴	假设@06:35 未知程序 (未用传感器)
09:50	71	20.0	0.133	阴	假设@09:50 未知程序 (未用传感器)
12:35	71	20.0	0.133	小雨	假设@12:35 未知程序 (未用传感器)
13:45	71	20.0	0.133	阴	假设@13:45 未知程序 (未用传感器)
15:30	71	20.0	0.133	阴	假设@15:30 未知程序 (未用传感器)
总计	426.0 (6次)	120.0			建议进液EC: 1730, PH: 6.0

