





FgArea: [' 0']
NC11 P2-7
2026-04-04 (Day 220)


fgNum 1 (at_row = 44.0)

















1 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water_ec']]





Plot [' ECopt']




P2-7_0: M_1




Plot [['ETcA_VN', 'ETcA_ws'], ['ETcB_VN', 'ETcB_ws']]




Plot [['ETcAraw:o', 'ETcA']]




Plot [['ETcBraw:o', 'ETcB']]






Plot [['taoc', 'taoc_raw:ro', 'taoc_avg:r-']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]







Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o' , ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o', ' PH0:g-o']]



Plot ET/VN



Plot Fv and fertilizer usage







Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa





Trend plot forP2-7_0






FgDaily












时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
06:45	71	20.0	0.133	晴	预期@06:45 手动 (未用传感器)
07:15	71	20.0	0.133	晴	预期@07:15 手动 (未用传感器)
09:05	71	20.0	0.133	晴	预期@09:05 手动 (未用传感器)
10:10	71	20.0	0.133	晴	预期@10:10 手动 (未用传感器)
11:00	71	20.0	0.133	晴	预期@11:00 手动 (未用传感器)
11:40	71	20.0	0.133	晴	预期@11:40 手动 (未用传感器)
12:20	71	20.0	0.133	晴	预期@12:20 手动 (未用传感器)
13:00	71	20.0	0.133	晴	预期@13:00 手动 (未用传感器)
13:40	71	20.0	0.133	晴	预期@13:40 手动 (未用传感器)
14:20	71	20.0	0.133	晴	预期@14:20 手动 (未用传感器)
15:10	71	20.0	0.133	晴	预期@15:10 手动 (未用传感器)
16:20	71	20.0	0.133	晴	预期@16:20 手动 (未用传感器)
总计	852.0 (12次)	240.0			建议进液EC: 1440, PH: 6.0





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
06:45	71	20.0	0.133	阴	假设@06:45 未知程序 (未用传感器)
07:15	71	20.0	0.133	阴	假设@07:15 未知程序 (未用传感器)
09:50	71	20.0	0.133	阴	假设@09:50 未知程序 (未用传感器)
10:55	71	20.0	0.133	阴	假设@10:55 未知程序 (未用传感器)
11:50	71	20.0	0.133	阴	假设@11:50 未知程序 (未用传感器)
12:35	71	20.0	0.133	阴	假设@12:35 未知程序 (未用传感器)
13:15	71	20.0	0.133	阴	假设@13:15 未知程序 (未用传感器)
14:25	71	20.0	0.133	多云	假设@14:25 未知程序 (未用传感器)
总计	568.0 (8次)	160.0			建议进液EC: 1550, PH: 6.0







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
06:50	71	20.0	0.133	多云	假设@06:50 未知程序 (未用传感器)
08:35	71	20.0	0.133	晴	假设@08:35 未知程序 (未用传感器)
09:50	71	20.0	0.133	多云	假设@09:50 未知程序 (未用传感器)
10:35	71	20.0	0.133	晴	假设@10:35 未知程序 (未用传感器)
11:15	71	20.0	0.133	晴	假设@11:15 未知程序 (未用传感器)
11:50	71	20.0	0.133	晴	假设@11:50 未知程序 (未用传感器)
12:25	71	20.0	0.133	晴	假设@12:25 未知程序 (未用传感器)
12:55	71	20.0	0.133	晴	假设@12:55 未知程序 (未用传感器)
13:25	71	20.0	0.133	晴	假设@13:25 未知程序 (未用传感器)
14:00	71	20.0	0.133	晴	假设@14:00 未知程序 (未用传感器)
14:50	71	20.0	0.133	晴	假设@14:50 未知程序 (未用传感器)
15:35	71	20.0	0.133	晴	假设@15:35 未知程序 (未用传感器)
总计	852.0 (12次)	240.0			建议进液EC: 1440, PH: 6.0









时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
06:50	71	20.0	0.133	晴	假设@06:50 未知程序 (未用传感器)
08:10	71	20.0	0.133	晴	假设@08:10 未知程序 (未用传感器)
09:30	71	20.0	0.133	晴	假设@09:30 未知程序 (未用传感器)
10:20	71	20.0	0.133	晴	假设@10:20 未知程序 (未用传感器)
11:00	71	20.0	0.133	晴	假设@11:00 未知程序 (未用传感器)
11:40	71	20.0	0.133	晴	假设@11:40 未知程序 (未用传感器)
12:15	71	20.0	0.133	晴	假设@12:15 未知程序 (未用传感器)
12:45	71	20.0	0.133	晴	假设@12:45 未知程序 (未用传感器)
13:20	71	20.0	0.133	多云	假设@13:20 未知程序 (未用传感器)
14:00	71	20.0	0.133	多云	假设@14:00 未知程序 (未用传感器)
14:40	71	20.0	0.133	多云	假设@14:40 未知程序 (未用传感器)
15:35	71	20.0	0.133	多云	假设@15:35 未知程序 (未用传感器)
总计	852.0 (12次)	240.0			建议进液EC: 1440, PH: 6.0







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
06:50	71	20.0	0.133	晴	假设@06:50 未知程序 (未用传感器)
08:35	71	20.0	0.133	多云	假设@08:35 未知程序 (未用传感器)
10:15	71	20.0	0.133	阴	假设@10:15 未知程序 (未用传感器)
11:00	71	20.0	0.133	阴	假设@11:00 未知程序 (未用传感器)
11:40	71	20.0	0.133	阴	假设@11:40 未知程序 (未用传感器)
12:20	71	20.0	0.133	多云	假设@12:20 未知程序 (未用传感器)
13:10	71	20.0	0.133	多云	假设@13:10 未知程序 (未用传感器)
14:30	71	20.0	0.133	多云	假设@14:30 未知程序 (未用传感器)
16:20	71	20.0	0.133	多云	假设@16:20 未知程序 (未用传感器)
总计	639.0 (9次)	180.0			建议进液EC: 1440, PH: 6.0

