





FgArea: [' 0']
NC11 P2-7
2025-10-04 (Day 38)














1 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water_ec']]




Plot [' ECopt ']






Plot [['taoc', 'taoc_raw:ro', 'taoc_avg:r-']]




Plot [['setVI_ETcl', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]







Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FVOEC:r-o', ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o', ' PHO:g-o']]



Plot ET/VN



Plot Fv and fertilizer usage







Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa





Trend plot for P2-7_0







FgDaily















时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:55	300	150.0	0.999	晴	预期@08:55 手动 (未用传感器)
09:55	300	150.0	0.999	晴	预期@09:55 手动 (未用传感器)
11:35	300	150.0	0.999	多云	预期@11:35 手动 (未用传感器)
13:05	300	150.0	0.999	多云	预期@13:05 手动 (未用传感器)
14:35	300	150.0	0.999	多云	预期@14:35 手动 (未用传感器)
总计	1500.0 (5次)	750.0			建议进液EC: 1980, PH: 6.5







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:40	300	150.0	0.999	晴	假设@09:40 未知程序 (未用传感器)
10:40	300	150.0	0.999	晴	假设@10:40 未知程序 (未用传感器)
12:30	300	150.0	0.999	晴	假设@12:30 未知程序 (未用传感器)
14:10	300	150.0	0.999	晴	假设@14:10 未知程序 (未用传感器)
总计	1200.0 (4次)	600.0			建议进液EC: 2000, PH: 6.5







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:05	300	150.0	0.999	晴	假设@10:05 未知程序(未用传感器)
11:05	300	150.0	0.999	晴	假设@11:05 未知程序(未用传感器)
13:00	300	150.0	0.999	晴	假设@13:00 未知程序(未用传感器)
总计	900.0 (3次)	450.0			建议进液EC: 1910, PH: 6.5





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:45	300	150.0	0.999	晴	假设@08:45 未知程序 (未用传感器)
10:00	300	150.0	0.999	晴	假设@10:00 未知程序 (未用传感器)
11:50	300	150.0	0.999	晴	假设@11:50 未知程序 (未用传感器)
14:05	300	150.0	0.999	晴	假设@14:05 未知程序 (未用传感器)
总计	1200.0 (4次)	600.0			建议进液EC: 1940, PH: 6.5





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:00	300	150.0	0.999	晴	假设@08:00 未知程序 (未用传感器)
09:15	300	150.0	0.999	晴	假设@09:15 未知程序 (未用传感器)
10:45	300	150.0	0.999	晴	假设@10:45 未知程序 (未用传感器)
12:00	300	150.0	0.999	晴	假设@12:00 未知程序 (未用传感器)
13:45	300	150.0	0.999	晴	假设@13:45 未知程序 (未用传感器)
15:40	300	150.0	0.999	晴	假设@15:40 未知程序 (未用传感器)
总计	1800.0 (6次)	900.0			建议进液EC: 2180, PH: 6.5

