





FgArea: [' 0']
NC11 P2-8
2025-12-09 (Day 104)


fgNum 1 (at_row = 80)

















1 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water_ec']]




Plot [' ECopt']






Plot [['taoc', 'taoc_raw:ro', 'taoc_avg:r-']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]







Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]



Plot [[' FV0EC:r-o', ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]




Warning: col ['PHC', 'FVIPH'] is missing





Plot [[' FVOPH:r-o' , ' PH0:g-o']]



Plot ET/VN



Plot Fv and fertilizer usage














Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa







Trend plot forP2-8_0
















时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:10	95	20.0	0.227	晴	预期@08:10 手动 (未用传感器)
08:45	95	20.0	0.227	晴	预期@08:45 手动 (未用传感器)
09:20	95	20.0	0.227	晴	预期@09:20 手动 (未用传感器)
09:55	95	20.0	0.227	晴	预期@09:55 手动 (未用传感器)
10:30	95	20.0	0.227	晴	预期@10:30 手动 (未用传感器)
11:15	95	20.0	0.227	晴	预期@11:15 手动 (未用传感器)
12:15	95	20.0	0.227	晴	预期@12:15 手动 (未用传感器)
13:15	95	20.0	0.227	晴	预期@13:15 手动 (未用传感器)
14:15	95	20.0	0.227	晴	预期@14:15 手动 (未用传感器)
总计	855.0 (9次)	180.0			建议进液EC: 1960, PH: 6.0

时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:25	95	20.0	0.227	晴	假设@08:25 未知程序 (未用传感器)
09:05	95	20.0	0.227	晴	假设@09:05 未知程序 (未用传感器)
09:45	95	20.0	0.227	晴	假设@09:45 未知程序 (未用传感器)
10:35	95	20.0	0.227	晴	假设@10:35 未知程序 (未用传感器)
11:10	95	20.0	0.227	晴	假设@11:10 未知程序 (未用传感器)
12:25	95	20.0	0.227	晴	假设@12:25 未知程序 (未用传感器)
13:30	95	20.0	0.227	晴	假设@13:30 未知程序 (未用传感器)
总计	665.0 (7次)	140.0			建议进液EC: 1960, PH: 6.0






时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:30	95	20.0	0.227	晴	假设@08:30 未知程序 (未用传感器)
09:10	95	20.0	0.227	晴	假设@09:10 未知程序 (未用传感器)
09:50	95	20.0	0.227	晴	假设@09:50 未知程序 (未用传感器)
10:30	95	20.0	0.227	晴	假设@10:30 未知程序 (未用传感器)
11:10	95	20.0	0.227	晴	假设@11:10 未知程序 (未用传感器)
11:45	95	20.0	0.227	晴	假设@11:45 未知程序 (未用传感器)
12:40	95	20.0	0.227	晴	假设@12:40 未知程序 (未用传感器)
13:40	95	20.0	0.227	晴	假设@13:40 未知程序 (未用传感器)
总计	760.0 (8次)	160.0			建议进液EC: 1790, PH: 6.0






时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:30	95	20.0	0.227	晴	假设@08:30 未知程序 (未用传感器)
09:10	95	20.0	0.227	晴	假设@09:10 未知程序 (未用传感器)
10:50	95	20.0	0.227	晴	假设@10:50 未知程序 (未用传感器)
11:20	95	20.0	0.227	晴	假设@11:20 未知程序 (未用传感器)
11:50	95	20.0	0.227	晴	假设@11:50 未知程序 (未用传感器)
12:20	95	20.0	0.227	晴	假设@12:20 未知程序 (未用传感器)
13:20	95	20.0	0.227	晴	假设@13:20 未知程序 (未用传感器)
总计	665.0 (7次)	140.0			建议进液EC: 1870, PH: 6.0







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:45	95	20.0	0.227	晴	假设@08:45 未知程序 (未用传感器)
09:35	95	20.0	0.227	多云	假设@09:35 未知程序 (未用传感器)
10:40	95	20.0	0.227	阴	假设@10:40 未知程序 (未用传感器)
11:25	95	20.0	0.227	多云	假设@11:25 未知程序 (未用传感器)
12:05	95	20.0	0.227	多云	假设@12:05 未知程序 (未用传感器)
12:45	95	20.0	0.227	多云	假设@12:45 未知程序 (未用传感器)
总计	570.0 (6次)	120.0			建议进液EC: 1850, PH: 6.0

