





FgArea: [' 0']
NC11 P2-8
2025-12-11 (Day 106)


fgNum 1 (at_row = 80)

















1 (fgArea = NA)






Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water_ec']]




Plot [' ECopt']






Plot [['taoc', 'taoc_raw:ro', 'taoc_avg:r-']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]







Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot ['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']




Plot [[' FV0EC:r-o', ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o', ' PH0:g-o']]



Plot ET/VN



Plot Fv and fertilizer usage














Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa







Trend plot forP2-8_0














时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:40	95	20.0	0.227	晴	预期@09:40 手动 (未用传感器)
10:20	95	20.0	0.227	晴	预期@10:20 手动 (未用传感器)
11:35	95	20.0	0.227	晴	预期@11:35 手动 (未用传感器)
12:45	95	20.0	0.227	晴	预期@12:45 手动 (未用传感器)
13:50	95	20.0	0.227	晴	预期@13:50 手动 (未用传感器)
总计	475.0 (5次)	100.0			建议进液EC: 1920, PH: 6.0








时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
12:20	95	20.0	0.227	阴	假设@12:20 未知程序 (未用传感器)
14:35	95	20.0	0.227	阴	假设@14:35 未知程序 (未用传感器)
总计	190.0 (2次)	40.0			建议进液EC: 1970, PH: 6.0








时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:20	95	20.0	0.227	晴	假设@09:20 未知程序 (未用传感器)
10:05	95	20.0	0.227	晴	假设@10:05 未知程序 (未用传感器)
11:15	95	20.0	0.227	晴	假设@11:15 未知程序 (未用传感器)
12:15	95	20.0	0.227	晴	假设@12:15 未知程序 (未用传感器)
13:20	95	20.0	0.227	晴	假设@13:20 未知程序 (未用传感器)
总计	475.0 (5次)	100.0			建议进液EC: 1960, PH: 6.0





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:20	95	20.0	0.227	晴	假设@09:20 未知程序 (未用传感器)
10:35	95	20.0	0.227	晴	假设@10:35 未知程序 (未用传感器)
11:35	95	20.0	0.227	晴	假设@11:35 未知程序 (未用传感器)
12:50	95	20.0	0.227	晴	假设@12:50 未知程序 (未用传感器)
14:05	95	20.0	0.227	晴	假设@14:05 未知程序 (未用传感器)
总计	475.0 (5次)	100.0			建议进液EC: 1960, PH: 6.0





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:40	95	20.0	0.227	晴	假设@09:40 未知程序 (未用传感器)
10:25	95	20.0	0.227	晴	假设@10:25 未知程序 (未用传感器)
11:35	95	20.0	0.227	晴	假设@11:35 未知程序 (未用传感器)
12:30	95	20.0	0.227	晴	假设@12:30 未知程序 (未用传感器)
13:40	95	20.0	0.227	晴	假设@13:40 未知程序 (未用传感器)
总计	475.0 (5次)	100.0			建议进液EC: 1790, PH: 6.0

