





FgArea: [' 0']
NC11 P2-8
2026-01-24 (Day 150)


fgNum 1 (at_row = 80)

















1 (fgArea = NA)








Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water_ec']]




Plot [' ECopt']




Plot [['ETcA_VN', 'ETcA_ws'], ['ETcB_VN', 'ETcB_ws']]




Plot [['ETcAraw:o', 'ETcA']]




Plot [['ETcBraw:o', 'ETcB']]






Plot [['taoc', 'taoc_raw:ro', 'taoc_avg:r-']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]






Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Warning: col ['ECC', 'FVIEC'] is missing


Plot [[' FV0EC:r-o' , ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o' , ' PHO:g-o']]



Plot ET/VN



Plot Fv and fertilizer usage







Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa





Trend plot forP2-8_0







FgDaily

















时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:25	48	10.0	0.113	多云	预期@08:25 未知程序 (未用传感器)
09:10	48	10.0	0.113	晴	预期@09:10 手动 (未用传感器)
09:40	48	10.0	0.113	晴	预期@09:40 手动 (未用传感器)
10:45	48	10.0	0.113	晴	预期@10:45 手动 (未用传感器)
11:45	48	10.0	0.113	晴	预期@11:45 手动 (未用传感器)
12:40	48	10.0	0.113	晴	预期@12:40 手动 (未用传感器)
13:35	48	10.0	0.113	晴	预期@13:35 手动 (未用传感器)
14:40	48	10.0	0.113	晴	预期@14:40 手动 (未用传感器)
总计	384.0 (8次)	80.0			建议进液EC: 2000, PH: 6.0







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:25	48	10.0	0.113	晴	假设@08:25 未知程序 (未用传感器)
09:10	48	10.0	0.113	晴	假设@09:10 未知程序 (未用传感器)
09:40	48	10.0	0.113	晴	假设@09:40 未知程序 (未用传感器)
10:25	48	10.0	0.113	晴	假设@10:25 未知程序 (未用传感器)
11:15	48	10.0	0.113	晴	假设@11:15 未知程序 (未用传感器)
11:50	48	10.0	0.113	晴	假设@11:50 未知程序 (未用传感器)
12:25	48	10.0	0.113	晴	假设@12:25 未知程序 (未用传感器)
13:05	48	10.0	0.113	多云	假设@13:05 未知程序 (未用传感器)
13:50	48	10.0	0.113	多云	假设@13:50 未知程序 (未用传感器)
14:30	48	10.0	0.113	多云	假设@14:30 未知程序 (未用传感器)
15:15	48	10.0	0.113	晴	假设@15:15 未知程序 (未用传感器)
总计	528.0 (11次)	110.0			建议进液EC: 1650, PH: 6.0











时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:25	48	10.0	0.113	多云	假设@08:25 未知程序 (未用传感器)
09:10	48	10.0	0.113	晴	假设@09:10 未知程序 (未用传感器)
09:40	48	10.0	0.113	晴	假设@09:40 未知程序 (未用传感器)
10:35	48	10.0	0.113	晴	假设@10:35 未知程序 (未用传感器)
11:20	48	10.0	0.113	晴	假设@11:20 未知程序 (未用传感器)
11:55	48	10.0	0.113	晴	假设@11:55 未知程序 (未用传感器)
12:30	48	10.0	0.113	晴	假设@12:30 未知程序 (未用传感器)
13:05	48	10.0	0.113	晴	假设@13:05 未知程序 (未用传感器)
13:40	48	10.0	0.113	晴	假设@13:40 未知程序 (未用传感器)
14:20	48	10.0	0.113	晴	假设@14:20 未知程序 (未用传感器)
15:00	48	10.0	0.113	晴	假设@15:00 未知程序 (未用传感器)
总计	528.0 (11次)	110.0			建议进液EC: 1590, PH: 6.0










时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:25	48	10.0	0.113	多云	假设@08:25 未知程序 (未用传感器)
09:20	48	10.0	0.113	晴	假设@09:20 未知程序 (未用传感器)
09:50	48	10.0	0.113	晴	假设@09:50 未知程序 (未用传感器)
10:40	48	10.0	0.113	晴	假设@10:40 未知程序 (未用传感器)
11:20	48	10.0	0.113	晴	假设@11:20 未知程序 (未用传感器)
11:55	48	10.0	0.113	晴	假设@11:55 未知程序 (未用传感器)
12:25	48	10.0	0.113	晴	假设@12:25 未知程序 (未用传感器)
12:55	48	10.0	0.113	晴	假设@12:55 未知程序 (未用传感器)
13:25	48	10.0	0.113	晴	假设@13:25 未知程序 (未用传感器)
14:05	48	10.0	0.113	晴	假设@14:05 未知程序 (未用传感器)
14:45	48	10.0	0.113	晴	假设@14:45 未知程序 (未用传感器)
总计	528.0 (11次)	110.0			建议进液EC: 1700, PH: 6.0







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:25	48	10.0	0.113	多云	假设@08:25 未知程序 (未用传感器)
09:20	48	10.0	0.113	晴	假设@09:20 未知程序 (未用传感器)
09:50	48	10.0	0.113	晴	假设@09:50 未知程序 (未用传感器)
10:40	48	10.0	0.113	晴	假设@10:40 未知程序 (未用传感器)
11:25	48	10.0	0.113	晴	假设@11:25 未知程序 (未用传感器)
12:00	48	10.0	0.113	晴	假设@12:00 未知程序 (未用传感器)
12:30	48	10.0	0.113	晴	假设@12:30 未知程序 (未用传感器)
13:00	48	10.0	0.113	晴	假设@13:00 未知程序 (未用传感器)
13:35	48	10.0	0.113	晴	假设@13:35 未知程序 (未用传感器)
14:10	48	10.0	0.113	晴	假设@14:10 未知程序 (未用传感器)
14:55	48	10.0	0.113	晴	假设@14:55 未知程序 (未用传感器)
总计	528.0 (11次)	110.0			建议进液EC: 1820, PH: 6.0

