





FgArea: [ ' 0' ]  
NC11 P2-8  
2026-03-31 (Day 216)


fgNum 1 (at\_row = 80)

















1 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water\_ec']]




Plot [ ' ECopt' ]





P2-8\_0: M\_E




P2-8\_0: M\_W




Plot [['ETcA\_VN', 'ETcA\_ws'], ['ETcB\_VN', 'ETcB\_ws']]




Plot [['ETcAraw:o', 'ETcA']]




Plot [['ETcBraw:o', 'ETcB']]






Plot [['taoc', 'taoc\_raw:ro', 'taoc\_avg:r-']]




Plot [['setVI\_ETcI', 'setVI\_fgRec', 'setVI\_VN', 'sISetVI']]







Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o' , ' ECO:g-o' ]]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o', ' PHO:g-o' ]]



Plot ET/VN



Plot Fv and fertilizer usage







Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa




Trend plot forP2-8\_0






















时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:20	74	20.0	0.227	晴	预期@07:20 手动 (未用传感器)
08:30	74	20.0	0.227	晴	预期@08:30 手动 (未用传感器)
09:55	74	20.0	0.227	晴	预期@09:55 手动 (未用传感器)
10:55	74	20.0	0.227	晴	预期@10:55 手动 (未用传感器)
11:45	74	20.0	0.227	晴	预期@11:45 手动 (未用传感器)
12:30	74	20.0	0.227	晴	预期@12:30 手动 (未用传感器)
13:15	74	20.0	0.227	晴	预期@13:15 手动 (未用传感器)
14:05	74	20.0	0.227	晴	预期@14:05 手动 (未用传感器)
15:05	74	20.0	0.227	晴	预期@15:05 手动 (未用传感器)
总计	666.0 (9次)	180.0			建议进液EC: 1440, PH: 6.0







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:25	74	20.0	0.227	雾	假设@07:25 未知程序 (未用传感器)
08:15	74	20.0	0.227	雾	假设@08:15 未知程序 (未用传感器)
09:20	74	20.0	0.227	多云	假设@09:20 未知程序 (未用传感器)
10:10	74	20.0	0.227	多云	假设@10:10 未知程序 (未用传感器)
10:55	74	20.0	0.227	多云	假设@10:55 未知程序 (未用传感器)
11:35	74	20.0	0.227	晴	假设@11:35 未知程序 (未用传感器)
12:15	74	20.0	0.227	晴	假设@12:15 未知程序 (未用传感器)
12:50	74	20.0	0.227	晴	假设@12:50 未知程序 (未用传感器)
13:25	74	20.0	0.227	晴	假设@13:25 未知程序 (未用传感器)
14:00	74	20.0	0.227	晴	假设@14:00 未知程序 (未用传感器)
14:40	74	20.0	0.227	晴	假设@14:40 未知程序 (未用传感器)
15:25	74	20.0	0.227	晴	假设@15:25 未知程序 (未用传感器)
16:15	74	20.0	0.227	晴	假设@16:15 未知程序 (未用传感器)
总计	962.0 (13次)	260.0			建议进液EC: 1450, PH: 6.0










时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:15	74	20.0	0.227	阴	假设@07:15 未知程序 (未用传感器)
09:05	74	20.0	0.227	阴	假设@09:05 未知程序 (未用传感器)
11:45	74	20.0	0.227	小雨	假设@11:45 未知程序 (未用传感器)
13:00	74	20.0	0.227	阴	假设@13:00 未知程序 (未用传感器)
14:05	74	20.0	0.227	阴	假设@14:05 未知程序 (未用传感器)
15:40	74	20.0	0.227	阴	假设@15:40 未知程序 (未用传感器)
总计	444.0 (6次)	120.0			建议进液EC: 1610, PH: 6.0









时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:25	74	20.0	0.227	晴	假设@07:25 未知程序 (未用传感器)
08:25	74	20.0	0.227	晴	假设@08:25 未知程序 (未用传感器)
09:25	74	20.0	0.227	晴	假设@09:25 未知程序 (未用传感器)
10:15	74	20.0	0.227	晴	假设@10:15 未知程序 (未用传感器)
10:55	74	20.0	0.227	晴	假设@10:55 未知程序 (未用传感器)
11:35	74	20.0	0.227	晴	假设@11:35 未知程序 (未用传感器)
12:15	74	20.0	0.227	晴	假设@12:15 未知程序 (未用传感器)
12:50	74	20.0	0.227	晴	假设@12:50 未知程序 (未用传感器)
13:25	74	20.0	0.227	晴	假设@13:25 未知程序 (未用传感器)
14:00	74	20.0	0.227	晴	假设@14:00 未知程序 (未用传感器)
14:40	74	20.0	0.227	晴	假设@14:40 未知程序 (未用传感器)
15:25	74	20.0	0.227	晴	假设@15:25 未知程序 (未用传感器)
总计	888.0 (12次)	240.0			建议进液EC: 1500, PH: 6.0







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:30	74	20.0	0.227	多云	假设@07:30 未知程序 (未用传感器)
08:20	74	20.0	0.227	晴	假设@08:20 未知程序 (未用传感器)
09:20	74	20.0	0.227	晴	假设@09:20 未知程序 (未用传感器)
10:05	74	20.0	0.227	晴	假设@10:05 未知程序 (未用传感器)
10:45	74	20.0	0.227	晴	假设@10:45 未知程序 (未用传感器)
11:20	74	20.0	0.227	晴	假设@11:20 未知程序 (未用传感器)
12:00	74	20.0	0.227	晴	假设@12:00 未知程序 (未用传感器)
12:35	74	20.0	0.227	晴	假设@12:35 未知程序 (未用传感器)
13:10	74	20.0	0.227	晴	假设@13:10 未知程序 (未用传感器)
13:45	74	20.0	0.227	晴	假设@13:45 未知程序 (未用传感器)
14:25	74	20.0	0.227	晴	假设@14:25 未知程序 (未用传感器)
15:05	74	20.0	0.227	晴	假设@15:05 未知程序 (未用传感器)
15:50	74	20.0	0.227	晴	假设@15:50 未知程序 (未用传感器)
总计	962.0 (13次)	260.0			建议进液EC: 1500, PH: 6.0

