




FgArea: [ ' 0' ]  
NC11 P2-8  
2025-11-13 (Day 78)


fgNum 1 (at\_row = 80)














1 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water\_ec']]




Plot [' ECopt ']






Plot [['taoc', 'taoc\_raw:ro', 'taoc\_avg:r-']]




Plot [['setVI\_ETcI', 'setVI\_fgRec', 'setVI\_VN', 'sISetVI']]







Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o' , ' ECO:g-o' ]]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o' , ' PHO:g-o' ]]



Plot ET/VN



Plot Fv and fertilizer usage







Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa










Trend plot forP2-8\_0



# FgDaily





0

10

20

30

40

50


60




70


80

d













时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:35	80	40.0	0.454	晴	预期@08:35 手动 (未用传感器)
09:10	80	40.0	0.454	晴	预期@09:10 手动 (未用传感器)
09:45	80	40.0	0.454	晴	预期@09:45 手动 (未用传感器)
10:35	80	40.0	0.454	晴	预期@10:35 手动 (未用传感器)
11:20	80	40.0	0.454	晴	预期@11:20 手动 (未用传感器)
12:05	80	40.0	0.454	晴	预期@12:05 手动 (未用传感器)
12:50	80	40.0	0.454	晴	预期@12:50 手动 (未用传感器)
13:35	80	40.0	0.454	晴	预期@13:35 手动 (未用传感器)
14:20	80	40.0	0.454	晴	预期@14:20 手动 (未用传感器)
总计	720.0 (9次)	360.0			建议进液EC: 2200, PH: 6.0






时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:35	80	40.0	0.454	雾	假设@08:35 未知程序 (未用传感器)
09:10	80	40.0	0.454	雾	假设@09:10 未知程序 (未用传感器)
09:45	80	40.0	0.454	雾	假设@09:45 未知程序 (未用传感器)
10:45	80	40.0	0.454	霾	假设@10:45 未知程序 (未用传感器)
11:30	80	40.0	0.454	晴	假设@11:30 未知程序 (未用传感器)
12:10	80	40.0	0.454	晴	假设@12:10 未知程序 (未用传感器)
12:55	80	40.0	0.454	晴	假设@12:55 未知程序 (未用传感器)
13:45	80	40.0	0.454	晴	假设@13:45 未知程序 (未用传感器)
总计	640.0 (8次)	320.0			建议进液EC: 2220, PH: 6.0






时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:25	80	40.0	0.454	雾	假设@08:25 未知程序 (未用传感器)
09:00	80	40.0	0.454	雾	假设@09:00 未知程序 (未用传感器)
09:35	80	40.0	0.454	雾	假设@09:35 未知程序 (未用传感器)
10:35	80	40.0	0.454	晴	假设@10:35 未知程序 (未用传感器)
11:20	80	40.0	0.454	晴	假设@11:20 未知程序 (未用传感器)
12:00	80	40.0	0.454	晴	假设@12:00 未知程序 (未用传感器)
12:40	80	40.0	0.454	晴	假设@12:40 未知程序 (未用传感器)
13:25	80	40.0	0.454	晴	假设@13:25 未知程序 (未用传感器)
14:15	80	40.0	0.454	晴	假设@14:15 未知程序 (未用传感器)
总计	720.0 (9次)	360.0			建议进液EC: 2140, PH: 6.0





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:10	80	40.0	0.454	多云	假设@08:10 未知程序 (未用传感器)
08:45	80	40.0	0.454	多云	假设@08:45 未知程序 (未用传感器)
09:20	80	40.0	0.454	晴	假设@09:20 未知程序 (未用传感器)
10:15	80	40.0	0.454	晴	假设@10:15 未知程序 (未用传感器)
11:00	80	40.0	0.454	晴	假设@11:00 未知程序 (未用传感器)
11:40	80	40.0	0.454	晴	假设@11:40 未知程序 (未用传感器)
12:15	80	40.0	0.454	晴	假设@12:15 未知程序 (未用传感器)
12:50	80	40.0	0.454	晴	假设@12:50 未知程序 (未用传感器)
13:30	80	40.0	0.454	晴	假设@13:30 未知程序 (未用传感器)
14:15	80	40.0	0.454	晴	假设@14:15 未知程序 (未用传感器)
总计	800.0 (10次)	400.0			建议进液EC: 2180, PH: 6.0





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:20	80	40.0	0.454	晴	假设@08:20 未知程序 (未用传感器)
08:55	80	40.0	0.454	晴	假设@08:55 未知程序 (未用传感器)
09:25	80	40.0	0.454	晴	假设@09:25 未知程序 (未用传感器)
10:20	80	40.0	0.454	晴	假设@10:20 未知程序 (未用传感器)
11:00	80	40.0	0.454	晴	假设@11:00 未知程序 (未用传感器)
11:40	80	40.0	0.454	晴	假设@11:40 未知程序 (未用传感器)
12:15	80	40.0	0.454	晴	假设@12:15 未知程序 (未用传感器)
12:50	80	40.0	0.454	晴	假设@12:50 未知程序 (未用传感器)
13:30	80	40.0	0.454	晴	假设@13:30 未知程序 (未用传感器)
14:15	80	40.0	0.454	晴	假设@14:15 未知程序 (未用传感器)
总计	800.0 (10次)	400.0			建议进液EC: 2140, PH: 6.0

