





FgArea: [' 0']
NC11 P2-8
2025-12-03 (Day 98)


fgNum 1 (at_row = 80)

















1 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water_ec']]




Plot [' ECopt']






Plot [['taoc', 'taoc_raw:ro', 'taoc_avg:r-']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]







Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o' , ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o', ' PHO:g-o']]



Plot ET/VN



Plot Fv and fertilizer usage














Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa






Trend plot forP2-8_0














时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:15	100	20.0	0.227	晴	预期@08:15 手动 (未用传感器)
08:50	100	20.0	0.227	晴	预期@08:50 手动 (未用传感器)
09:25	100	20.0	0.227	晴	预期@09:25 手动 (未用传感器)
10:00	100	20.0	0.227	晴	预期@10:00 手动 (未用传感器)
10:35	100	20.0	0.227	晴	预期@10:35 手动 (未用传感器)
11:40	100	20.0	0.227	晴	预期@11:40 手动 (未用传感器)
12:45	100	20.0	0.227	晴	预期@12:45 手动 (未用传感器)
13:55	100	20.0	0.227	晴	预期@13:55 手动 (未用传感器)
总计	800.0 (8次)	160.0			建议进液EC: 1790, PH: 6.0








时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:05	100	20.0	0.227	晴	假设@08:05 未知程序 (未用传感器)
08:45	100	20.0	0.227	晴	假设@08:45 未知程序 (未用传感器)
09:25	100	20.0	0.227	晴	假设@09:25 未知程序 (未用传感器)
10:05	100	20.0	0.227	晴	假设@10:05 未知程序 (未用传感器)
10:45	100	20.0	0.227	晴	假设@10:45 未知程序 (未用传感器)
11:55	100	20.0	0.227	晴	假设@11:55 未知程序 (未用传感器)
13:10	100	20.0	0.227	晴	假设@13:10 未知程序 (未用传感器)
总计	700.0 (7次)	140.0			建议进液EC: 1820, PH: 6.0







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:10	100	20.0	0.227	多云	假设@08:10 未知程序 (未用传感器)
08:55	100	20.0	0.227	多云	假设@08:55 未知程序 (未用传感器)
09:40	100	20.0	0.227	多云	假设@09:40 未知程序 (未用传感器)
10:25	100	20.0	0.227	多云	假设@10:25 未知程序 (未用传感器)
11:10	100	20.0	0.227	晴	假设@11:10 未知程序 (未用传感器)
11:55	100	20.0	0.227	晴	假设@11:55 未知程序 (未用传感器)
13:10	100	20.0	0.227	晴	假设@13:10 未知程序 (未用传感器)
总计	700.0 (7次)	140.0			建议进液EC: 1890, PH: 6.0









时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:10	100	20.0	0.227	阴	假设@08:10 未知程序 (未用传感器)
09:05	100	20.0	0.227	阴	假设@09:05 未知程序 (未用传感器)
10:40	100	20.0	0.227	阴	假设@10:40 未知程序 (未用传感器)
11:25	100	20.0	0.227	阴	假设@11:25 未知程序 (未用传感器)
12:10	100	20.0	0.227	多云	假设@12:10 未知程序 (未用传感器)
13:00	100	20.0	0.227	多云	假设@13:00 未知程序 (未用传感器)
总计	600.0 (6次)	120.0			建议进液EC: 1850, PH: 6.0





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:55	100	20.0	0.227	晴	假设@07:55 未知程序 (未用传感器)
08:35	100	20.0	0.227	晴	假设@08:35 未知程序 (未用传感器)
09:15	100	20.0	0.227	晴	假设@09:15 未知程序 (未用传感器)
09:55	100	20.0	0.227	晴	假设@09:55 未知程序 (未用传感器)
10:35	100	20.0	0.227	晴	假设@10:35 未知程序 (未用传感器)
11:35	100	20.0	0.227	晴	假设@11:35 未知程序 (未用传感器)
12:35	100	20.0	0.227	晴	假设@12:35 未知程序 (未用传感器)
13:45	100	20.0	0.227	晴	假设@13:45 未知程序 (未用传感器)
总计	800.0 (8次)	160.0			建议进液EC: 1840, PH: 6.0

