





FgArea: [' 0']
NC11 P2-9
2025-12-11 (Day 106)


fgNum 1 (at_row = 80)

















1 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water_ec']]




Plot [' ECopt']






Plot [['taoc', 'taoc_raw:ro', 'taoc_avg:r-']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]






Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Warning: col ['FRV', 'FVI'] is missing


Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o' , ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o', ' PHO:g-o']]



Plot ET/VN



Plot Fv and fertilizer usage














Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa






Trend plot forP2-9_0













时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:45	100	20.0	0.216	晴	预期@09:45 手动 (未用传感器)
10:30	100	20.0	0.216	晴	预期@10:30 手动 (未用传感器)
11:45	100	20.0	0.216	晴	预期@11:45 手动 (未用传感器)
12:55	100	20.0	0.216	晴	预期@12:55 手动 (未用传感器)
14:05	100	20.0	0.216	晴	预期@14:05 手动 (未用传感器)
总计	500.0 (5次)	100.0			建议进液EC: 1790, PH: 6.0








时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:00	100	20.0	0.216	阴	假设@10:00 未知程序 (未用传感器)
12:05	100	20.0	0.216	阴	假设@12:05 未知程序 (未用传感器)
总计	200.0 (2次)	40.0			建议进液EC: 1740, PH: 6.0






时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:20	100	20.0	0.216	晴	假设@09:20 未知程序 (未用传感器)
10:05	100	20.0	0.216	晴	假设@10:05 未知程序 (未用传感器)
11:00	100	20.0	0.216	晴	假设@11:00 未知程序 (未用传感器)
12:00	100	20.0	0.216	晴	假设@12:00 未知程序 (未用传感器)
13:05	100	20.0	0.216	晴	假设@13:05 未知程序 (未用传感器)
总计	500.0 (5次)	100.0			建议进液EC: 1850, PH: 6.0





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:20	100	20.0	0.216	晴	假设@09:20 未知程序 (未用传感器)
10:10	100	20.0	0.216	晴	假设@10:10 未知程序 (未用传感器)
11:40	100	20.0	0.216	晴	假设@11:40 未知程序 (未用传感器)
12:55	100	20.0	0.216	晴	假设@12:55 未知程序 (未用传感器)
14:20	100	20.0	0.216	晴	假设@14:20 未知程序 (未用传感器)
总计	500.0 (5次)	100.0			建议进液EC: 1770, PH: 6.0





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:40	105	20.0	0.216	晴	假设@09:40 未知程序 (未用传感器)
10:25	105	20.0	0.216	晴	假设@10:25 未知程序 (未用传感器)
11:30	105	20.0	0.216	晴	假设@11:30 未知程序 (未用传感器)
12:30	105	20.0	0.216	晴	假设@12:30 未知程序 (未用传感器)
13:35	105	20.0	0.216	晴	假设@13:35 未知程序 (未用传感器)
总计	525.0 (5次)	100.0			建议进液EC: 1750, PH: 6.0

