





FgArea: [' 0']
NC11 P2-9
2025-12-22 (Day 117)


fgNum 1 (at_row = 80)

















1 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water_ec']]




Plot [' ECopt']






Plot [['taoc', 'taoc_raw:ro', 'taoc_avg:r-']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]






Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Warning: col ['FRV', 'FVI'] is missing

Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Warning: col ['ECC', 'FVIEC'] is missing


Plot [[' FV0EC:r-o' , ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o', ' PHO:g-o']]



Plot ET/VN



Plot Fv and fertilizer usage








Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa







Trend plot forP2-9_0
















时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:10	50	10.0	0.108	晴	预期@09:10 手动 (未用传感器)
09:40	50	10.0	0.108	晴	预期@09:40 手动 (未用传感器)
10:10	50	10.0	0.108	多云	预期@10:10 手动 (未用传感器)
10:40	50	10.0	0.108	多云	预期@10:40 手动 (未用传感器)
11:35	50	10.0	0.108	多云	预期@11:35 手动 (未用传感器)
12:25	50	10.0	0.108	多云	预期@12:25 手动 (未用传感器)
13:25	50	10.0	0.108	多云	预期@13:25 手动 (未用传感器)
14:20	50	10.0	0.108	多云	预期@14:20 手动 (未用传感器)
总计	400.0 (8次)	80.0			建议进液EC: 1890, PH: 6.0








时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:25	100	20.0	0.216	晴	假设@09:25 未知程序 (未用传感器)
10:10	100	20.0	0.216	晴	假设@10:10 未知程序 (未用传感器)
11:15	100	20.0	0.216	晴	假设@11:15 未知程序 (未用传感器)
12:10	100	20.0	0.216	晴	假设@12:10 未知程序 (未用传感器)
13:05	100	20.0	0.216	晴	假设@13:05 未知程序 (未用传感器)
14:05	100	20.0	0.216	晴	假设@14:05 未知程序 (未用传感器)
总计	600.0 (6次)	120.0			建议进液EC: 1940, PH: 6.0










时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:50	100	20.0	0.216	阴	假设@09:50 未知程序 (未用传感器)
10:25	100	20.0	0.216	多云	假设@10:25 未知程序 (未用传感器)
11:25	100	20.0	0.216	多云	假设@11:25 未知程序 (未用传感器)
12:15	100	20.0	0.216	晴	假设@12:15 未知程序 (未用传感器)
13:05	100	20.0	0.216	晴	假设@13:05 未知程序 (未用传感器)
14:00	100	20.0	0.216	晴	假设@14:00 未知程序 (未用传感器)
总计	600.0 (6次)	120.0			建议进液EC: 1900, PH: 6.0



时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:30	100	20.0	0.216	雾	假设@10:30 未知程序 (未用传感器)
11:05	100	20.0	0.216	雾	假设@11:05 未知程序 (未用传感器)
11:45	100	20.0	0.216	雾	假设@11:45 未知程序 (未用传感器)
12:35	100	20.0	0.216	晴	假设@12:35 未知程序 (未用传感器)
13:20	100	20.0	0.216	晴	假设@13:20 未知程序 (未用传感器)
14:10	100	20.0	0.216	晴	假设@14:10 未知程序 (未用传感器)
总计	600.0 (6次)	120.0			建议进液EC: 1840, PH: 6.0





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
12:25	100	20.0	0.216	阴	假设@12:25 未知程序 (未用传感器)
12:55	100	20.0	0.216	阴	假设@12:55 未知程序 (未用传感器)
总计	200.0 (2次)	40.0			建议进液EC: 1880, PH: 6.0

